

# Contents

## 1 Introduction

1.1 Document Overview . . . . .	1-1
1.2 Companion Requirements Documents . . . . .	1-2
1.2.1 Billing AMA Format (BAF) Requirements . . . . .	1-2
1.2.2 Platform Requirements . . . . .	1-2
1.3 Scope . . . . .	1-3
1.4 Reasons for GR-1083-CORE, Issue 5 . . . . .	1-3
1.5 Reasons for GR-1083-CORE, Issue 4 . . . . .	1-4
1.6 Reasons for GR-1083-CORE, Issue 3 . . . . .	1-4
1.7 Key GR-1083-CORE Definitions . . . . .	1-5
1.8 Key GR-1083-CORE Terminology . . . . .	1-5
1.8.1 Exchange Access Terms . . . . .	1-5
1.8.2 BAF-Related Terms . . . . .	1-7
1.8.3 Call-Related Terms . . . . .	1-7
1.9 Requirements Terminology . . . . .	1-8
1.10 Requirement Labeling Conventions . . . . .	1-9
1.10.1 Numbering of Requirement and Related Objects . . . . .	1-9
1.10.2 Requirement, Conditional Requirement, and Objective Identification . . . . .	1-10

## 2 BAF Requirements for Exchange Access

## 3 AMA for Feature Group A (FGA)

3.1 Introduction . . . . .	3-1
3.2 Originating FGA Calls . . . . .	3-2
3.2.1 Originating FGA Overflow Records . . . . .	3-2
3.2.2 Originating FGA AMA Record Determination . . . . .	3-3
3.3 Terminating FGA Call . . . . .	3-3
3.3.1 Terminating FGA AMA Record Determination . . . . .	3-4
3.3.2 Feature Interactions . . . . .	3-4
3.3.3 Other Interactions . . . . .	3-5
3.3.3.1 Call Forwarding Variable . . . . .	3-5
3.3.3.2 Remote Call Forwarding . . . . .	3-6
3.3.3.3 Usage-Sensitive Call Forwarding . . . . .	3-6
3.3.3.4 Call Forwarding Don't Answer . . . . .	3-6
3.3.3.5 Operator Services . . . . .	3-6
3.3.3.6 IC/INC Interconnection . . . . .	3-6
3.3.3.7 Calls to Service Access Codes (SACs) and Toll-Free Service Codes . . . . .	3-7
3.3.3.8 Calls to Local Number Portability (LNP) Ported Numbers . . . . .	3-7
3.4 AMA Data Integrity . . . . .	3-8

## 4 AMA for Feature Group B (FGB)

4.1 Introduction . . . . .	4-1
4.2 Originating FGB Access Calls . . . . .	4-2
4.2.1 Originating FGB Overflow Records . . . . .	4-2
4.2.2 Originating FGB Timing Considerations . . . . .	4-3
4.2.3 Originating FGB AMA Record Determination . . . . .	4-4
4.2.4 Optional AMA Recording at the Tandem Switch . . . . .	4-6
4.2.5 Feature Interactions . . . . .	4-7
4.2.6 Originating FGB Calls From Ported Numbers . . . . .	4-7
4.3 Terminating FGB Access Calls . . . . .	4-7
4.3.1 Terminating FGB Timing Considerations . . . . .	4-8
4.3.2 FGB Terminating AMA Record Determination . . . . .	4-9
4.3.3 Terminating FGB Calls From Ported Numbers . . . . .	4-10
4.4 IC/INC Call Event Status . . . . .	4-11
4.5 950-XXXX Dialing Over FGD . . . . .	4-15
4.5.1 Recording at the Access Tandem . . . . .	4-15
4.6 Test Calls . . . . .	4-16
4.7 AMA Data Integrity . . . . .	4-17

## 5 AMA for Feature Group D (FGD)

5.1 Introduction . . . . .	5-1
5.1.1 Signaling . . . . .	5-2
5.1.1.1 Equal Access (EA) Signaling . . . . .	5-2
5.1.1.2 Traditional MF Signaling . . . . .	5-2
5.2 AMA for Originating FGD Exchange Access Calls . . . . .	5-3
5.2.1 Criteria for Generating FGD Originating Exchange Access AMA . . . . .	5-3
5.2.2 Recording Location Determination . . . . .	5-4
5.2.2.1 Recording at the Originating EO . . . . .	5-4
5.2.2.2 Optional AMA Recording Capability at the Access Tandem . . . . .	5-4
5.2.3 Structure Code (SC)/Call Type Code (CTC) Determination . . . . .	5-9
5.2.4 Other Applicable Originating FGD SC/CTC Combinations . . . . .	5-9
5.2.4.1 Calls to Directory Assistance . . . . .	5-9
5.2.4.2 International Originating Exchange Access . . . . .	5-10
5.2.4.3 Calls to an IC/INC Operator Service Facility . . . . .	5-11
5.2.4.4 Calls to Toll-Free Numbers and Service Access Codes . . . . .	5-12
5.2.4.5 Calls From Internetwork Wide Area Telecommunications Service (WATS) Facilities . . . . .	5-14
5.2.4.6 Calls to Public Switched Data Service (PSDS) Facilities . . . . .	5-15
5.2.4.7 Long Duration Calls . . . . .	5-15
5.2.4.8 Calls From Originating Study Lines . . . . .	5-16
5.2.4.9 Cut-Through Calls . . . . .	5-16
5.2.4.10 Calls From Unbundled/Resold Lines . . . . .	5-17
5.2.4.11 Calls From ISDN Lines . . . . .	5-17
5.2.4.12 Originating FGD Calls Invoking AIN Services . . . . .	5-17
5.2.5 Originating Test Calls . . . . .	5-17
5.2.6 Timing of Originating FGD Calls . . . . .	5-18

5.2.6.1	Timing Requirements for Calls Signaled via SS7 . . . . .	5-19
5.2.6.2	Timing Requirements for Calls Signaled via MF Signaling . . . . .	5-21
5.2.6.3	Timing for Optional Recording at the Access Tandem . . . . .	5-24
5.2.6.4	Timing for Optional Recording of 950-XXXX Calls at the Access Tandem . . . . .	5-28
5.2.6.5	Special Condition for Unconnected Originating Exchange Access Calls . . . . .	5-28
5.3	AMA for Terminating Internetwork Exchange Access Calls . . . . .	5-29
5.3.1	Criteria for Generation of Terminating Exchange Access AMA . . . . .	5-29
5.3.2	Recording Location Determination . . . . .	5-30
5.3.3	Structure Code/Call Type Code Determination . . . . .	5-30
5.3.4	Other Applicable Terminating FGD SC/CTC Combinations . . . . .	5-32
5.3.4.1	Internetwork Access to Directory Assistance . . . . .	5-32
5.3.4.2	International Terminating Exchange Access . . . . .	5-32
5.3.4.3	Terminating Toll-Free/800 Service . . . . .	5-32
5.3.4.4	Calls From Public Switched Data Service Facilities . . . . .	5-33
5.3.4.5	Long Duration Calls . . . . .	5-34
5.3.4.6	Calls to Terminating Study Lines . . . . .	5-34
5.3.4.7	Calls to Unbundled/Resold Lines . . . . .	5-34
5.3.4.8	Calls to ISDN Lines . . . . .	5-35
5.3.4.9	Terminating Exchange Access Calls Encountering AIN Triggers . . . . .	5-35
5.3.5	Terminating Test Calls . . . . .	5-35
5.3.6	Timing of Terminating FGD Calls . . . . .	5-36
5.3.6.1	Recording for Unconnected Terminating Exchange Access Calls . . . . .	5-38
5.4	Population of AMA Records for Exchange Access . . . . .	5-38
5.4.1	Study Indicator (Table 8) . . . . .	5-40
5.4.2	Called Party Off-Hook (Table 9) . . . . .	5-41
5.4.3	Service Feature Code (Table 12) . . . . .	5-41
5.4.3.1	Service Feature for Originating EO Recordings . . . . .	5-41
5.4.3.2	Service Feature for Originating Recording at the Access Tandem . . . . .	5-42
5.4.3.3	Service Feature for Terminating Recordings . . . . .	5-42
5.4.4	Originating NPA (Table 13) and Originating Number (Table 14) . . . . .	5-43
5.4.5	Overseas Indicator (Table 15), Terminating NPA (Table 16), and Terminating Number (Table 17) . . . . .	5-45
5.4.5.1	Populating Terminating Information - MF Signaling . . . . .	5-45
5.4.5.2	Populating Terminating Information - SS7 . . . . .	5-45
5.4.6	IC/INC Identification (Table 57) . . . . .	5-49
5.4.7	IC/INC Call Event Status (Table 58) . . . . .	5-51
5.4.8	Trunk Group Number (Table 83) . . . . .	5-59
5.4.9	Routing Indicator (Table 59) . . . . .	5-61
5.4.9.1	Connecting to an IC/INC Over LEC Facilities . . . . .	5-61
5.4.9.2	CAP/TSP Interconnection . . . . .	5-63
5.4.10	Presubscription Indicator (Table 85) . . . . .	5-64
5.4.10.1	Special Call Scenarios . . . . .	5-66
5.4.11	ANI/CPN Indicator (Table 60) . . . . .	5-67
5.4.11.1	Appending Module 164 to Record Originating Number Information Received in Signaling . . . . .	5-68

- 5.4.12 Interconnection Information . . . . . 5-69
- 5.4.13 BAF Module 164 for International Calls . . . . . 5-70
  - 5.4.13.1 Background . . . . . 5-70
  - 5.4.13.2 Generation and Population . . . . . 5-71
- 5.5 Other AMA Recordings Generated in Conjunction With Exchange Access AMA Recordings . . . . . 5-71
  - 5.5.1 Originating Exchange Access Overflow Record . . . . . 5-71
  - 5.5.2 Audit Records . . . . . 5-73
  - 5.5.3 Calls From Ported Numbers . . . . . 5-73
  - 5.5.4 Jurisdiction Information Parameter (JIP) . . . . . 5-74
    - 5.5.4.1 Impact of Number Portability on the JIP . . . . . 5-74
    - 5.5.4.2 Population of the JIP for the Number Portability Application . . . 5-75
    - 5.5.4.3 Impact of Number Pooling and Wireless Number Portability (WNP) . . . . . 5-75
    - 5.5.4.4 Current Status of JIP . . . . . 5-76

## 6 Expanded Interconnection

- 6.1 Overview . . . . . 6-1
- 6.2 IntraLATA Toll Presubscription (ITP) . . . . . 6-1
  - 6.2.1 General Requirements for ITP . . . . . 6-1
  - 6.2.2 LEC as the Presubscribed IntraLATA Toll Carrier . . . . . 6-2
  - 6.2.3 AMA for Calls Where LEC Is the PIC2 . . . . . 6-3
- 6.3 Local Exchange Competition . . . . . 6-6
- 6.4 CNA Trunk Groups . . . . . 6-6
  - 6.4.1 Background . . . . . 6-8
  - 6.4.2 CNA Provisioning Requirements . . . . . 6-8
    - 6.4.2.1 Appending Originating LNP Module . . . . . 6-10
  - 6.4.3 Generating CNA Recordings . . . . . 6-11
  - 6.4.4 Population Rules for the CNA Structure Code . . . . . 6-13
    - 6.4.4.1 Study Indicator (Table 8) and Called Party Off-Hook (Table 9) . . 6-13
    - 6.4.4.2 Service Feature (Table 12) With Originating Line Information . . . 6-13
    - 6.4.4.3 Originating NPA (Table 13) and Originating Number (Table 14) . . 6-14
    - 6.4.4.4 Overseas Indicator (Table 15), Terminating NPA (Table 16), and Terminating Number (Table 17) . . . . . 6-15
    - 6.4.4.5 Date and Time Fields . . . . . 6-19
    - 6.4.4.6 Carrier Information - IC/INC (Table 57) . . . . . 6-20
    - 6.4.4.7 Call Event Status (Table 58) . . . . . 6-22
    - 6.4.4.8 Trunk Group Number (Table 83) . . . . . 6-22
    - 6.4.4.9 Routing Indicator (Table 59) . . . . . 6-23
    - 6.4.4.10 Dialing and Presubscription Indicator (Table 85) . . . . . 6-23
    - 6.4.4.11 ANI Indicator (Table 60) . . . . . 6-24
  - 6.4.5 Appending Module 164 . . . . . 6-24
    - 6.4.5.1 Populating Module 164 for Originating Number Information . . . . 6-25
    - 6.4.5.2 Populating Module 164 for SS7 Charge Number (ChN) . . . . . 6-25
    - 6.4.5.3 Populating Module 164 for MF ANI . . . . . 6-26

**Appendix A: References**

**Appendix B: Glossary**

**Appendix C: Acronyms**

**Requirement-Object Index**



## List of Figures

Figure 3-1	Feature Group A - Line-Side Interconnection . . . . .	3-1
Figure 4-1	Feature Group B Trunk-Side Interconnection . . . . .	4-1
Figure 4-2	Call Event Status FGB Originating - MF Signaling . . . . .	4-13
Figure 4-3	Call Event Status FGB Terminating - MF Signaling . . . . .	4-14
Figure 5-1	FGD Recording Points . . . . .	5-5
Figure 5-2	Interconnecting Trunk Group Classifications at AT . . . . .	5-6
Figure 5-3	FGD Recording Option at the Access Tandem . . . . .	5-7
Figure 5-4	Carrier Connect Time for a Tandem Routed Call Using SS7 . . . . .	5-20
Figure 5-5	Carrier Connect Time With MF and SS7 Interworking . . . . .	5-23
Figure 5-6	Carrier Connect Time With SS7 and MF Interworking . . . . .	5-24
Figure 5-7	Start of CCT at Access Tandem - MF Signaling . . . . .	5-25
Figure 5-8	Start of CCT at Access Tandem - SS7 Signaling . . . . .	5-27
Figure 5-9	Originating FGD Call Event Status - MF Signaling (Sheet 1 of 2) . . . . .	5-54
Figure 5-10	Terminating FGD Call Event Status - MF Signaling . . . . .	5-56
Figure 6-1	LEC IntraLATA Toll Network . . . . .	6-3
Figure 6-2	CNA Recording Example . . . . .	6-7





## List of Tables

Table 3-1	Structure Codes and Conditions for FGA Records . . . . .	3-4
Table 4-1	Call Event Status for FGB (MF Signaling) . . . . .	4-12
Table 5-1	BAF Structure Code 0625 for FGD Calls . . . . .	5-39
Table 5-2	Parameters Used for the FGD Originating Number Fields . . . . .	5-44
Table 5-3	Population of the Operator Involvement Indicator . . . . .	5-50
Table 5-4	Population of the Call Event Status (Originating MF) . . . . .	5-52
Table 5-5	Population of the Call Event Status (Terminating MF) . . . . .	5-53
Table 5-6	Population of the Call Event Status (Originating SS7, Direct Routed) . . . . .	5-57
Table 5-7	Population of the Call Event Status (Originating SS7, Tandem Routed) . . . . .	5-57
Table 5-8	Population of the Call Event Status (Terminating SS7, Direct Routed) . . . . .	5-58
Table 5-9	Population of the Call Event Status (Terminating SS7, Tandem Routed) . . . . .	5-59
Table 5-10	Population of Method of Signaling Subfield of Table 83 . . . . .	5-60
Table 5-11	Population of the Presubscription Indicator . . . . .	5-65
Table 5-12	Dialing and Presubscription Indicator Values for Exchange Access Calls . . . . .	5-66
Table 5-13	Population of the ANI/CPN Indicator . . . . .	5-67
Table 5-14	Jurisdiction, Location, and Service Provider Information . . . . .	5-76
Table 6-1	Provisioning Attributes of CNA Trunk Groups . . . . .	6-10
Table 6-2	Structure Code 0625 for Incoming CNA Calls . . . . .	6-12
Table 6-3	Call Event Status Values for CNA TGs Using SS7 . . . . .	6-22