
Generic Operations Interfaces Using OSI Tools: Access and Testing Management

Contents

Preface	Preface-1
1. Introduction.....	1-1
1.1 Specification Tools.....	1-1
1.2 Relationship With Other Bellcore Documents and Standards	1-2
1.3 Purpose of Document.....	1-2
1.4 Changes from Previous Documents	1-2
1.5 Organization of This Document	1-3
1.6 Requirements Terminology.....	1-3
1.7 Requirement Labeling Conventions.....	1-4
1.7.1 Numbering of Requirement and Related Objects	1-4
1.7.2 Requirement, Conditional Requirement, and Objective Object Identification	1-4
2. Background of Operations Interfaces Using OSI Tools	2-1
2.1 Network Management.....	2-1
2.2 Principles of Information Modeling.....	2-2
2.2.1 Managed Objects.....	2-2
2.2.2 Inheritance.....	2-3
2.2.3 Packages.....	2-3
2.2.4 Behaviour Definitions	2-4
2.2.5 Attributes.....	2-4
2.2.6 Attribute Groups	2-5
2.2.7 Parameters	2-5
2.2.8 Operations and Notifications	2-5
2.2.9 Naming.....	2-6
2.3 Common Management Information Services	2-8
2.3.1 Management Operations Services.....	2-8
2.3.1.1 M-CREATE.....	2-9
2.3.1.2 M-DELETE	2-9
2.3.1.3 M-SET	2-9
2.3.1.4 M-GET.....	2-9
2.3.1.5 M-CANCEL-GET	2-9
2.3.1.6 M-ACTION	2-9
2.3.2 Management Notification Service	2-10
2.3.2.1 M-EVENT-REPORT.....	2-10

2.4	Specification Tools.....	2-10
2.4.1	Templates	2-10
2.4.1.1	Managed Object Class Template	2-12
2.4.1.2	Behaviour Template.....	2-13
2.4.1.3	Package Template	2-13
2.4.1.4	Name Binding Template.....	2-14
2.4.1.5	Attribute Template.....	2-15
2.4.1.6	Attribute Group Template.....	2-15
2.4.1.7	Action Template	2-16
2.4.1.8	Notification Template.....	2-16
2.4.1.9	Parameter Template	2-17
2.4.2	Abstract Syntax Notation One (ASN.1).....	2-17
2.5	Registration	2-18
3.	Background.....	3-1
3.1	Brief Description of Generic Access and Testing Requirements.....	3-1
3.2	Fault Management.....	3-1
4.	Access and Testing Model Overview	4-1
4.1	The Test Environment.....	4-1
4.2	The Test Function	4-2
4.2.1	Functions for Managing Tests.....	4-3
4.3	Roles for Objects in Test Management.....	4-4
4.4	Underlying CMISE Services.....	4-6
4.5	Test Scenarios	4-6
4.5.1	The Controlled Case.....	4-6
4.5.2	The Uncontrolled Case.....	4-7
4.6	Architectural Mapping of Test Management Model.....	4-8
4.7	Access and Testing Model Framework.....	4-9
4.7.1	Object Class List	4-10
4.7.2	Inheritance.....	4-11
4.7.3	Name Bindings.....	4-11
4.7.4	Actions	4-13
4.7.5	Notifications.....	4-13
4.7.6	Parameters	4-13
4.7.7	4-14
4.7.7.1	Test Access	4-14
4.7.7.2	Testing Operations.....	4-14
4.7.7.3	Starting a Test/Masurement	4-15
4.7.7.4	During a Controlled Test	4-15
4.7.7.5	Test Access Termination	4-16
5.	Access and Testing Management Information Model.....	5-1
5.1	Object Class Relationships.....	5-1
5.1.1	Inheritance Relationships.....	5-1
5.1.2	Naming Relationships	5-3

5.2	Functional Mapping of Service Types	5-5
5.3	Guidelines for Referencing Information	5-5
5.4	System Management Functional Units	5-6
5.5	Requirements for GR-1102-CORE	5-6
5.6	Definitions of Managed Object Classes	5-7
5.6.1	callbackLine	5-7
5.6.2	ddsMonTestObject	5-7
5.6.3	ddsSignalTestObject	5-8
5.6.4	ddsTestingSystem	5-9
5.6.5	ddsTestingSystemOperations	5-9
5.6.6	genericLoopbackTestObject	5-10
5.6.7	hcdsMonTestObject	5-11
5.6.8	hcdsSignalTestObject.....	5-11
5.6.9	hcdsTestingSystem.....	5-12
5.6.10	hcdsTestingSystemOperations	5-13
5.6.11	multimeterMeasurementTestObject.....	5-13
5.6.12	noiseMeasurementTestObject	5-14
5.6.13	opticalFiberTestObject.....	5-15
5.6.14	opticalFiberTestingSystem.....	5-16
5.6.15	testingSystem	5-16
5.6.16	testingSystemOperations.....	5-17
5.6.17	toneMeasurementTestObject	5-18
5.6.18	voicebandSpecialsAndDataCktsTestingSystem	5-19
5.7	Packages	5-20
5.7.1	applySplitSupervisionPkg	5-20
5.7.2	testAccessModePkg	5-21
5.7.3	testAccessPkg.....	5-21
5.7.4	testingSystemVendorPkg	5-21
5.7.5	toneMeasurementTestPkg	5-21
5.7.6	voiceFrequencyCallbackPkg.....	5-22
5.8	Attributes	5-22
5.8.1	averagingSetup.....	5-22
5.8.2	bitStreamType	5-23
5.8.3	cBLDir	5-23
5.8.4	cBLFilter	5-23
5.8.5	cBLId	5-24
5.8.6	cBLMode	5-24
5.8.7	cBLMonLev	5-24
5.8.8	cBLPair	5-25
5.8.9	countingRate	5-25
5.8.10	dataSpacing	5-25
5.8.11	ddsAccessedSubstrateFacilityRate	5-26
5.8.12	ddsAppliedBitErrors	5-26
5.8.13	ddsAppliedSignal	5-26

5.8.14	ddsMonResultsE	5-27
5.8.15	ddsMonResultsF.....	5-27
5.8.16	ddsPairReversal.....	5-27
5.8.17	ddsSignalResults	5-28
5.8.18	ddsTestAccessMode.....	5-28
5.8.19	desiredMultimeterMeasurements	5-29
5.8.20	desiredNoiseMeasurements	5-29
5.8.21	desiredToneMeasurements.....	5-30
5.8.22	distanceRange	5-30
5.8.23	elapsedTime	5-30
5.8.24	esThreshold	5-31
5.8.25	fiberLength.....	5-31
5.8.26	genericLoopbackResults	5-31
5.8.27	hcdsAccessedFramingFormat	5-32
5.8.28	hcdsAccessedLineCode	5-32
5.8.29	hcdsAppliedBitErrors.....	5-33
5.8.30	hcdsAppliedFramingFormat	5-33
5.8.31	hcdsAppliedLineCode.....	5-33
5.8.32	hcdsAppliedSignal	5-34
5.8.33	hcdsMonResultsE.....	5-34
5.8.34	hcdsMonResultsF.....	5-35
5.8.35	hcdsPairReversal	5-35
5.8.36	hcdsSignalResults	5-35
5.8.37	hcdsTestAccessMode.....	5-36
5.8.38	impulseNoiseThreshold	5-36
5.8.39	loopbackDuration.....	5-37
5.8.40	loopbackResource	5-37
5.8.41	lossThreshold	5-37
5.8.42	measurementDirection	5-37
5.8.43	multimeterMeasurementResults.....	5-38
5.8.44	noiseMeasurementResults.....	5-38
5.8.45	opticalFiberEventAndSummaryResults	5-39
5.8.46	opticalFiberRawResults	5-39
5.8.47	pulseWidth	5-39
5.8.48	redLinedFlag	5-40
5.8.49	reflectanceThreshold.....	5-40
5.8.50	resourceUnderTest	5-40
5.8.51	resultInterval	5-41
5.8.52	tAUResource	5-41
5.8.53	testAccessMode	5-41
5.8.54	testAccessType.....	5-42
5.8.55	testingSystemOperationsId	5-42
5.8.56	toneMeasurementResults	5-42
5.8.57	valueSetting.....	5-43

5.8.58	wavelengthSetting	5-43
5.9	Attribute Groups.....	5-44
5.9.1	averagingGroup.....	5-44
5.10	Actions	5-44
5.10.1	applyTone.....	5-44
5.10.2	changeCBL.....	5-44
5.10.3	changeSplitSupv.....	5-45
5.10.4	connectCBL	5-47
5.10.5	connectMetallicTestAccess.....	5-48
5.10.6	connectTestAccess	5-48
5.10.7	ddsLoopbackOperate	5-49
5.10.8	ddsTestSignalOperate	5-49
5.10.9	disconnectTestAccess	5-50
5.10.10	establishCBL.....	5-50
5.10.11	hangupCBL	5-51
5.10.12	hcdsLoopbackOperate.....	5-51
5.10.13	hcdsTestSignalOperate.....	5-52
5.10.14	removeTone	5-52
5.11	Parameters	5-53
5.11.1	ddsConnectTestAccessInfoParam.....	5-53
5.11.2	ddsConnectTestAccessReplyParam.....	5-53
5.11.3	ddsMonControlledResultsParam	5-54
5.11.4	ddsMonTestInfoParam.....	5-54
5.11.5	ddsMonUncontrolledResultsParam	5-54
5.11.6	ddsSignalControlledResultsParam.....	5-55
5.11.7	ddsSignalTestInfoParam	5-55
5.11.8	ddsSignalUncontrolledResultsParam.....	5-56
5.11.9	hcdsConnectTestAccessInfoParam	5-56
5.11.10	hcdsConnectTestAccessReplyParam	5-57
5.11.11	hcdsMonControlledResultsParam.....	5-57
5.11.12	hcdsMonTestInfoParam	5-58
5.11.13	hcdsMonUncontrolledResultsParam.....	5-58
5.11.14	hcdsSignalControlledResultsParam	5-59
5.11.15	hcdsSignalTestInfoParam	5-59
5.11.16	hcdsSignalUncontrolledResultsParam	5-60
5.11.17	metallicSpecialsTestAccessParam	5-60
5.11.18	multimeterMeasurementControlledResultsParam	5-66
5.11.19	multimeterMeasurementTestInfoParam.....	5-66
5.11.20	multimeterMeasurementUncontrolledResultsParam	5-67
5.11.21	noiseMeasurementControlledResultsParam	5-68
5.11.22	noiseMeasurementTestInfoParam.....	5-68
5.11.23	noiseMeasurementUncontrolledResultsParam	5-69
5.11.24	opticalFiberControlledEandSResultsParam.....	5-70
5.11.25	opticalFiberControlledRawResultsParam.....	5-70

5.11.26	opticalFiberTestInfoParam.....	5-71
5.11.27	toneMeasurementControlledResultsParam.....	5-71
5.11.28	toneMeasurementTestInfoParam.....	5-72
5.11.29	toneMeasurementUncontrolledResultsParam.....	5-73
5.12	Name Bindings.....	5-73
5.12.1	callbackLine-testingSystem.....	5-73
5.12.2	testObject-testingSystem.....	5-74
5.12.3	testObject-testingSystemOperations.....	5-74
5.12.4	testingSystem-managedElementR1.....	5-75
5.12.5	testingSystem-network.....	5-75
5.12.6	testingSystemOperations-testingSystem.....	5-76
5.13	Supporting Productions.....	5-76
5.13.1	BCRGR1102Mod.....	5-76
5.14	Other Applicable Object Classes.....	5-97
5.14.1	Cross-Connection.....	5-97
5.14.2	Managed Element.....	5-97
5.14.3	Network.....	5-97
5.14.4	System.....	5-97
5.14.5	Termination Point.....	5-98
5.14.6	Test Action Performer.....	5-98
5.14.7	Test Object.....	5-98
5.14.8	Top.....	5-98
6.	Summary.....	99
	Appendix A: Test Category Summaries.....	A-1
A.1	Test Categories.....	A-1
A.1.1	HCDS Monitor Test Category.....	A-1
A.1.2	HCDS Signal Test Category.....	A-3
A.1.3	Optical Fiber Test Category.....	A-4
A.1.4	Multimeter Measurement Test Category.....	A-6
A.1.5	Noise Measurement Test Category.....	A-8
A.1.6	Tone Measurement Test Category.....	A-10
	References.....	References-1
	Glossary.....	Glossary-1

List of Figures

Figure 2-1.	Naming Tree Example	2-7
Figure 3-1.	A Generic Test Architecture	3-2
Figure 4-1.	Testing Entities	4-1
Figure 4-2.	Relationship of the Agent Domain to Testing Entities	4-5
Figure 4-3.	Example Scenario of a Controlled Test Case	4-7
Figure 4-4.	Example Scenario of an Uncontrolled Test Case	4-8
Figure 4-5.	Architectural Comparison to Test Management Model	4-9
Figure 4-6.	Framework Inheritance Hierarchy	4-11
Figure 4-7.	Framework Name Bindings	4-12
Figure 5-1.	Inheritance Hierarchy	5-2
Figure 5-2.	Possible Name Bindings	5-4

List of Tables

Table 4-1.	Example Mapping of Test Operations to Testing Functions	4-2
Table 5-1.	Functional Mapping of System Management Service Type	5-5
Table 5-2.	Table of Supervisory Conditions	5-46
Table 5-3.	Configuration Codes	5-62
Table 5-4.	Signaling Format	5-63
Table 5-5.	Signaling Operations	5-65