

Contents

Preface xi
1. Introduction	1-1
1.1 Purpose	1-1
1.2 Scope	1-1
1.2.1 Intra-Carrier Vs. Inter-Carrier B-ICIs	1-2
1.3 Document Organization	1-2
1.4 Requirements Terminology	1-4
1.5 Requirement Labeling Conventions	1-5
1.5.1 Numbering of Requirement and Related Objects	1-5
1.6 Related Documents	1-5
2. Network Aspects	2-1
2.1 Intra-Carrier Network Configuration	2-1
3. B-ICI Physical Layer Specification	3-1
4. B-ICI ATM Layer Specification	4-1
5. Common B-ICI Traffic Management and Network Performance	5-1
5.1 Traffic Management: Network Parameter Control	5-1
6. Common B-ICI Operations and Maintenance	6-1
7. B-ICI Signaling	7-1
8. PVC-Based CRS Support on a B-ICI	8-1
9. PVC-Based CES Support on a B-ICI	9-1
10. PVC-Based FRS Support on a B-ICI	10-1
10.1 Operations Criteria for FRS Above AAL Type 5	10-1
10.1.1 Architectural Perspective	10-2
10.1.2 Configuration Management Criteria	10-2
10.1.2.1 Trunk Group Parameters	10-3
10.1.2.2 Trunk Parameters	10-4
10.1.2.3 Frame Relay PVC Parameters	10-4
10.1.3 Performance Management Criteria	10-5
10.1.3.1 Performance Monitoring	10-5
10.1.3.1.1 Protocol Parameters	10-5
10.1.3.1.2 Protocol Performance Monitoring Algorithms and Strategy	10-6
10.1.3.1.3 Disagreements	10-7
10.1.3.2 Network Traffic Management	10-7
10.1.3.2.1 NTM Reports	10-7
10.1.3.2.2 Node Capabilities	10-8
10.1.4 Fault Management Criteria	10-8
10.1.5 Network Data Collection Criteria	10-9
10.1.5.1 Managing Collection and Reporting of Measurements	10-9
10.1.5.2 Scheduled Measurements	10-9
10.1.5.2.1 BSS Measurements	10-9

10.1.5.2.2	Trunk Group Measurements	10-10
10.1.5.2.3	Trunk Measurements	10-10
10.1.5.2.4	PVC Measurements	10-11
10.1.5.3	Special Studies Measurements	10-11
11.	SMDS Support on a B-ICI	11-1
11.1	SMDS/ATM Network Interworking Functions	11-1
11.2	ICIP_CLS Layer Specification	11-2
11.2.1	ICIP_CLS_PDU Format	11-4
11.2.2	ICIP_CLS Layer Procedures	11-8
11.2.2.1	Sending Procedures	11-8
11.2.2.2	Receiving Procedures	11-8
11.3	Operations Criteria to Support SMDS	11-10
11.3.1	Configuration Management Criteria for Inter-Carrier SMDS	11-12
11.3.2	Configuration Management Criteria for Inter-Switch SMDS	11-12
11.3.2.1	Organization of Inter-Switch SMDS Configurable Data	11-15
11.3.2.2	BSS Identification Data	11-15
11.3.2.3	IntraLATA Routing Data	11-16
11.3.2.4	InterLATA Routing Data	11-16
11.3.2.5	Congestion Management Parameters Data	11-17
11.3.2.6	SMDS Inter-Switch Link Set Data	11-17
11.3.2.7	Group Address Resolution Data	11-19
11.3.2.8	Distribution of Configurable Data	11-19
11.3.3	Performance Monitoring Criteria	11-19
11.3.3.1	AAL Type 3/4 Common Part Performance Monitoring	11-20
11.3.3.2	Service-Specific Performance Monitoring (Inter-Carrier and Inter-Switch SMDS)	11-20
11.3.3.3	ICIP_CLS Performance Monitoring Criteria for Inter-Carrier SMDS	11-21
11.3.3.4	ICIP_CLS Performance Monitoring Criteria for Inter-Switch SMDS	11-21
11.3.3.4.1	Monitoring Invalid Protocol Fields	11-21
11.3.3.4.2	Monitoring SIP/CIP Protocol Field Consistency	11-22
11.3.3.4.3	Monitoring Inter-Switch SMDS Routing Errors	11-23
11.3.4	Fault Management Criteria	11-23
11.3.4.1	Traffic Verification Procedures	11-24
11.3.4.2	Internal Diagnostics	11-24
11.3.5	Network Data Collection Criteria	11-25
11.3.5.1	Network Data Collection Criteria Specific to Inter-Carrier SMDS	11-26
11.3.5.2	Network Data Collection Criteria Specific to Inter-Switch SMDS	11-26
11.3.5.2.1	Scheduled Measurements	11-26
11.3.5.2.2	Inter-Switch SMDS Traffic Measurements	11-26
11.3.5.2.3	Switch Configuration Disagreement Measurements	11-27
11.3.5.2.4	Inter-Switch SMDS Congestion Measurements	11-29
11.3.5.3	Special Studies Measurements	11-30
11.3.5.3.1	Traffic Characterization	11-30

11.3.5.3.2 Traffic Measurements Using Protocol Analyzer	11-31
12. Usage Measurement	12-1
Appendix A: Summary of Requirements and Objectives From ATMF B-ICI	A-1
Appendix B: List of GR-1115-CORE Requirements	B-1
Appendix C: References	C-1
Appendix D: Bibliography	D-1
Appendix E: Glossary	E-1

List of Figures

Figure 10-1.	Configuration Management Related Elements	10-3
Figure 11-1.	Examples of Remote (a) SMDS SNI and (b) SMDS UNI Configurations	11-3
Figure 11-2.	Intra-Carrier/Inter-BSS Services Specific Information Field Format	11-6

List of Tables

Table 5-1.	PCR Values for the NPC Function	5-2
Table 5-2.	CDVT Values for User Information Supported by the NPC Function	5-4
Table 7-1.	Comparison of ATM Forum B-ICI and GR-1417-CORE Requirements	7-2
Table 11-1.	PI Field Encoding	11-5
Table 11-2.	Encoding of the Ingress Interface Type Subfield	11-7
Table 11-3.	GR-1063-CORE Administered Data Distribution Across Two BSSs	11-13
Table 11-4.	Distribution of Administered Data Across Two BSSs	11-19
Table 11-5.	Summary of Inter-Switch SMDS Scheduled Measurements	11-27