

Contents

Preface	Preface-1
1. Introduction	1-1
1.1 Reasons for GR-1188-CORE	1-1
1.2 Definition	1-2
1.3 Requirements Terminology	1-2
1.4 Requirement Labeling Conventions	1-3
1.4.1 Numbering of Requirement and Related Objects	1-3
1.4.2 Requirement, Conditional Requirement, and Objective Object Identification	1-4
1.5 Background	1-4
1.5.1 Relevant Documentation	1-4
1.5.2 Residence Architecture Versus Business Group Architecture	1-5
1.5.3 Database Assumptions	1-15
1.6 High Level Feature Description	1-16
2. User Perspective	2-1
3. Feature Requirements	3-1
3.1 Feature Operations	3-1
3.1.1 Main Feature Operations	3-1
3.1.1.1 Calling Name Delivery	3-1
3.1.1.2 Calling Name Delivery Blocking (CNAB)	3-3
3.1.1.3 Calling Identity Delivery and Suppression (CIDS)	3-4
3.1.2 Error Treatment and Abnormal Events	3-4
3.1.2.1 Switch Response to Irregular User Action	3-4
3.1.2.2 Switch Response to Internal Failures	3-4
3.1.2.3 Switch Actions Due to Lack of Response From Name Database	3-5
3.2 Internal Call Processing Controls	3-5
3.2.1 Connections	3-5
3.2.2 Class of Service	3-5
3.2.3 Code Interpretation	3-6
3.2.4 Charge Treatment Determination	3-6
3.2.5 Overload	3-7
3.3 Signaling	3-7
3.3.1 Customer Loop	3-7
3.3.2 CPE Signaling	3-7
3.3.2.1 CPE-to-Switch Address Signaling	3-7
3.3.2.2 Switch-to-CPE Information Signaling	3-7
3.3.3 Common Channel Signaling (CCS)	3-13
3.3.3.1 Procedures at an Originating Switch	3-14
3.3.3.2 Procedures at a Terminating Switch	3-14
3.3.4 Operator Services Signaling	3-29
3.4 Transmission	3-29

3.5	Administration	3-29
3.5.1	Service Changes	3-29
3.5.1.1	LEC (System)	3-29
3.5.1.2	Customer	3-30
3.5.2	Installation, Modification, or Retrofit	3-31
3.5.3	LEC/Switch Interface	3-31
3.5.4	Traffic Measurements	3-31
3.5.5	Maintenance Measurements	3-32
3.5.6	Billing and Comptroller	3-33
3.5.6.1	Line Assigned Usage-Sensitive CNAM, but Not Usage-Sensitive CND	3-33
3.5.6.2	Line Assigned Usage-Sensitive CNAM and Usage-Sensitive CND	3-34
3.5.7	Quantities	3-35
3.5.8	Data Items and Usage	3-36
3.5.9	Per-Switch Options	3-36
3.5.10	Per-BBG Options	3-37
3.5.11	Per-MBG Options	3-37
3.6	Maintenance	3-38
3.6.1	Automated System Maintenance	3-38
3.6.2	Manual System Maintenance	3-38
3.6.3	Input/Output Messages	3-38
3.6.4	Customer Tests	3-39
3.7	Performance	3-39
3.8	Interactions	3-39
3.8.1	Basic Business Group (BBG)	3-39
3.8.1.1	BBG CNAM	3-39
3.8.1.2	BBG CNAB	3-43
3.8.1.3	BBG CIDS	3-44
3.8.1.4	BBG Feature Interactions With CNAM	3-45
3.8.2	ISDN Basic Business Group (BBG-I)	3-47
3.8.3	Multiswitch Business Group (MBG)	3-47
3.8.3.1	MBG CNAM	3-47
3.8.3.2	MBG CNAB	3-55
3.8.3.3	MBG CIDS	3-56
3.8.3.4	MBG Feature Interactions With CNAM	3-57
3.8.4	Call Waiting	3-57
3.8.5	Multiparty Lines	3-57
3.8.6	Three-Way Calling	3-57
3.8.7	Call Forwarding Variable	3-58
3.8.8	Call Forwarding Don't Answer	3-59
3.8.9	Call Forwarding Busy Line	3-59
3.8.10	Selective Call Forwarding	3-59
3.8.11	Distinctive Ringing/Call Waiting (DRCW)	3-60
3.8.12	Automatic Callback/Automatic Recall (AC/AR)	3-61
3.8.13	Calling Number Delivery Blocking (CNDB)	3-63
3.8.14	Calling Number Delivery	3-63

3.8.15	Selective Call Acceptance	3-64
3.8.16	Selective Call Rejection	3-64
3.9	Limitations and Restrictions	3-64
3.9.1	Unusual Feature Operation	3-65
3.9.2	Restriction Capability	3-65
3.10	Timing and Tolerances	3-65
4.	Extended Name Requirements	4-1
4.1	Background	4-1
4.2	Differences from Earlier Versions of GR-1188-CORE	4-1
4.2.1	What to Expect	4-2
4.2.2	Terminology	4-2
4.2.3	Operations, Considerations and Assumptions	4-2
4.3	Incoming Network Signaling	4-3
4.3.1	EN Delivery for IP-Based Subscribers	4-4
4.3.2	EN Retrieval for Non-Telecom Applications	4-6
4.3.3	EN Retrieval for Telecom Applications	4-6
4.4	Format	4-7
Appendix A:	ISDNUP Parameter Formats and Codes	A-1
A.1	Generic Name Parameter	A-1
Appendix B:	TCAP Parameter Formats and Codes	B-1
B.1	Digits Parameter	B-1
B.1.1	Digits Parameter Used for 10-Digit “Calling Directory Number” in Query	B-1
B.1.2	Digits Parameter Used for ACG 6-Digit Controlled Code in Response	B-2
B.2	Generic Name Parameter	B-3
B.3	Dial Tone Service Requester ID (DTSRID)	B-4
B.4	ACG Indicators Parameter	B-5
B.5	ACG Encountered Parameter	B-6
Appendix C:	SCCP Message Formats	C-1
C.1	SCCP Information for Query Messages	C-1
C.1.1	SCCP Information for Query Messages – No Global Title Translation at STP	C-1
C.1.2	SCCP Information for Query Message – Global Title Translation at STP	C-4
C.2	SCCP Information for Response Messages	C-7
Appendix D:	TCAP Message Formats	D-1
References	References-1	
Glossary	Glossary-1	
Requirement-Object Index	ROI-1	

List of Figures

Figure 1-1.	CNAM Residence Architecture Call Flow	1-6
Figure 1-2.	Residence CNAB Example Call Flow	1-7
Figure 1-3.	Residence CIDS Suppression Example Call Flow	1-8
Figure 1-4.	Residence CIDS Delivery Example Call Flow	1-9
Figure 1-5.	BBG Personal Name Delivery: Architecture Option #1	1-11
Figure 1-6.	BBG Personal Name Delivery: Architecture Option #2	1-11
Figure 1-7.	MBG Personal Name Delivery: Architecture Option #1	1-13
Figure 1-8.	MBG Personal Name Delivery: Architecture Option #2	1-14
Figure 1-9.	MBG Personal Name Delivery: Architecture Option #3	1-15
Figure 3-1.	Multiple Data Message Parameters	3-8
Figure 3-2.	Time Parameter Format	3-9
Figure 3-3.	Calling Line ID Parameter Format	3-10
Figure 3-4.	Reason for Absence of DN Parameter Format	3-11
Figure 3-5.	Name Parameter Format	3-12
Figure 3-6.	Reason for Absence of Name Parameter Format	3-13
Figure 3-7.	Functional Model for Terminating Switch Processing	3-14
Figure 4-1.	EN Delivery to IP-Based Customers	4-4

List of Tables

Table 3-1.	Summary of the Handling of ISDNUP/TCAP GN Presentation Codings	3-28
Table A-1.	ISDNUP Generic Name Parameter	A-1
Table B-1.	TCAP Digits Parameter	B-1
Table B-2.	TCAP Generic Name Parameter	B-3
Table B-3.	TCAP DTSRID Parameter	B-4
Table B-4.	TCAP ACG Indicators Parameter	B-5
Table B-5.	TCAP ACG Encountered Parameter	B-6
Table C-1.	SCCP Information for Query Messages – No Global Title Translation	C-2
Table C-2.	SCCP Information for Query Messages – Global Title Translation at STP	C-4
Table C-3.	SCCP Information for Response Messages	C-7
Table D-1.	TCAP Information for Residence Name Query Message	D-1
Table D-2.	TCAP Information for Business Group PND Query Message	D-5
Table D-3.	TCAP Information for Response to Query With Return Result (Last) Component	D-9
Table D-4.	TCAP Information for Response to Query With Return Error Component	D-12
Table D-5.	TCAP Information for Response to Query With Reject Component	D-16