

Table of Contents

1 General

1.1 Purpose	1-1
1.2 Scope and Product Descriptions	1-2
1.2.1 Cross-Connect Twisted-Pair Products	1-2
1.3 GR Hierarchy for Twisted-Pair Products	1-3
1.4 Safety Considerations	1-4
1.5 Reference Documents	1-5
1.6 Units and Tolerances	1-5
1.7 Product Reliability/Quality Assurance	1-5
1.7.1 Product Changes	1-6
1.8 Reasons for GR-126-CORE Reissues	1-6
1.8.1 Reasons for GR-126-CORE, Issue 2	1-6
1.8.2 Reasons for GR-126-CORE, Issue 1	1-7
1.9 Organization	1-7
1.10 Requirements Terminology	1-8
1.11 Requirement Labeling Conventions	1-8
1.11.1 Numbering of Requirement and Related Objects	1-9
1.11.2 Requirement, Conditional Requirement, and Objective Identification	1-9

2 Conductors

2.1 Conductor Construction	2-1
2.2 Conductor Sizes	2-1
2.3 Factory Joints	2-1
2.4 Conductor Elongation	2-2

3 Conductor Insulation

3.1 General Features	3-1
3.2 Polyolefin Insulations	3-1
3.2.1 Thermal Oxidative Stability - Polyolefin Insulations	3-2
3.3 Poly(VinylChloride) Insulation Requirements	3-2
3.4 Insulation Construction and Dimensions	3-3
3.5 Imperfections and Porosity	3-4
3.6 Splices	3-4
3.7 Insulation Adhesion to the Conductor	3-4
3.8 Tensile Strength and Elongation	3-5
3.9 Resistance to Aging	3-5
3.10 Compression Resistance	3-6
3.11 Cold Bend	3-6
3.12 Shrinkback (Longitudinal)	3-6
3.13 Cut-Through Resistance	3-7
3.14 Insulation Color Coding	3-7
3.14.1 Outdoor Cross-Connect Wire (Type G)	3-9
3.14.2 Customer Premises Cross-Connect Wire (Type F)	3-10
3.14.3 Universal Cross-Connect Wire (Type N)	3-10
3.15 Twist Lengths	3-11

4 Electrical Requirements

4.1 DC Conductor Resistance	4-1
4.2 DC Resistance Unbalance	4-1
4.3 Near-End Crosstalk (NEXT)	4-1
4.4 Voltage Withstand Test	4-2
4.5 Insulation Resistance (Wet)	4-2
4.6 Continuity and Shorts	4-3

5 Finished Wire Product Tests

5.1 Cold Bend or Wrap Tests	5-1
5.2 Impact Test - Wire on Spool Product	5-1
5.3 Flammability and Listing	5-2
5.3.1 General Applications	5-2
5.3.2 Inside Applications	5-2

6 Marking and Packaging Requirements

6.1 General Features	6-1
6.2 Marking and Labels	6-1
6.3 Specific Criteria by Cross-Connect Wire Type	6-2
6.3.1 Outdoor Cross-Connect Wire (Type G)	6-2
6.3.2 Customer Premises Cross-Connect Wire (Type F)	6-3
6.3.3 Universal Cross-Connect Wire (Type N)	6-3

7 Product Classification

7.1 General Descriptions and Application Review	7-1
7.2 Outdoor Cross-Connect Wire (Type G)	7-2
7.3 Customer Premises Cross-Connect Wire (Type F)	7-2
7.4 Universal Cross-Connect Wire (Type N)	7-3
7.5 Conductors	7-4
7.6 Conductor Insulation	7-4
7.6.1 Conductor Insulation - Type G Cross-Connect Wire	7-4
7.6.2 Conductor Insulation - Type F and Type N Cross-Connect Wires	7-5
7.7 Pair Twisting, Binder Grouping, and Core Assembly	7-6
7.7.1 Electrical Requirements	7-7
7.8 Finished Wire Mechanical and Environmental Tests	7-7
7.9 Packaging and Marking Requirements	7-7

Appendix A: References

A.1 To Obtain Additional Reference Material	A-3
A.2 Telcordia Document Sets — Family of Requirements (FR) and Family of Documents (FD)	A-4
A.3 Telcordia Reference Notes	A-5
A.3.1 Contact Telcordia Customer Service	A-5
A.3.2 Order Documents Online From the Telcordia Information SuperStore	A-5
A.3.3 Web Sites for Generic Requirements Information	A-6
A.3.4 Licensing Agreements for Telcordia Documents	A-6

Appendix B: Acronyms

Requirement-Object Index

List of Tables

Table 2-1	Conductor Diameter	2-1
Table 3-1	Polyethylene Material Requirements	3-2
Table 3-2	Poly(VinylChloride) Material Requirements	3-3
Table 3-3	Cut-Through Resistance	3-7
Table 3-4	Conductor Color Code	3-9
Table 3-5	Outdoor Cross-Connect Wire (Type G) Color Code	3-9
Table 3-6	Customer Premises Cross-Connect Color Code	3-10
Table 3-7	Universal Cross-Connect Color Code	3-11
Table 4-1	DC Resistance - Solid Copper Conductors	4-1
Table 4-2	Voltage Withstand Test Conditions	4-2
Table 4-3	Temperature Correction Coefficients	4-3
Table 6-1	Type G Cross-Connect Wire - Spool Characteristics	6-3
Table 6-2	Type F Cross-Connect Wire - Spool Characteristics	6-3
Table 6-3	Type N Cross-Connect Wire - Spool Characteristics	6-4
Table 7-1	Outdoor Cross-Connect Wire (Type G) Color Code	7-2
Table 7-2	Customer Premises Cross-Connect Color Code	7-3
Table 7-3	Universal Cross-Connect Color Code	7-3
Table 7-4	Electrical Testing for Cross-Connect Wire Products	7-7