

Analog Display Services Interface (ADSI) SPCS/Server Generic Requirements

Contents

Preface.....	Preface-1
1. Introduction.....	1-1
1.1 Definition	1-1
1.1.1 Changes in This Issue	1-2
1.2 Background	1-6
1.2.1 Scope	1-7
1.3 Customer Perspective	1-8
1.4 ADSI Compatible CPE.....	1-9
1.5 Requirements Terminology	1-10
1.6 Requirement Labeling Conventions	1-11
1.6.1 Numbering of Requirement and Related Objects	1-11
1.6.2 Requirement, Conditional Requirement, and Objective Object Identification	1-12
2. Interface Operations.....	2-1
2.1 Introduction to Categories of Messages	2-1
2.1.1 Server Display Control Messages	2-1
2.1.2 Feature Download Messages	2-2
2.2 Session Interruption Treatment.....	2-2
2.3 Errors and Retransmission.....	2-2
3. ADSI Protocol	3-1
3.1 First Layer (Physical Layer)	3-1
3.2 Second Layer (Datalink Layer)	3-3
3.2.1 Message Format for Datalink Layer	3-3
3.2.2 Standard ADSI Protocol - Functions to Support the Datalink Layer	3-6
3.3 Third (Message) Layer	3-18
3.3.1 ADSI On-Hook Alerting (AOHA) for Automatic Feature Downloads.....	3-24
3.3.2 Receiving 8-Bit Characters in Encoded Mode DTMF Signals	3-24
4. Standard ADSI Data Message Parameters.....	4-1
4.1 ADSI Server Display Control Message Parameters	4-1
4.2 Optional ADSI SDC Message Parameter.....	4-52
4.3 Feature Download Message Parameters	4-54
5. Call Processing Control and Transmission	5-1
5.1 Connections.....	5-1
5.2 Class of Services	5-1

5.3	Charge Treatment	5-1
5.4	Common Channel Signaling	5-1
5.5	Transmission	5-1
6.	Administration	6-1
6.1	Service Changes to the RBOC	6-1
6.2	Service Changes to the Customer.....	6-1
6.3	Installation and Support.....	6-1
6.4	Craftsperson/SPCS Interface.....	6-2
7.	Performance and Reliability.....	7-1
8.	Maintenance	8-1
9.	Limitations and Restrictions	9-1
10.	Timing and Tolerances.....	10-1
	Appendix A: DTMF Tones.....	A-1
	Appendix B: Encoding of 8-Bit Characters in DTMF Signals	B-1
	Appendix C: Acknowledge/Negative Acknowledge Signals	C-1
	C.1 Data Burst Acknowledgment	C-1
	C.2 Voiceband CPE Alert Signal (CAS) Acknowledgment	C-1
	Appendix D: Soft Key Return String Format	D-1
	Appendix E: Additional Guidelines for Host Computer Servers.....	E-1
	E.1 Considerations for ADSI Over Connections to Remote Servers	E-1
	E.2 Satellite Delays.....	E-2
	Appendix F: Message Flow Scenarios of a Typical ADSI SDC Session	F-1
	F.1 Example A - ADSI Call Flow.....	F-1
	F.2 Example B - Non-ADSI Compatible CPE.....	F-3
	References.....	References-1
	Glossary.....	Glossary-1

List of Figures

Figure 3-1.	ADSI Datalink Layer Frame Format for SPCS/Server to CPE Messages.....	3-3
Figure 3-2.	Layer 3 Parameter Message Package for the ADMF.....	3-19
Figure 3-3.	CPE ID Parameter of the MDMF "Call Setup" Message for AOHA	3-24
Figure 4-1.	State Of CPE Soft Keys When an "Information" Parameter Is Executed After an "Initialize Soft Key Line" Parameter Was Executed.....	4-19
Figure 4-2.	State of CPE Soft Keys When the Next "Line Control" Parameter or "Goto Line" rs-code is Executed After the "Information" Parameter Was Executed.	4-19
Figure 4-3.	State of CPE Soft Keys When An "Information" Parameter Is Executed After the Previous "Line Control" Parameter or "Goto Line" rs-code Was Executed	4-20
Figure 4-4.	Information Display Page and Physical Display Prior to Receiving the "Move Data" Command	4-38
Figure 4-5.	CPE Response To The "Move Data" Command With The Global Prompt Not Set.....	4-39
Figure 4-6.	CPE Response To The "Move Data" Command With The Global Prompt Set.....	4-40
Figure F-1.	Example A - Message Flow for a Hypothetical Feature	F-3
Figure F-2.	Example B - Non-ADSI Compatible CPE	F-4

List of Tables

Table 3-1.	ADSI Message Type Words	3-4
Table 3-2.	GR-30-CORE Off-hook Timers.....	3-9
Table 4-1.	ADSI Server Display Control Parameters	4-3
Table 4-2.	Peripherals Supported By ADSI	4-36
Table 4-3.	Supported Alternate Character Sets.	4-49
Table 4-4.	ADSI Feature Download Parameters.....	4-55
Table 10-1.	ADSI SPCS/Server Timers.....	10-2
Table A-1.	Use of DTMF A, B, C, and D Signals in ADSI Protocol.....	A-1
Table A-2.	DTMF Frequencies.....	A-1
Table B-1.	Mapping of Characters to DTMF Signals in ADSI.....	B-2
Table C-1.	Data Burst Acknowledgment Signals	C-1
Table C-2.	CAS Acknowledgment Signals.....	C-1
Table D-1.	Return String Control Codes.....	D-2