

# Contents

<b>Preface</b> . . . . .	xiii
<b>1 Introduction</b>	
1.1 Definitions . . . . .	1-1
1.2 Reasons for GR-1277-CORE, Issue 2 . . . . .	1-3
1.3 Changes from GR-1277-CORE Issue 1 to GR-1277-CORE, Issue 2 . . . . .	1-3
1.4 Changes from TR-NWT-001277 to GR-1277-CORE, Issue 2 . . . . .	1-3
1.5 Background . . . . .	1-5
1.6 High-Level Description . . . . .	1-5
1.7 Relationship to ANSI Operator Services Network Capabilities . . . . .	1-10
1.8 Document Organization . . . . .	1-12
1.9 Additional Information . . . . .	1-12
1.10 Requirements Terminology . . . . .	1-12
1.11 Requirement Labeling Conventions . . . . .	1-13
1.11.1 Numbering of Requirement and Related Objects . . . . .	1-13
1.11.2 Requirement, Conditional Requirement, and Objective Identification . . . . .	1-14
<b>2 User Perspective</b>	
2.1 Originating Operator Services . . . . .	2-1
2.2 Intercept Service . . . . .	2-1
2.3 Coin Control . . . . .	2-1
2.4 Recall (Flash) . . . . .	2-2
2.5 Connection Hold . . . . .	2-2
<b>3 Feature Requirements</b>	
3.1 Invoking an Operator Services Connection . . . . .	3-2
3.2 Baseline Procedures . . . . .	3-3
3.2.1 Basic Call Control Procedures . . . . .	3-3
3.2.2 Routing Procedures . . . . .	3-3
3.3 Establishment of an Operator Services Connection for Call Origination (OSC/CO) . . . . .	3-7
3.3.1 Initial Address Message (IAM): Basic Nature of Address (NOA) Field Option . . . . .	3-8
3.3.1.1 General . . . . .	3-8
3.3.1.2 Information on Calling Party . . . . .	3-11
3.3.1.3 Information on Called Party / Dialing . . . . .	3-12
3.3.1.4 Information on Carrier . . . . .	3-14
3.3.1.5 Information on Connection Hold Availability . . . . .	3-15
3.3.2 Initial Address Message (IAM): Modified Nature of Address (NOA) Field Option . . . . .	3-15
3.3.2.1 General . . . . .	3-16
3.3.2.2 Information on Calling Party . . . . .	3-19

- 3.3.2.3 Information on Called Party / Dialing . . . . . 3-21
- 3.3.2.4 Information on Carrier . . . . . 3-23
- 3.3.2.5 Information on Connection Hold Availability . . . . . 3-24
- 3.3.3 Tandem SPCS Procedures for Forwarding IAM . . . . . 3-24
- 3.3.4 Operator Services System Procedures . . . . . 3-25
- 3.3.5 Tandem SPCS Procedures for Returning ACM . . . . . 3-25
- 3.3.6 Originating SPCS Procedures for Receiving ACM . . . . . 3-25
- 3.3.7 Subsequent Procedures on OSCs/CO . . . . . 3-26
- 3.4 Establishing an Operator Services Connection for Intercept Service (OSC/I) . . . . . 3-26
  - 3.4.1 Initial Address Message (IAM): Basic NOA Field Option . . . . . 3-26
    - 3.4.1.1 General . . . . . 3-26
    - 3.4.1.2 Information on Calling Party . . . . . 3-28
    - 3.4.1.3 Information on Intercepted Line . . . . . 3-29
    - 3.4.1.4 Information on Intercepting Switch . . . . . 3-30
    - 3.4.1.5 Information on Connection Hold Availability . . . . . 3-30
    - 3.4.1.6 Information on Connection . . . . . 3-30
  - 3.4.2 Initial Address Message (IAM): Modified NOA Field Option . . . . . 3-31
    - 3.4.2.1 General . . . . . 3-31
    - 3.4.2.2 Information on Calling Party . . . . . 3-34
    - 3.4.2.3 Information on Intercepted Line . . . . . 3-35
    - 3.4.2.4 Information on Intercepting Switch . . . . . 3-35
    - 3.4.2.5 Information on Routing from Intercepting SPCS to OSS . . . . . 3-36
    - 3.4.2.6 Information on Connection Hold Availability . . . . . 3-36
    - 3.4.2.7 Information on Connection . . . . . 3-37
  - 3.4.3 Subsequent Procedures . . . . . 3-37
- 3.5 Procedures for Processing Updates on Connection Information . . . . . 3-37
- 3.6 Processing Requests for Connection Hold . . . . . 3-38
  - 3.6.1 Procedures for Establishing Connection Hold . . . . . 3-38
    - 3.6.1.1 Originating SPCS Procedures . . . . . 3-38
    - 3.6.1.2 Tandem SPCS Procedures . . . . . 3-39
  - 3.6.2 Procedures for Removing Connection Hold . . . . . 3-39
    - 3.6.2.1 Originating SPCS Procedures . . . . . 3-39
    - 3.6.2.2 Tandem Procedures . . . . . 3-40
- 3.7 Processing Requests for Coin Station Control . . . . . 3-40
  - 3.7.1 Originating SPCS Procedures . . . . . 3-40
  - 3.7.2 Tandem Procedures . . . . . 3-41
- 3.8 Transmitting Operator Services Recall (Calling Party Flash) . . . . . 3-41
  - 3.8.1 Originating SPCS Procedures . . . . . 3-41
  - 3.8.2 Tandem Procedures . . . . . 3-42
- 3.9 Releasing a Connection to Operator Services . . . . . 3-42
  - 3.9.1 Originating SPCS Procedures . . . . . 3-42
    - 3.9.1.1 Connection Hold Not Invoked . . . . . 3-42
    - 3.9.1.2 Connection Hold Invoked - Normal Procedures . . . . . 3-43
    - 3.9.1.3 Connection Hold Invoked - Exceptional Procedures (Maintenance Call Clearing) . . . . . 3-44
  - 3.9.2 Tandem Procedures . . . . . 3-45
    - 3.9.2.1 Normal Procedures . . . . . 3-45

3.9.2.2 Exceptional Procedures (MCC) . . . . .	3-45
3.10 Incoming Calls . . . . .	3-46
3.11 Feature Interactions . . . . .	3-48
3.11.1 Flash Resolution . . . . .	3-48
3.11.2 Calling Number Delivery Blocking Features . . . . .	3-48

## 4 Administration

4.1 Automatic Message Accounting (AMA) . . . . .	4-1
4.2 Service-Related Switch Parameters . . . . .	4-1
4.2.1 Access Signaling Information . . . . .	4-1
4.2.2 Connection Hold . . . . .	4-2
4.2.3 Maintenance Call Clearing . . . . .	4-2
4.2.4 Modified NOA Field Option: Backward Compatibility Information . . . . .	4-3

## 5 Definitions

## 6 Areas for Further Study

### Appendix A: SS7 Message Descriptions

### Appendix B: SS7 Parameters

B.1 Operator Services Information . . . . .	B-1
B.2 Service Activation . . . . .	B-2

### Appendix C: References

### Appendix D: Glossary

### Requirement-Object Index



## List of Figures

Figure 1-1	Operator Services Connection - Call Origination . . . . .	1-6
Figure 1-2	Operator Services Connection - Intercept . . . . .	1-6
Figure 1-3	Operator Services Connection - Termination . . . . .	1-7
Figure 1-4	Operator Services Connection - Call Origination - BICC Signaling .	1-8
Figure 1-5	Operator Services Connection - Intercept - BICC Signaling . . . .	1-9
Figure 1-6	Operator Services Connection - Termination - BICC Signaling . . .	1-10
Figure B-1	Operator Services Information Parameter . . . . .	B-1
Figure B-2	Service Activation Parameter . . . . .	B-2



## List of Tables

Table 3-1	Additional IAM Parameters Sent on OSCs/CO: Basic NOA Field Option . . . . .	3-9
Table 3-2	Coding of Nature of Address: Basic NOA Field Option . . . . .	3-13
Table 3-3	Additional IAM Parameters Sent on OSCs/CO: Modified NOA Field Option . . . . .	3-17
Table 3-4	Coding of Nature of Address and Original Access Prefix: Modified NOA Field Option . . . . .	3-22
Table 3-5	Additional IAM Parameters Sent on OSCs/I: Basic NOA Field Option . . . . .	3-27
Table 3-6	Additional IAM Parameters Sent on OSCs/I: Modified NOA Field Option . . . . .	3-32
Table A-1	Additional IAM Parameters Sent on OSCs/CO: Basic NOA Field Option . . . . .	A-1
Table A-2	Additional IAM Parameters Sent on OSCs/CO: Modified NOA Field Option . . . . .	A-2
Table A-3	Additional IAM Parameters Sent on OSCs/I: Basic NOA Field Option . . . . .	A-4
Table A-4	Additional IAM Parameters Sent on OSCs/I: Modified NOA Field Option . . . . .	A-5