

Table of Contents

- Preface** xiii
- 1 Introduction**
 - 1.1 Purpose and Scope 1-1
 - 1.1.1 Reasons for Reissue 1-2
 - 1.2 Organization 1-2
 - 1.3 Requirements Terminology 1-3
 - 1.4 Requirement Labeling Conventions 1-4
 - 1.4.1 Numbering of Requirement and Related Objects 1-4
 - 1.4.2 Requirement, Conditional Requirement, and Objective Identification . . . 1-4
- 2 General Information**
 - 2.1 General System Description 2-2
 - 2.1.1 Remote Site Power Systems 2-3
 - 2.1.1.1 Systems with Dedicated AC Power Generators 2-3
 - 2.1.1.2 Systems with Dedicated DC Power Generators 2-5
 - 2.2 Applications, Interfaces, and Operating Environment 2-10
 - 2.2.1 General Applications Considerations 2-10
 - 2.2.2 Fuels and Fuel Systems 2-10
 - 2.2.2.1 Fuel System Maintenance 2-10
 - 2.2.3 Site Interfaces 2-11
 - 2.2.3.1 Installations Inside Network Equipment Enclosures 2-11
 - 2.2.3.2 External Installations 2-13
- 3 General Requirements**
 - 3.1 Operations and Administration 3-1
 - 3.1.1 Unattended Operation 3-1
 - 3.1.2 Fail-Safe Operation 3-1
 - 3.1.3 Load Management 3-1
 - 3.1.4 Engines and Fuel Systems 3-1
 - 3.1.4.1 Fuel Selection 3-3
 - 3.1.4.2 Fuel Consumption 3-4
 - 3.1.4.3 Fuel Gauges and Alarms 3-4
 - 3.1.4.4 Fuel Tank Sizing 3-5
 - 3.1.4.5 Site Refueling 3-5
 - 3.2 Engineering, Installation, and Maintenance 3-6
 - 3.2.1 Fire Resistance of Materials 3-6
 - 3.2.2 Vibration and Earthquake Resistance 3-6
 - 3.2.3 Operating Environmental Requirements 3-7
 - 3.2.3.1 Ventilation and Cooling Requirements 3-8
 - 3.2.4 Shipping Temperature and Humidity 3-8
 - 3.2.5 Safety 3-8
 - 3.2.6 Toxic Materials 3-10
 - 3.2.7 Replacement Parts 3-10
 - 3.2.8 Periodic Maintenance and Scheduled Run Times 3-10
 - 3.3 Grounding 3-10

3.3.1	AC Generator Neutral Grounding	3-10
3.3.2	DC Generator Grounding	3-11
3.3.3	Equipment and Installation Grounding	3-11
3.4	Electrical Interfaces and Noise	3-12
3.4.1	AC Power Generators	3-12
3.4.2	DC Power Generators	3-13
3.4.3	Electrical Noise	3-14
3.5	Component and Connection Details	3-14
3.5.1	Physical Security Provisions	3-14
3.5.2	Power Conductors	3-15
3.5.3	Electrical/Mechanical Hardware	3-15
3.5.4	Resistors	3-16
3.5.5	Electrolytic Capacitors	3-16
3.5.6	Capacitors Other Than Electrolytic-Type	3-17
3.5.7	Semiconductors	3-17
3.5.8	Transformer and Magnetic Coils	3-17
3.5.9	Hook-Up Wire	3-17
3.5.10	Power Wire Terminations	3-18
3.5.11	Circuit Breakers	3-18
3.5.12	Switches	3-18
3.5.13	Printed Wiring Boards (PWBs)	3-19

4 Site-Specific Functional Requirements

4.1	Electrical	4-1
4.1.1	Rated Power	4-1
4.1.2	Critical Loads - AC and DC	4-1
4.1.3	Load Estimation	4-1
4.1.4	Electrical Requirements	4-2
4.1.4.1	AC Voltage Ranges	4-2
4.1.4.2	DC Voltage Ranges	4-2
4.1.4.2.1	DC Voltage Remote Sensing	4-2
4.1.4.2.2	DC Voltage Adjustments	4-2
4.1.4.3	Load Regulation - AC Load and Frequency Regulation	4-2
4.1.4.3.1	Linear/Non-Linear AC Load Characteristics	4-2
4.1.4.3.2	AC Voltage Regulation	4-3
4.1.4.3.3	AC Frequency Regulation	4-3
4.1.4.3.4	Deviation Factor for AC Power Engine-Driven Generators	4-3
4.1.4.4	DC Load Regulation	4-4
4.1.4.4.1	DC Output Voltage Regulation	4-4
4.1.4.5	Transient Load Response	4-4
4.1.4.5.1	AC Voltage and Step Load Changes	4-4
4.1.4.5.2	AC Frequency and Step Load Changes	4-4
4.1.4.5.3	One-Step Load Acceptance - DC Generators	4-5
4.1.4.6	AC Transfer Switch Performance	4-5
4.1.4.7	DC Rectifier or Converter Performance (Electrical Noise Impressed on DC Bus)	4-5
4.1.4.7.1	Rectifier Criteria	4-5
4.1.4.7.2	Electrical Noise - DC Power Generators	4-5
4.1.4.7.3	Voice Frequency (V) Noise	4-6
4.1.4.7.4	Radio Frequency Noise	4-7

- 4.1.4.7.5 Peak-to-Peak Ripple Voltages 4-7
- 4.1.4.7.6 Telephone Influence Factor (TIF) 4-8
- 4.1.4.8 Standby Power System Overcurrent Protection 4-8
- 4.1.4.9 Momentary Overload and Short Circuit Protection 4-8
- 4.2 Environment 4-9
 - 4.2.1 Location 4-9
 - 4.2.2 Environmental Requirements 4-9
 - 4.2.2.1 Altitude and Temperature Derating Information 4-9
 - 4.2.2.2 Low Temperature Starting Reliability 4-9
 - 4.2.2.3 Closure Requirements – Resistance to Airborne Contaminations, Wind, Rain, Seismic/Vibration, and Other Environmental Stresses 4-10
 - 4.2.2.4 Electromagnetic Compatibility 4-14
 - 4.2.2.5 Electrostatic Discharge 4-14
 - 4.2.2.6 Acoustic Noise 4-14
 - 4.2.2.7 Acoustic Noise – General Requirements 4-15
 - 4.2.2.8 Acoustic Noise – Sound-Attenuating Enclosures 4-15
 - 4.2.2.8.1 Acoustic Noise – Materials 4-15
- 4.3 Functional 4-16
 - 4.3.1 Controls and Indicators 4-16
 - 4.3.1.1 Engine-Generator Controls 4-16
 - 4.3.1.2 Engine-Alternator Generator Controls/Shutdowns 4-18
 - 4.3.1.2.1 Control Functions 4-18
 - 4.3.2 Unattended Operation 4-19
 - 4.3.2.1 Control Functions 4-19
 - 4.3.2.1.1 Normal Operation 4-19
 - 4.3.2.1.2 Routine Operation 4-20
 - 4.3.2.1.3 System Type for Remote Start Using Electrical or Electronic Starting System 4-20
 - 4.3.3 Controls, Displays, Alarms, and Readiness Reporting of Engine and Fuel 4-20
 - 4.3.3.1 Fuel Gauges and Alarms 4-21
 - 4.3.3.2 Control Panel Meters/Displays 4-21
 - 4.3.3.2.1 Engine-Alternators 4-21
 - 4.3.3.2.2 Engine-Generators 4-21
 - 4.3.3.3 Alarms 4-23
 - 4.3.3.3.1 Alarm Functional Requirements 4-23
 - 4.3.3.3.2 Visual Alarm Color Codes 4-25
 - 4.3.3.3.3 Interfaces with Present Alarm Systems 4-26
 - 4.3.3.4 Remote Monitoring of Engine Status 4-26
 - 4.3.3.4.1 Remote Monitoring and/or Control Systems 4-26
 - 4.3.3.4.2 Monitoring Scope Functional Requirements 4-27
 - 4.3.3.4.3 User-Configurability 4-27
 - 4.3.3.4.4 Fail-Safe Design 4-27
 - 4.3.3.4.5 Code Compliance 4-28
 - 4.3.3.4.6 Environmental Requirements 4-28
 - 4.3.3.4.7 Power Supply Requirements 4-28
 - 4.3.3.4.8 Security 4-28
 - 4.3.3.4.9 Interfaces with Collocated Power System/Controllers 4-29
 - 4.3.3.4.10 Remote Reporting Notification 4-29

4.3.3.4.11 Memory Requirements	4-29
4.3.3.4.12 The Telecommunications Management Network (TMN) . .	4-30
4.3.3.5 Safety	4-32
4.3.3.5.1 Grounding	4-32
4.3.3.5.2 Contact Protection	4-32
4.3.3.5.3 Shutdowns	4-32

5 Generator-Specific Functional Requirements

5.1 General Generator Requirements	5-1
5.1.1 Generator NRTL and Code Compliance	5-1
5.1.2 Reliability and Maintainability	5-1
5.1.2.1 General	5-1
5.1.2.2 Engine-Generator Set	5-2
5.1.2.3 Failure Response of Standby Engine-Generator Controls	5-3
5.1.2.4 Failure of Monitoring/Control Systems	5-3
5.1.2.4.1 General	5-3
5.1.2.4.2 Response to Power Failures	5-3
5.1.2.4.3 System Reliability	5-3
5.1.2.4.4 Handling of Sensor Failures	5-4
5.1.2.4.5 Status Indicator Test Function	5-4
5.1.3 Batteries	5-4
5.1.3.1 Starting and/or Control Batteries	5-4
5.1.3.2 Maintenance of Battery Charge	5-4
5.1.4 Engine Cranking for Internal Combustion Engines (ICEs)	5-4
5.1.4.1 Cranking Cycles	5-4
5.1.4.2 Overcranking Protection	5-5
5.1.4.3 Control Functions	5-5
5.1.5 Heaters and Starting Reliability at Low Temperatures	5-5
5.1.5.1 Low Temperature Starting Reliability	5-5
5.2 Specific Generator Requirements - Unique to Generator Types	5-6
5.2.1 Fuels and Fuel Systems	5-6
5.2.1.1 Codes and Standards	5-6
5.2.1.2 Fuel Tank Location	5-7
5.2.1.3 Elevation of Fuel	5-7
5.2.1.4 Fuel Tanks	5-7
5.2.1.5 Fuel Tank Sizing	5-7
5.2.1.6 Fuel Selection	5-7
5.2.1.7 Fuel Availability	5-8
5.2.1.8 LP Gas Withdrawal Systems	5-8
5.2.1.9 LP Fuel Flow Control	5-8
5.2.2 Engine Temperature Control and Ventilation	5-8
5.2.2.1 Engine-Alternator/Generator Cooling Systems	5-8
5.2.3 Water-Cooled Engines	5-9
5.2.4 Air-Cooled Engines	5-10
5.2.5 Engine Exhaust Systems	5-10
5.2.5.1 Engine-Generator Combustion Exhaust Emissions	5-10
5.2.5.2 Installation	5-10
5.3 Specific Generator Types and Considerations	5-11
5.3.1 Internal Combustion Engines (ICE)	5-11
5.3.1.1 Engine Lubrication System	5-11

- 5.3.1.1.1 General 5-11
- 5.3.1.1.2 Lube Oil Drain 5-12
- 5.3.1.1.3 Capacity vs. Lube Oil Consumption 5-12
- 5.3.1.1.4 Lube Oil System Ventilation 5-12
- 5.3.1.1.5 Protective Shutdowns 5-12
- 5.3.1.1.6 Mechanical Balance of Engine-Driven Generators 5-12
- 5.3.1.2 Engine Cranking 5-13
 - 5.3.1.2.1 Overcranking Protection 5-13
- 5.3.2 Fuels – Diesel, Methanol, Hydrogen, or Gasoline (Liquid Hydrocarbon) ICE 5-13
 - 5.3.2.1 Biofuel Diesel Systems 5-14
 - 5.3.2.2 Liquefied/Gaseous Propane or Natural Gas 5-15
 - 5.3.2.3 Non-Combustion Engines such as Fuel Cells 5-15

6 Marking, Packaging, and Shipping Requirements

- 6.1 Product Identification 6-1
- 6.2 Packaging and Shipping 6-1

7 Quality Management Systems (QMS) and Quality Assurance (QA) Programs

- 7.1 Hardware Quality Assurance Plan 7-1
 - 7.1.1 Production Samples 7-1
 - 7.1.2 Quality Assurance and Quality Management System (QMS) Documentation 7-1
 - 7.1.3 Installation Quality Reviews 7-2

8 Documentation and Training

- 8.1 Documentation Requirements 8-1
- 8.2 Training Requirements 8-2

9 Performance Verification and Test Procedures

- 9.1 General Information 9-1
 - 9.1.1 Definitions 9-1
 - 9.1.1.1 Design Review and Inspection 9-1
 - 9.1.1.2 Cold State 9-1
 - 9.1.1.3 Hot State 9-1
 - 9.1.1.4 Test Instrumentation 9-2
 - 9.1.2 Test Setup Requirements 9-2
 - 9.1.3 Test Fuel Requirements 9-3
 - 9.1.4 Recording of Test Data 9-3
- 9.2 Prototype Test Requirements 9-3
 - 9.2.1 Maximum Power 9-3
 - 9.2.2 Fuel Consumption 9-4
 - 9.2.3 Steady State Regulation and Stability 9-4
 - 9.2.3.1 Voltage and Frequency (AC Outputs Only) 9-4
 - 9.2.3.2 Voltage Regulation and Electrical Noise (DC Outputs Only) 9-5
 - 9.2.4 Transient Response 9-5
 - 9.2.4.1 Voltage and Frequency Transient Response (AC Outputs Only) 9-5
 - 9.2.4.2 Voltage Transient Response (DC Outputs Only) 9-6

9.2.5	Operation with Non-Linear Loads	9-6
9.2.6	Acoustic Noise	9-7
9.2.7	Automatic Transfer Switch (ATS)	9-7
9.2.8	Short-Circuit Tests – AC Systems Only	9-7
9.2.9	Generator Insulation Tests	9-8
9.2.10	Engine Cooling System Performance	9-8
9.2.11	Lube Oil Consumption	9-8
9.2.12	Mechanical Vibration/Torsional Analysis	9-9
9.2.13	Low Temperature Starting	9-9
9.2.14	Endurance Tests	9-10
9.2.15	Electrical Noise	9-10
9.2.16	Telephone Influence Factor	9-10
9.2.17	Electromagnetic Compatibility	9-11
9.2.18	Electrostatic Discharge	9-11
9.3	Site (Installation Acceptance) Tests	9-11
9.3.1	Automatic Start	9-11
9.3.2	Full-Load Test	9-12
9.3.3	Cranking Cycle/Duration Test	9-12
9.3.4	Shutdown/Alarm Test	9-12

Appendix A: Other Power Configurations: Central Office, Remote Site Portable AC Generator

A.1	Typical Central Office Power System	A-1
A.2	Remote Location with Portable AC Power Generators	A-2

Appendix B: Specific Fuel Consumption Models for Types of Generators and Resulting Storage Densities

Appendix C: References

C.1	Telcordia Documents	C-1
C.2	Non-Telcordia Documents	C-2
C.3	To Obtain Additional Reference Material	C-4
C.4	Family of Requirements (FR) and Family of Documents (FD) Sets	C-5
C.5	Reference Notes	C-5
C.5.1	Contact Customer Service	C-5
C.5.2	Order Documents Online From the Telcordia SuperStore	C-5
C.5.3	Web Sites for Generic Requirements Information	C-6
C.5.4	Licensing Agreements for Telcordia Documents	C-7

Appendix D: Glossary

Requirement-Object Index

List of Figures

Figure 2-1	Remote Location Power System with Dedicated Standby AC Power Generator	2-4
Figure 2-2	Remote Location Power System with Dedicated Standby AC Power Generator - A/C Chillers are Non-Essential Loads	2-5
Figure 2-3	Remote Location Power System with Dedicated Standby DC Power Generator	2-7
Figure 2-4	Remote Location Power System with Dedicated Standby DC Power Generator with Auxiliary AC Output	2-9
Figure A-1	Typical Central Office Power System	A-1
Figure A-2	Remote Location Power System with Portable AC Power Generator	A-2
Figure B-1	Diesel Engine Fuel Consumption	B-4
Figure B-2	Diesel Fuel Tank Requirements	B-4
Figure B-3	Vaporization Rates for Vapor Withdrawal Systems (Surroundings Temperature= 20°F, Tank is 1/2 Full, Continuous or Intermittent Withdrawal)	B-7
Figure B-4	LP Gas (Propane) Engine Fuel Consumption, BTU/Hour	B-7
Figure B-5	LP Tank Requirements	B-8
Figure B-6	Approximate Overall Dimensions - Horizontal LP Tanks (Reference Only)	B-8

List of Tables

Table 3-1	Range B Utilization Limits	3-12
Table 3-2	Suggested Torque, Clamping Loads, and Current Transfer Rating for Screws and Bolts	3-15
Table 4-1	Measurement Error, Accuracy Range, and Reading Resolution . .	4-22
Table 9-1	Instrumentation Requirements - Prototype Tests	9-2
Table B-1	Average Load for Estimating Fuel Consumption	B-2
Table B-2	Planning Values for Diesel Fuel Consumption	B-3
Table B-3	Planning Values for Propane Fuel Consumption (Gal/Hr)	B-6