

---

# Generic Requirements for ISDN Basic Rate Interface (BRI) Calling Name Identification Services [Telcordia GR-1326 Documentation Information](#)

## Contents

Preface .....	Preface-1
1. Introduction .....	1-1
1.1 Document Organization .....	1-1
1.2 Definition .....	1-1
1.3 Background .....	1-2
1.4 Terminal Assumptions .....	1-4
1.5 Summary of Changes from TR-NWT-001326 to GR-1326-CORE .....	1-5
1.6 Requirements Terminology .....	1-6
1.7 Requirement Labeling Conventions .....	1-6
1.7.1 Numbering of Requirement and Related Objects .....	1-6
1.7.2 Requirement, Conditional Requirement, and Objective Object Identification .....	1-7
2. General Information .....	2-1
2.1 High-Level Feature Description .....	2-1
2.1.1 Link BRI Calling Name Presentation to Calling Number Presentation .....	2-1
2.1.2 ISDN Calling Identity Delivery and Suppression (I-CIDS) .....	2-1
2.1.3 Name Delivery .....	2-2
2.1.4 ISDN Delivery Feature Deactivation/Reactivation .....	2-4
2.2 User Perspective .....	2-4
2.2.1 Calling User .....	2-4
2.2.2 Called User .....	2-5
2.2.3 Activating User Perspective .....	2-6
3. Feature Requirements .....	3-1
3.1 Feature Operations .....	3-1
3.1.1 Main Feature Operations .....	3-1
3.1.1.1 Link BRI Calling Name Presentation to Calling Number Presentation .....	3-1
3.1.1.2 ISDN Calling Identity Delivery and Suppression (I-CIDS) .....	3-2
3.1.1.3 ISDN Calling Name Delivery (I-CNAM) .....	3-5
3.1.1.4 ISDN Delivery Feature - Deactivation/Reactivation .....	3-10
3.1.1.5 ISDN Calling Name Display .....	3-15
3.1.2 Release Treatment .....	3-16
3.1.3 Interworking Feature Operation .....	3-16

---

3.1.4	Error Treatment and Abnormal Events .....	3-17
3.2	Internal Call-Processing Controls .....	3-19
3.2.1	Class of Service/Configuration .....	3-19
3.2.2	Code Interpretation .....	3-20
3.2.3	Overload.....	3-20
3.3	Signaling/Message Structure.....	3-21
3.3.1	Customer Signaling/User-Network Interface.....	3-21
3.3.2	Common Channel Signaling (CCS).....	3-27
3.3.2.1	Procedures at an Originating SPCS .....	3-27
3.3.2.2	Procedures at a Terminating SPCS.....	3-28
3.3.2.3	Procedures at a Terminating AIN Service Switching Point (SSP).....	3-31
3.3.3	Operator Service Signaling .....	3-33
3.4	Administration/Operations .....	3-34
3.4.1	Memory Administration (Service Changes/Subscription Parameters) 3- 34	
3.4.1.1	Service Changes/Subscription Parameters .....	3-35
3.4.1.2	Operation Requirements for SS7.....	3-39
3.4.2	Network Maintenance .....	3-39
3.4.2.1	Surveillance .....	3-40
3.4.2.2	Testing .....	3-40
3.4.3	Network Data Collection (NDC) .....	3-40
3.4.4	Network Traffic Management (NTM) .....	3-42
3.4.5	Billing and Comptroller .....	3-42
3.5	Interactions .....	3-44
3.6	Limitations and Restrictions .....	3-64
3.7	Timing and Tolerances.....	3-65
4.	Display Information .....	4-1
Appendix A:	Data Dictionary for ISDN Calling Name .....	A-1
A.1	Scope and Definition.....	A-1
A.2	Allowed Data Values .....	A-2
A.3	Data Dictionary .....	A-3
A.3.1	Master Feature List - Feature Activators .....	A-15
A.3.1.1	Feature Activators for FA per TCGN.....	A-15
A.3.1.2	Feature Activators for FADN per TCGN.....	A-16
A.3.2	Master Feature List - Feature Indicators .....	A-16
A.3.2.1	Feature Indicators for FI per TCGN .....	A-16
A.3.2.2	Feature Indicators for FIDN per TCGN .....	A-17
References	.....	References-1
Glossary	.....	Glossary-1

---

## List of Figures

Figure 3-1.	Request for I-CIDS or ISDN Delivery Feature .....	3-22
Figure 3-2.	Carrying Information or Request to the Switch.....	3-23
Figure 3-3.	Confirmation of I-CIDS Request.....	3-24
Figure 3-4.	INFORMATION Message for Confirmation of Deactivation or Reactivation	3-25
Figure 3-5.	Confirmation of Deactivation or Reactivation .....	3-26
Figure 3-6.	Name Information Delivered to Called User.....	3-27

---

## List of Tables

Table 3-1.	Summary of ISDNUP/TCAP GN Presentation Codings.....	3-31
Table 3-2.	Name Presentation Status for ACB-I.....	3-51
Table 3-3.	Name Presentation Status for I-AR .....	3-53
Table 4-1.	Display of Name Information .....	4-1
Table 4-2.	Formatted Display Text (Sheet 1 of 3) .....	4-2
Table 4-3.	Coding of I-CNAM Display Information .....	4-5
Table 4-4.	Display Information with Situations.....	4-14
Table 4-5.	Display of [Calling Number] When Name Is Delivered .....	4-17
Table 4-6.	Display of [Redirecting Number] When Name Is Delivered .....	4-18
Table A-1.	Description of Columns in Appendix A .....	A-1
Table A-2.	Allowed Values of Form .....	A-2
Table A-3.	ISDN Calling Name DN/CT Parameters .....	A-3
Table A-4.	ISDN Calling Name DN/CT/TSP Parameters .....	A-6
Table A-5.	ISDN Calling Name TCGN Parameters .....	A-7
Table A-6.	ISDN Calling Name BBG Parameters.....	A-8
Table A-7.	ISDN Calling Name BBG Dialing Plan Parameters .....	A-12
Table A-8.	ISDN Calling Name SPCS Parameters .....	A-13
Table A-9.	CIDS .....	A-15
Table A-10.	DLVFEAT .....	A-16
Table A-11.	CIDS .....	A-16
Table A-12.	DLVFEAT .....	A-17