

---

# Generic Requirements for Gas Tube Protector Units (GTPUs)

## Contents

|  |           |
|--|-----------|
| Preface .....  | Preface-1 |
| 1. Introduction.....   | 1-1       |
| 1.1 Purpose.....   | 1-1       |
| 1.2 Reasons for Issue 2.....   | 1-2       |
| 1.3 Application of This Document.....  | 1-2       |
| 1.4 Requirements Terminology.....  | 1-3       |
| 1.5 Requirement Labeling Conventions.....  | 1-4       |
| 1.5.1 Numbering of Requirement and Related Objects .....                                 | 1-4       |
| 1.5.2 Requirement, Conditional Requirement, and Objective Object<br>Identification ..... | 1-5       |
| 1.6 Backup Device and Gas Tube Seal Integrity .....                                      | 1-5       |
| 2. General Requirements.....   | 2-1       |
| 2.1 Documentation .....  | 2-1       |
| 2.2 Product Marking.....   | 2-1       |
| 2.3 Packing and Shipping.....  | 2-1       |
| 2.4 Listing .....  | 2-1       |
| 2.5 Test Equipment .....   | 2-1       |
| 2.6 Quality Assurance and Reliability Requirements .....                                 | 2-2       |
| 2.6.1 Quality Program Analysis.....  | 2-2       |
| 2.6.2 Product Quality Surveillance .....   | 2-2       |
| 3. Mechanical Requirements.....  | 3-1       |
| 3.1 Materials.....   | 3-1       |
| 3.2 Internal Clearance .....   | 3-2       |
| 3.3 Fire Retardancy .....  | 3-2       |
| 3.4 Personnel Safety.....  | 3-2       |
| 3.5 Plug-In Type GTPU .....  | 3-3       |
| 3.6 Nominal Pin Dimensions of the Plug-In Type GTPU .....                                | 3-3       |
| 3.7 Station-Type GTPU .....  | 3-3       |
| 3.8 Screw-In Station Type GTPU Color Coding .....  | 3-4       |
| 3.9 Plug-In Type GTPU Color Coding .....   | 3-4       |
| 4. Electrical Requirements .....   | 4-1       |
| 4.1 Fusing Coordination.....   | 4-1       |
| 4.2 Contact Resistance (Plug-In Type GTPU Only).....                                     | 4-3       |
| 4.3 Insulation Resistance.....   | 4-4       |
| 4.4 DC Breakdown Voltage .....   | 4-4       |

---

---

|         |   |      |
|---------|---|------|
| 4.5     | Rated Voltage (Not for GTPUs Intended for 5ESS Switching System).....         | 4-5  |
| 4.6     | Capacitance .....   | 4-5  |
| 4.7     | Dielectric Withstand.....   | 4-6  |
| 4.8     | Voltage Limiting .....  | 4-7  |
| 4.9     | Impulse Reset .....   | 4-8  |
| 4.10    | Service Life Requirement .....  | 4-9  |
| 4.11    | End-of-Life Mode .....  | 4-12 |
| 4.12    | Backup Device Integrity .....   | 4-13 |
| 4.13    | Blind Spot Test.....  | 4-14 |
| 5.      | Environmental Requirements.....   | 5-1  |
| 5.1     | Shock and Vibration.....  | 5-1  |
| 5.2     | High Temperature (Only for GTPUs With Non-Resetting Current<br>Limiters)..... | 5-1  |
| 5.3     | Radioactive Contents .....  | 5-1  |
| 5.4     | Salt Fog Test .....   | 5-2  |
| 5.5     | Rain Test .....   | 5-2  |
| 5.6     | Stress Corrosion Cracking.....  | 5-2  |
| 5.6.1   | Screw-In Type GTPUs.....  | 5-3  |
| 5.7     | Thermal Operation .....   | 5-4  |
| 5.8     | Aging.....  | 5-5  |
| 5.9     | Temperature/Humidity Cycling With 1 KV/ $\mu$ s Lightning Surge.....          | 5-6  |
| 5.10    | Temperature/Humidity Cycling With 1 Arms, 600-ft. Loop Test .....             | 5-7  |
| 5.11    | Resistance to Chemicals.....  | 5-8  |
| 5.12    | Fungus Resistance .....   | 5-8  |
| 5.13    | Drop Test.....  | 5-9  |
| 6.      | Special Capability Features.....  | 6-1  |
| 6.1     | Balanced Voltage Limiting Feature .....                                       | 6-1  |
| 6.1.1   | Balanced Voltage Limiting .....   | 6-1  |
| 6.1.2   | Impulse Reset.....  | 6-1  |
| 6.2     | Current-Limiting Capability.....  | 6-2  |
| 6.2.1   | GTPU Configuration with Current-Limiting Mechanism .....                      | 6-2  |
| 6.2.2   | Non-Resetting Current Limiting .....  | 6-2  |
| 6.2.2.1 | Rated and Transition Currents .....   | 6-2  |
| 6.2.2.2 | Impulse Life.....   | 6-4  |
| 6.2.2.3 | AC Life .....   | 6-4  |
| 6.2.2.4 | Second-Level AC Power Contact.....  | 6-5  |
| 6.2.3   | Self-Resetting Current Limiting.....  | 6-6  |
| 6.2.3.1 | Transition Current.....   | 6-6  |
| 6.2.3.2 | Rated Current.....  | 6-7  |
| 6.2.3.3 | Current Reset for T1-Carrier Systems .....                                    | 6-7  |
| 6.2.3.4 | Impulse Life.....   | 6-8  |
| 6.2.3.5 | AC Life .....   | 6-9  |
| 6.2.3.6 | Second-Level AC Power Contact.....  | 6-10 |

---

---

|         |  |              |
|---------|--|--------------|
| 6.2.4   | Fast Current Limiting.....                   | 6-10         |
| 6.2.4.1 | AC Current Limiting.....                     | 6-10         |
| 6.2.4.2 | Impulse Current Limiting .....               | 6-11         |
| 6.2.4.3 | Rated Current.....                           | 6-12         |
| 6.2.4.4 | Current Reset .....                          | 6-12         |
| 6.2.4.5 | Impulse Life.....                            | 6-13         |
| 6.2.4.6 | AC Life .....                                | 6-14         |
| 6.2.4.7 | Second-Level AC Power Contact.....           | 6-14         |
| 7.      | GTPUs Not Provided With a Backup Device..... | 7-1          |
| 7.1     | DC Breakdown Voltage .....                   | 7-1          |
| 7.2     | Mechanical Stress.....                       | 7-1          |
| 7.3     | Thermal Aging .....                          | 7-2          |
| 7.4     | Thermal Shock .....                          | 7-2          |
| 7.5     | Service Life .....                           | 7-2          |
| 7.6     | Over-Pressure Leak Test.....                 | 7-3          |
|         | Appendix A: Test Waveform Validation.....    | A-1          |
|         | References .....                             | References-1 |
|         | Glossary .....                               | Glossary-1   |
|         | Index .....                                  | Index-1      |

---



---

## List of Figures

|              |   |      |
|--------------|---|------|
| Figure 3-1.  | Dimensions of the Mounting Block Wells for Screw-In GTPU .....                      | 3-6  |
| Figure 4-1.  | Insulation Resistance Test Circuit .....  | 4-16 |
| Figure 4-2.  | Accessibility Probe .....   | 4-17 |
| Figure 4-3.  | Impulse Reset Test Circuit .....  | 4-18 |
| Figure 4-4.  | 600-ft. Cable Loop Simulator for AC Life Test .....                                 | 4-19 |
| Figure 4-5.  | 1-Mile Cable Loop Simulator for AC Life Test.....                                   | 4-20 |
| Figure 4-6.  | 0.5A Continuous AC Life Test Circuit.....   | 4-21 |
| Figure 4-7.  | Rated Voltage Test Circuit .....  | 4-22 |
| Figure 5-1.  | Temperature/Humidity Test Cycling With Relative Humidity of<br>90 to 95% .....      | 5-10 |
| Figure 5-2.  | Powering GTPUs for Environmental Testing .....                                      | 5-11 |
| Figure 6-1.  | Balanced Voltage Limiting Test Circuit.....   | 6-16 |
| Figure 6-2.  | Impulse Reset Test Circuit for GTPU with Balanced Voltage<br>Limiting .....         | 6-17 |
| Figure 6-3.  | GTPU Configuration with Current Limiting Mechanism .....                            | 6-18 |
| Figure 6-4.  | Rated Current Test Circuit.....   | 6-19 |
| Figure 6-5.  | Transition Current Test Circuit.....  | 6-20 |
| Figure 6-6.  | Impulse-Life Test Circuit for Current Limiters .....                                | 6-21 |
| Figure 6-7.  | AC Life Test Circuit for Current Limiters and Second-Level AC<br>Power Contact..... | 6-22 |
| Figure 6-8.  | AC Current Limiting Test Circuit for Fast Current Limiter .....                     | 6-23 |
| Figure 6-9.  | Impulse Current Limiting Test Circuit for Fast Current Limiter.....                 | 6-24 |
| Figure 6-10. | Current Reset Test Circuit .....  | 6-25 |
| Figure 7-1.  | Test Procedure Flowchart.....   | 7-5  |
| Figure A-1.  | Definition of Voltage Rate of Rise .....  | A-2  |
| Figure A-2.  | Definition of Double Exponential Impulse Waveform of Duration<br>a/b Seconds .....  | A-3  |



---

## List of Tables

|            |  |     |
|------------|--|-----|
| Table 3-1. | Plug-In Type GTPU Color Coding Requirements .....                              | 3-4 |
| Table 3-2. | Munsell Color System Chart .....   | 3-5 |
| Table 4-1. | Fusing Coordination .....  | 4-2 |
| Table 4-2. | Insulation Resistance .....  | 4-4 |
| Table 4-3. | Voltage-Limiting Parameters for GTPUs.....                                     | 4-7 |
| Table 4-4. | Voltage-Limiting Parameters for 5ESS GTPUs.....                                | 4-7 |
| Table 4-5. | Service Life Requirement and End-of-Life Mode.....                             | 4-9 |
| Table 6-1. | Impulse Reset Circuit Parameters for a Balanced Voltage<br>Limiting GTPU ..... | 6-2 |
| Table 6-2. | Rated Current for Non-Resetting Limiter.....                                   | 6-3 |
| Table 6-3. | Transition Current for Non-Resetting Limiter.....                              | 6-3 |
| Table 6-4. | Transition Currents for a Self-Resetting Current Limiter .....                 | 6-6 |
| Table 6-5. | Rated Current for Self-Resetting Current Limiter .....                         | 6-7 |
| Table A-1. | Test Waveform Parameters .....   | A-1 |