
Network Maintenance: Access and Testing – Automatic Board-to-Board Testing (ABBT) and DLC Cutover Testing

CONTENTS

[Telcordia GR-1465 - Documentation Information](#)

preface	Preface-1
1. Introduction	1-1
1.1 Document History	1-1
1.2 Organization of Document	1-2
1.3 Requirements Terminology	1-2
2. Overview of ABBT Function	2-1
2.1 Pre-Cutover State and Selective Cutoff Requirements	2-3
2.2 ABBT Database Management Requirements	2-3
2.2.1 Pre-Cutover List of Lines	2-4
2.2.2 Adding to or Deleting from Pre-Cutover List	2-4
2.2.3 Data for Pre-Cutover Lines	2-4
2.2.4 Phased-Cutover	2-4
2.2.5 Special Lines	2-4
2.3 Board-to-Board Test Physical Requirements	2-4
2.3.1 Verification of Proper Continuity	2-5
2.3.2 Verification of Ground-Start or Loop-Start Option	2-5
2.3.3 Special Purpose Hardware	2-5
2.4 ABBT User Control Requirements	2-6
2.4.1 One Person Operation	2-6
2.4.2 Defining Testing Range	2-6
2.4.3 Start and Stop Testing	2-6
2.4.4 Demand Test Capability *	2-6
2.4.5 Determine Where Test Stop&d	2-6
2.4.6 Resume Testing	2-6
2.4.7 Manually Initiate Retest After Being Skipped	2-7
2.4.8 Manually Initiate Retest After Failure	2-7
2.4.9 Manual Removal from Retest Queues	2-7
2.5 ABBT System Control Requirements	2-7
2.5.1 New Switching System	2-7
2.5.2 Order of Testing	2-7
2.5.3 Directory Numbers	2-7
2.5.4 Skipped Lines	2-8
2.5.5 Failed Lines	2-8

2.5.6	Temporarily Skipped Lines	2-8
2.5.7	Intercept Signature	2-9
2.5.8	Unassigned Line Terminals	2-9
2.6	Board-to-Board Output Messages	2-9
2.6.1	Availability	2-9
2.6.2	Output Messages	2-9
2.7	ABBT Performance Requirements	2-10
2.7.1	Testing Rate	2-11
2.7.2	Scheduling Concurrent ABBT	2-11
3.	ABBT and Cutover for DLC Systems	3-1
3.1	General	3-1
3.2	Features of ABBT Applied to DLC Cutover	3-2
3.2.1	Facility Verification	3-2
3.2.2	Testing Procedure	3-3
3.2.3	Non-Switched and Non-Locally Switched Circuits	3-4
3.2.4	ISDN Circuits	3-4
3.3	Pre-Cutover State and Cutoff Requirements	3-4
3.4	ABBT and Cutover Database Management Requirements	3-5
3.4.1	Pre-Cutover List of Lines	3-5
3.4.2	Adding to or Deleting from Pre-Cutover List	3-5
3.4.3	Data for Pre-Cutover Lines	3-5
3.4.4	Phased-Cutover	3-5
3.4.5	Special Lines	3-6
3.5	Cutover Test Physical Requirements	3-6
3.5.1	Verification of Proper Continuity	3-6
3.5.2	Verification of Ground-Start or Loop-Start Option	3-6
3.5.3	Special Purpose Hardware	3-7
3.6	Cutover User Control Requirements	3-7
3.6.1	One Person Operation	3-7
3.6.2	Defining Testing Range	3-7
3.6.3	Start and Stop Testing	3-7
3.6.4	Demand Test Capability	3-7
3.6.5	Determine Where Test Stopped	3-7
3.6.6	Resume Testing	3-8
3.6.7	Manually Initiate Retest After Being Skipped	3-8
3.6.8	Manually Initiate Retest After Failure	3-8
3.6.9	Manual Removal from Retest Queues	3-8
3.7	Cutover System Control Requirements	3-8
3.7.1	New Switching System	3-8
3.7.2	Order of Testing	3-8
3.7.3	Directory Numbers	3-9
3.7.4	Skipped Lines	3-9
3.7.5	Failed Lines	3-9
3.7.6	Temporarily Skipped Lines	3-9
3.7.7	Intercept Signature	3-10

3.7.8 Unassigned Line Terminals	3-10
3.8 Cutover Output Messages	3-10
3.8.1 Availability	3-10
3.8.2 Output Messages	3-10
3.9 Cutover Performance Requirements	3-11
3.9.1 Testing Rate	3-12
3.9.2 Scheduling Concurrent ABBT or Cutover	3-12
Appendix A: Cutover Procedures and Tests	Appendix A-1
References	References-1
Glossary	Glossary-1

LIST OF FIGURES

Figure 2-1. Typical Internal ABBT Function	2-1
Figure 2-2. Typical External ABBT Function	2-2
Figure A-1. Possible Access Architectures	A-3
Figure A-2. Cutover From Copper Cable to IDLC	A-5
Figure A-3. Cutover From TR-08 UDLC to TR-08 IDLC (Same RDT)	A-6
Figure A-4. Cutover From TR-08 UDLC to TR-08 IDLC (Different RDTs)	A-7
Figure A-5. Cutover From TR-08 UDLC to GR-303 IDLC	A-9
Figure A-6. Cutover From TR-08 IDLC to GR-303 IDLC (Same RDT)	A-11
Figure A-7. Cutover From TR-08 IDLC to GR-303 IDLC (Different RDTs)	A-13
Figure A-8. Cutover From TR-08 IDLC to GR-303 IDLC <i>in</i> Same Large RDT	A-15
Figure A-9. Cutover From TR-08 IDLC to GR-303 IDLC with Different LDSs	A-17
Figure A-10. Cutover From TR-08 to GR-303 IDLCs for Same Large RDT , Different LDSs	A-18
Figure A-11. Cutover From Copper to a FITL System	A-20
Figure A-12. Cutover From Copper to a HFC IDLC	A-20
Figure A-13. FITL/HFC Cutover Device	A-22