

Table of Contents

Preface	xi
1 Introduction	
1.1 Document Description	1-1
1.2 Summary of Significant Changes from GR-196-CORE, Issue 1, Revision 2 . . .	1-1
1.3 Organization of This Document	1-3
1.4 Technical Feature/Function Testing	1-3
1.5 Reasons for Revision	1-4
1.6 Requirements Terminology	1-4
1.7 Requirement Labeling Conventions	1-5
1.7.1 Numbering of Requirement and Related Objects	1-5
1.7.2 Requirement, Conditional Requirement, and Objective Object Identification	1-6
2 General Information	
2.1 Product Definition	2-1
2.1.1 Principles of Operation	2-1
2.1.2 Performance	2-2
2.2 Types of OTDR-Like Test Equipment	2-3
2.2.1 Full-Feature OTDR	2-3
2.2.2 Hand-Held OTDR and Fiber Break Locator	2-3
2.2.3 Remote Test Unit (RTU)	2-4
2.3 Applications and Uses	2-5
2.4 Operating Environment	2-6
2.5 Fiber Optic System Considerations	2-6
3 General Requirements and Objectives	
3.1 Operation	3-1
3.1.1 Full Feature OTDR	3-1
3.1.2 Hand-Held OTDR	3-4
3.1.3 Fiber Break Locators	3-8
3.1.4 RTU	3-9
3.2 Unit Powering Features	3-11
3.2.1 Full-Feature OTDR	3-11
3.2.2 Hand-Held OTDR and Fiber Break Locators	3-11
3.2.3 RTU	3-12
3.3 Input/Output Port Features	3-12
3.3.1 Full-Feature OTDR, Hand-Held OTDR, and Fiber Break Locator	3-12
3.3.2 RTU	3-13
3.4 Mechanical Design	3-13
3.4.1 Full-Feature OTDR	3-13
3.4.2 Hand-Held OTDR	3-13
3.4.3 Fiber Break Locators	3-14
3.4.4 RTU	3-14
3.5 Maintenance	3-14
3.6 Product Information	3-15

- 3.6.1 Documentation 3-15
- 3.6.2 Performance Specification Sheet 3-15
 - 3.6.2.1 Full-Feature OTDR and Hand-Held OTDR 3-15
 - 3.6.2.2 Fiber Break Locator 3-17
 - 3.6.2.3 RTU 3-18
- 3.7 Product and Packaging Markings 3-20
 - 3.7.1 Product Markings 3-20
 - 3.7.2 Packaging Markings 3-20
- 3.8 Laser Protection 3-20

4 Specific Requirements and Objectives

- 4.1 Operational Criteria 4-1
 - 4.1.1 Spectral Characteristics 4-1
 - 4.1.1.1 Full-Feature OTDR 4-1
 - 4.1.1.2 Hand-Held OTDR 4-2
 - 4.1.1.3 Fiber Break Locator 4-2
 - 4.1.1.4 RTU 4-2
 - 4.1.2 Measurement Range 4-3
 - 4.1.2.1 Full-Feature OTDR 4-3
 - 4.1.2.2 Hand-Held OTDR and Fiber Break Locator 4-4
 - 4.1.2.3 RTU 4-4
 - 4.1.3 Resolution 4-5
 - 4.1.3.1 Full-Feature OTDR 4-5
 - 4.1.3.2 Hand-Held OTDR and Fiber Break Locator 4-6
 - 4.1.3.3 RTU 4-6
 - 4.1.4 Accuracy 4-7
 - 4.1.4.1 Distance Accuracy 4-7
 - 4.1.4.2 Loss/Reflectance/ORL Accuracy 4-7
 - 4.1.5 Measurement Time 4-8
- 4.2 Mechanical Design Criteria 4-8
 - 4.2.1 Shock Tests 4-9
 - 4.2.1.1 Shipment from Manufacturer 4-9
 - 4.2.1.2 Local Transportation 4-9
 - 4.2.1.2.1 Full-Feature OTDR 4-9
 - 4.2.1.2.2 Hand-Held OTDR and Fiber Break Locator 4-9
 - 4.2.1.2.3 RTU 4-9
 - 4.2.1.3 During Use 4-9
 - 4.2.1.3.1 Full-Feature OTDR 4-9
 - 4.2.1.3.2 Hand-Held OTDR and Fiber Break Locator 4-9
 - 4.2.1.3.3 RTU 4-10
 - 4.2.2 Vibration Test 4-10
 - 4.2.2.1 Transportation Vibration: Full-Feature OTDR, Hand-Held OTDR, and Fiber Break Locator, and RTU 4-10
 - 4.2.2.2 RTU 4-10
 - 4.2.3 Office Vibration Environment: Full-Feature OTDRs, Hand-Held OTDRs, Fiber Break Locators, and RTUs 4-11
- 4.3 Power Criteria 4-11
 - 4.3.1 Full-Feature OTDR 4-11
 - 4.3.2 Hand-Held OTDR and Fiber Break Locator 4-12
 - 4.3.3 RTU 4-12

4.4 Environmental Criteria	4-12
4.4.1 Non-Operating Environment	4-12
4.4.1.1 Full-Feature OTDR, Hand-Held OTDR, and Fiber Break Locator	4-12
4.4.1.2 RTU	4-12
4.4.2 Operating Environment	4-13
4.4.2.1 Full-Feature OTDR	4-13
4.4.2.2 Hand-Held OTDR and Fiber Break Locator	4-13
4.4.2.3 RTU	4-13
4.4.3 Dust Resistance	4-13
4.4.3.1 Full-Feature OTDR, Hand-Held OTDR, and Fiber Break Locator	4-13
4.4.3.2 RTU	4-13
4.5 Electromagnetic Interference	4-13
4.5.1 Electromagnetic Interference	4-13
4.6 Safety Criteria	4-14

5 Performance Verification Test Procedures

5.1 Operational Criteria	5-1
5.1.1 Spectral Characteristics	5-1
5.1.2 Measurement Range	5-2
5.1.3 Resolution	5-6
5.1.4 Accuracy	5-9
5.1.4.1 Distance Accuracy	5-9
5.1.4.1.1 Method 1	5-10
5.1.4.1.2 Method 2	5-11
5.1.4.2 Loss/Reflectance/ORL Accuracy	5-13
5.1.5 Measurement Time	5-14
5.2 Mechanical Design Criteria	5-14
5.2.1 Shock Tests	5-15
5.2.1.1 Shipment from Manufacturer	5-15
5.2.1.2 Local Transportation	5-15
5.2.1.3 During Use	5-15
5.2.2 Vibration Test	5-15
5.3 Power Criteria	5-16
5.3.1 AC Power	5-16
5.3.2 DC Power	5-16
5.4 Environmental Criteria	5-16
5.4.1 Non-Operating Environment	5-17
5.4.2 Operating Environment	5-17
5.4.2.1 Full-Feature OTDR	5-17
5.4.2.2 Hand-Held OTDR and Fiber Break Locator	5-17
5.4.2.3 RTU	5-17
5.4.3 Dust Resistance	5-18
5.5 Electromagnetic Discharge	5-19
5.6 Safety Criteria	5-19

Appendix A: OTDR Outside Plant Data Format Description

A.1 Overview Criteria A-1

A.2 Map Block A-3

A.3 General Parameters Block A-5

A.4 Supplier Parameters Block A-5

A.5 Fixed Parameters Block A-5

A.6 Key Events Block A-6

A.7 Link Parameters Block A-7

A.8 Data Points Block A-8

A.9 Special Proprietary Blocks A-8

A.10 Checksum Block A-8

Appendix B: References

B.1 Telcordia Documents B-1

B.2 Non-Telcordia Reference Documents B-2

B.3 Telcordia Reference Notes B-2

Appendix C: Glossary

C.1 Acronyms C-1

C.2 Definition of Terms C-3

Requirement-Object Index

List of Figures

Figure 2-1	RFTS (Shaded) Overlaid on the Schematic View of the Fiber Plant	2-4
Figure 2-2	Schematic View of RFTS with Proprietary Interface to Optical Test Access	2-5
Figure 4-1	Schematic of Transportation Vibration Test.	4-10
Figure 5-1	OTDR Measurement Range Test Setup	5-2
Figure 5-2	OTDR Measurement Range Alternative Test Setup	5-3
Figure 5-3	Dynamic Range with Respect to 98% Noise Floor	5-5
Figure 5-4	Front-End Reflective Resolution Test Setup	5-6
Figure 5-5	Front-End Non-Reflective Resolution Test Setup	5-6
Figure 5-6	Network Reflective Resolution Test Setup	5-7
Figure 5-7	Network Non-Reflective Resolution Test Setup	5-7
Figure 5-8	Method 1 Distance Scale Factor Test Setup	5-10
Figure 5-9	Method 2 Distance Accuracy Test Setup	5-12
Figure 5-10	Method 2 Sample Plot of Distance Accuracy Data	5-13
Figure 5-11	Reflectance Accuracy Test Setup	5-13
Figure 5-12	ORL Accuracy Test Setup	5-14
Figure 5-13	Dust Resistance Test Setup	5-18
Figure A-1	Summary of Offsets Used in OTDR Data Format	A-7

List of Tables

Table 1-1	Summary of Feature/Function Testing	1-4
Table 3-1	Performance Specification Sheet: Full-Feature OTDR and Hand-Held OTDR	3-16
Table 3-2	Performance Specification Sheet: Fiber Break Locator	3-17
Table 3-3	Performance Specification Sheet: RTU	3-18
Table 4-1	Full-Featured OTDR Centroidal Wavelength Requirements	4-1
Table 4-2	Hand-Held OTDR Centroidal Wavelength Requirements	4-2
Table 4-3	RTU Centroidal Wavelength Criteria	4-2
Table 4-4	Measurement Range Requirements for Full-Feature OTDRs	4-3
Table 4-5	Measurement Range Requirements for Hand-Held OTDRs and Fiber Break Locator	4-4
Table 4-6	Measurement Range Requirement Criteria for RFTS	4-5
Table 4-7	Resolution Requirements for OTDRs	4-5
Table 4-8	Resolution Objectives for OTDRs	4-5
Table 4-9	Resolution Requirements for Hand-Held OTDRs and Fiber Break Locator	4-6
Table 4-10	Resolution Objectives for Hand-Held OTDRs and Fiber Break Locator	4-6
Table 4-11	Resolution Requirements for RFTS	4-6
Table 4-12	Resolution Objectives for RFTS	4-7
Table 4-13	Distance Accuracy Requirements	4-7
Table 4-14	OTDR Loss/Reflectance Accuracy Requirements	4-7
Table 4-15	OTDR Loss/Reflectance Accuracy Objectives	4-8
Table 5-1	OTDR Measurement Range Test Conditions	5-3
Table 5-2	Front-End Resolution: Test Setup Fiber Length Requirements	5-7
Table 5-3	Front-End Resolution: Test Setup Fiber Length Objectives	5-7
Table 5-4	Network Resolution: Test Setup Fiber Lengths Requirements	5-8
Table 5-5	Network Resolution: Test Setup Fiber Lengths Objectives	5-8
Table A-1	File Block Layout	A-1
Table A-2	Character Conventions Used in Data Format	A-2
Table A-3	Block ID Strings	A-4