

# Contents

<b>Preface</b> . . . . .	ix
<b>1 Introduction</b>	
1.1 Purpose and Scope . . . . .	1-1
1.2 General Product Description . . . . .	1-2
1.3 Application, Interfaces, and Operating Environment . . . . .	1-2
1.4 Terminology . . . . .	1-4
1.5 Application of this Document . . . . .	1-5
1.6 How to Use These Proposed Generic Requirements . . . . .	1-6
1.7 Network Plan . . . . .	1-7
1.8 Sample Requirements . . . . .	1-7
1.9 Summary of Changes . . . . .	1-7
<b>2 General Requirements</b>	
2.1 Features . . . . .	2-1
2.2 Listing . . . . .	2-2
2.3 Materials . . . . .	2-2
2.4 Construction Safety . . . . .	2-3
2.5 Instructions . . . . .	2-3
2.6 Marking . . . . .	2-4
2.7 Packing and Shipping . . . . .	2-4
2.8 Quality Assurance and Reliability Requirements . . . . .	2-4
2.8.1 Quality Program Analysis . . . . .	2-4
2.8.2 Product Quality Surveillance . . . . .	2-5
2.8.3 Reliability Predictions . . . . .	2-5
2.9 Additional Components . . . . .	2-5
2.10 Product Design Change . . . . .	2-6
2.11 Toxic Materials . . . . .	2-6
<b>3 Electrical Requirements</b>	
3.1 Insulation Resistance . . . . .	3-1
3.2 Series Resistance . . . . .	3-1
3.3 Dielectric Withstand . . . . .	3-2
3.4 Dielectric Withstand to Mounting Surfaces . . . . .	3-2
3.5 High-Current Capacity . . . . .	3-2
3.6 AC Fire and Electrical Hazards . . . . .	3-3
3.7 Longitudinal Balance . . . . .	3-3
<b>4 Mechanical Requirements of Conductors</b>	
4.1 Conductor Pull-Out . . . . .	4-1
4.2 Inside Wire Installation Spacings . . . . .	4-1
4.3 Wiring . . . . .	4-1

## 5 Environmental Requirements

5.1 High Temperature Storage/Mold Stress . . . . .	5-1
5.2 Temperature Cycling with Humidity . . . . .	5-1
5.2.1 Rationale . . . . .	5-1
5.2.2 Criteria . . . . .	5-1
5.2.3 Aging Preconditioning . . . . .	5-2
5.2.4 Operational Life . . . . .	5-2
5.2.5 Dipping (Hostile Conditions) . . . . .	5-2
5.2.6 Immersion (Flooded Conditions) . . . . .	5-3
5.2.7 Mounting . . . . .	5-3
5.2.8 Temperature Cycling with Humidity . . . . .	5-3
5.3 Impact . . . . .	5-3
5.4 Drop Test . . . . .	5-4
5.5 Vibration . . . . .	5-4
5.6 Torque . . . . .	5-4
5.7 Fungus Resistance . . . . .	5-5
5.8 Flammability . . . . .	5-5
5.9 Chemical Resistance . . . . .	5-5
5.10 Immersion (Flooded Environment) . . . . .	5-6
5.11 Paint Intrusion . . . . .	5-7
5.12 Sticky Plug Contamination . . . . .	5-7

## 6 Modular Jacks and Plugs

6.1 Mechanical Requirements . . . . .	6-1
6.1.1 Contact Construction . . . . .	6-1
6.2 Contacts . . . . .	6-2
6.2.1 Gold Analysis . . . . .	6-2
6.2.2 Gold Equivalency . . . . .	6-3
6.2.3 Insertion Criteria . . . . .	6-4
6.2.4 Go/No Go . . . . .	6-4
6.3 Insertion Force . . . . .	6-5

## Appendix A: References

Note . . . . .	A-3
To Contact Telcordia Customer Service or to Order Documents . . . . .	A-3
To Order Documents Online From the Telcordia Information SuperStore . . . . .	A-3

## Appendix B: Glossary

## List of Figures

Figure 3-1	A NID with a Mated Modular Jack and Plug . . . . .	3-4
Figure 3-2	Longitudinal-to-Metallic Balance (Performance) . . . . .	3-5
Figure 5-1	Schematic Diagram - Flooding Pretreatment . . . . .	5-9
Figure 5-2	Mounting . . . . .	5-10
Figure 5-3	Schematic Diagram - Temperature Cycling with Humidity . . . . .	5-11
Figure 5-4	Temperature Cycle . . . . .	5-12