
Generic Operations Interfaces Using OSI Tools: Information Model for IDLC and FITL Systems

Contents

[Telcordia GR-2833 - Documentation Information](#)

| | |
|---|-----------|
| Preface | Preface-1 |
| 1. Introduction | 1-1 |
| 1.1 Purpose and Scope | 1-1 |
| 1.2 Relationship with Other TAs, TRs, GRs, and Standards | 1-2 |
| 1.3 Requirements Terminology | 1-3 |
| 1.4 Organization of the Document | 1-4 |
| 1.5 Changes In This Issue | 1-4 |
| 1.6 Changes in Revision 2 to GR-2833-CORE, Issue 3 | 1-5 |
| 2. Background | 2-1 |
| 2.1 Background of the Management Operations Interface Environment | 2-1 |
| 2.1.1 Conceptual View of System Management | 2-1 |
| 2.1.2 OSI-Based Systems Management Communications | 2-2 |
| 2.2 IDLC System Management | 2-4 |
| 2.3 FITL System Management | 2-5 |
| 3. Overview of the IDLC and FITL Information Model | 3-1 |
| 3.1 Overview of Managed Objects | 3-1 |
| 3.2 IDLC and FITL Testing Overview | 3-4 |
| 3.2.1 IDLC and FITL Testing Architecture | 3-4 |
| 3.2.2 Test Model Overview | 3-7 |
| 3.3 Modeling Considerations for Integrated IDLC and FITL Systems | 3-8 |
| 3.4 GR-303 Feature Groups | 3-10 |
| 4. Guidelines on Use of Managed Objects for IDLC and FITL Systems | 4-1 |
| 4.1 Summary of Object Classes for IDLC and FITL Management | 4-1 |
| 4.2 Requirements for Object Class Support | 4-6 |
| 4.2.1 Termination Point Fragment | 4-6 |
| 4.2.2 Managed Element Fragment | 4-20 |
| 4.2.2.1 Hardware Fragment | 4-22 |
| 4.2.2.2 Software Fragment | 4-23 |
| 4.2.3 Cross-Connection Fragment | 4-27 |
| 4.2.4 Protection Switch Fragment | 4-27 |
| 4.2.5 Generic Support Object Fragment | 4-29 |
| 4.2.6 Performance Monitoring Fragment | 4-32 |
| 4.2.7 Point-to-Multipoint Fragment | 4-36 |
| 4.2.8 Test Management and Access Fragment | 4-37 |
| 4.2.9 Video Transport Management Fragment | 4-39 |

| | | |
|----------|--|------|
| 4.2.10 | Video Service Management Fragment..... | 4-40 |
| 4.3 | EM-RDT Object Groups | 4-41 |
| 4.3.1 | Core Object Groups | 4-41 |
| 4.3.2 | Extension Object Groups | 4-44 |
| 4.4 | Guidelines for Limiting Scoping and Filtering | 4-47 |
| 5. | IDLC and FITL System Model Summary | 5-1 |
| 5.1 | Major Changes to Information Model from Issue 2..... | 5-1 |
| 5.2 | Inheritance Relationships | 5-3 |
| 5.3 | Containment Relationships | 5-6 |
| 5.4 | Definitions for GR-2833-CORE Issue 3 | 5-9 |
| 5.4.1 | Managed Objects..... | 5-9 |
| 5.4.1.1 | alertingCadence | 5-9 |
| 5.4.1.2 | channelTestCoordinator..... | 5-10 |
| 5.4.1.3 | fitlCTPBidirectional | 5-10 |
| 5.4.1.4 | fitlCTPSink | 5-11 |
| 5.4.1.5 | fitlCTPSource | 5-12 |
| 5.4.1.6 | fitlDropTestingSystem..... | 5-13 |
| 5.4.1.7 | fitlLineTTPBidirectional | 5-14 |
| 5.4.1.8 | fitlLineTTPSink..... | 5-14 |
| 5.4.1.9 | fitlLineTTPSource | 5-16 |
| 5.4.1.10 | fitlPathTTPBidirectional..... | 5-18 |
| 5.4.1.11 | fitlPathTTPSink | 5-18 |
| 5.4.1.12 | fitlPathTTPSource | 5-20 |
| 5.4.1.13 | idlcCallProcessing | 5-22 |
| 5.4.1.14 | idlcDataLinkProfile | 5-22 |
| 5.4.1.15 | idlcTerminal..... | 5-24 |
| 5.4.1.16 | idlcTerminalBCRr2 | 5-25 |
| 5.4.1.17 | multipleAccessFunction | 5-28 |
| 5.4.1.18 | networkUnitBCRr1 | 5-29 |
| 5.4.1.19 | ptmLineTTPGroup | 5-30 |
| 5.4.1.20 | ptmPathTTPGroup..... | 5-31 |
| 5.4.1.21 | ptmTTPGroup..... | 5-32 |
| 5.4.1.22 | testResponseCircuit | 5-32 |
| 5.4.2 | Packages..... | 5-33 |
| 5.4.2.1 | accessLineCountPkg | 5-33 |
| 5.4.2.2 | accessLinePointerPkg | 5-33 |
| 5.4.2.3 | additionalAlertCyclesPkg | 5-34 |
| 5.4.2.4 | alertingSignalPkg..... | 5-34 |
| 5.4.2.5 | checkForBusyPkg | 5-34 |
| 5.4.2.6 | coinControlPkg | 5-34 |
| 5.4.2.7 | communicationsAlarmAffectedObjectListPkg..... | 5-35 |
| 5.4.2.8 | ds0ConnectionsPkg..... | 5-35 |
| 5.4.2.9 | ds1VTCountPkg | 5-35 |
| 5.4.2.10 | environmentalAlarmEffectOnServicePkg | 5-35 |

| | | |
|----------|---|------|
| 5.4.2.11 | primaryEocTmcCscLinkPkg | 5-35 |
| 5.4.2.12 | quarterDs0ConnectionsPkg | 5-36 |
| 5.4.2.13 | secondaryEocTmcCscLinkPkg | 5-36 |
| 5.4.2.14 | supportedLinePkg | 5-36 |
| 5.4.2.15 | timeSlotMismatchPkg | 5-36 |
| 5.4.3 | Attributes | 5-37 |
| 5.4.3.1 | accessLineCount | 5-37 |
| 5.4.3.2 | accessLinePointer | 5-37 |
| 5.4.3.3 | additionalAlertCycles | 5-38 |
| 5.4.3.4 | alertingCadenceCode | 5-38 |
| 5.4.3.5 | alertingCadenceId | 5-38 |
| 5.4.3.6 | channelTestCoordinator | 5-39 |
| 5.4.3.7 | commonLU | 5-39 |
| 5.4.3.8 | correspondingFITLTermination | 5-40 |
| 5.4.3.9 | ds0Connections | 5-40 |
| 5.4.3.10 | ds1VTCount | 5-41 |
| 5.4.3.11 | facilityPointer | 5-41 |
| 5.4.3.12 | firstAlertingCycle | 5-42 |
| 5.4.3.13 | fitlCTPID | 5-42 |
| 5.4.3.14 | fitlLineTTPID | 5-42 |
| 5.4.3.15 | fitlPathTTPID | 5-43 |
| 5.4.3.16 | idlcCallProcessingProfileId | 5-43 |
| 5.4.3.17 | idlcDataLinkProfileId | 5-43 |
| 5.4.3.18 | idlcTerminalId | 5-44 |
| 5.4.3.19 | lineTTPList | 5-44 |
| 5.4.3.20 | maxIFrames | 5-45 |
| 5.4.3.21 | multipleAccessFunction | 5-45 |
| 5.4.3.22 | multipleAccessRegulatedObjectList | 5-45 |
| 5.4.3.23 | multipleAccessType | 5-46 |
| 5.4.3.24 | n200 | 5-46 |
| 5.4.3.25 | pathTTPList | 5-46 |
| 5.4.3.26 | primaryEocTmcCscLink | 5-47 |
| 5.4.3.27 | ptmTTPGroupId | 5-47 |
| 5.4.3.28 | quarterDs0Connections | 5-48 |
| 5.4.3.29 | ringingLead | 5-48 |
| 5.4.3.30 | ringingPolarity | 5-48 |
| 5.4.3.31 | sapi | 5-49 |
| 5.4.3.32 | secondaryEocTmcCscLink | 5-49 |
| 5.4.3.33 | signalingMethod | 5-50 |
| 5.4.3.34 | supportedLine | 5-50 |
| 5.4.3.35 | t200 | 5-50 |
| 5.4.3.36 | t203 | 5-51 |
| 5.4.3.37 | t303 | 5-51 |
| 5.4.3.38 | t396 | 5-52 |

| | | |
|----------|--|------|
| 5.4.3.39 | testRCId | 5-52 |
| 5.4.3.40 | transmissionRate..... | 5-52 |
| 5.4.4 | Name Bindings..... | 5-53 |
| 5.4.4.1 | alertingCadence | 5-53 |
| 5.4.4.2 | channelTestCoordinator..... | 5-53 |
| 5.4.4.3 | currentData | 5-55 |
| 5.4.4.4 | dsOCTPSink | 5-58 |
| 5.4.4.5 | dsOCTPSource | 5-59 |
| 5.4.4.6 | equipmentHolder | 5-59 |
| 5.4.4.7 | fitlCTPBidirectional | 5-60 |
| 5.4.4.8 | fitlCTPSink | 5-61 |
| 5.4.4.9 | fitlCTPSource | 5-62 |
| 5.4.4.10 | fitlDropTestingSystem..... | 5-63 |
| 5.4.4.11 | fitlLineTTPBidirectional | 5-63 |
| 5.4.4.12 | fitlLineTTPSink..... | 5-64 |
| 5.4.4.13 | fitlLineTTPSource | 5-64 |
| 5.4.4.14 | fitlPathTTPBidirectional..... | 5-65 |
| 5.4.4.15 | fitlPathTTPSink | 5-66 |
| 5.4.4.16 | fitlPathTTPSource | 5-66 |
| 5.4.4.17 | idlcCallProcessingProfile | 5-67 |
| 5.4.4.18 | idlcDataLinkProfile | 5-67 |
| 5.4.4.19 | idlcTerminalBCRr2 | 5-68 |
| 5.4.4.20 | multipleAccessFunction | 5-68 |
| 5.4.4.21 | networkUnitBCRr1 | 5-69 |
| 5.4.4.22 | ptmLineTTPGroup | 5-70 |
| 5.4.4.23 | ptmPathTTPGroup..... | 5-70 |
| 5.4.4.24 | testResponseCircuit | 5-71 |
| 5.4.4.25 | thresholdData | 5-71 |
| 5.4.5 | Actions | 5-74 |
| 5.4.5.1 | checkForBusy | 5-74 |
| 5.4.5.2 | connectTRC | 5-75 |
| 5.4.5.3 | operateTermination..... | 5-76 |
| 5.4.5.4 | releaseTRC | 5-76 |
| 5.4.5.5 | removeAlertingSignal..... | 5-77 |
| 5.4.5.6 | removeCoinControl | 5-78 |
| 5.4.5.7 | sendingAlertSignal | 5-78 |
| 5.4.5.8 | sendCoinControl..... | 5-79 |
| 5.4.6 | Notifications | 5-80 |
| 5.4.6.1 | timeSlotMismatchReporting..... | 5-80 |
| 5.4.7 | Parameters | 5-81 |
| 5.4.7.1 | affectedObjectListParameter | 5-81 |
| 5.4.7.2 | fitlDropTestingInfoParam..... | 5-81 |
| 5.4.7.3 | fitlDropUncontrolledResultsParam | 5-82 |
| 5.4.8 | Supporting Productions..... | 5-83 |

| | | |
|---------|--|--------------|
| 5.5 | Information Model Deprecations from Issue 2 | 5-96 |
| 5.5.1 | Deprecated Objects | 5-96 |
| 5.5.1.1 | networkUnit | 5-99 |
| 5.5.2 | Deprecated Packages from Issue 3..... | 5-100 |
| 5.5.2.1 | eocTmcCscAlarmsPkg | 5-100 |
| 5.5.3 | Deprecated Namebindings from Issue 2 | 5-100 |
| 5.5.3.1 | channelTestCoordinator-idlcTerminal..... | 5-100 |
| 5.5.3.2 | dsOCTPSink-vc11TTPSink..... | 5-101 |
| 5.5.3.3 | equipmentHolder-networkUnit..... | 5-101 |
| 5.5.3.4 | idlcTerminal-ManagedElement | 5-102 |
| 5.5.3.5 | idlcCallProcessingProfile-idlcTerminal | 5-103 |
| 5.5.3.6 | idlcDataLinkProfile-idlcTerminal | 5-103 |
| 5.5.3.7 | networkUnit-managedElement | 5-104 |
| 5.5.4 | Deprecated Name Bindings from Issue 3 | 5-104 |
| 5.5.5 | Deprecated Parameters from Issue 3..... | 5-105 |
| 5.5.5.1 | eocTmcCscAlarmsParameter | 5-105 |
| 6. | Examples..... | 6-1 |
| 6.1 | Examples of IDLC System Models..... | 6-1 |
| 6.2 | Examples of FITL System Models | 6-1 |
| 6.3 | Example Model of a Combined Technology NE..... | 6-13 |
| 6.4 | Test Model Examples..... | 6-16 |
| 6.5 | Example of Video Service Model | 6-19 |
| | Appendix A: IDLC and FITL System Model Summary | A-1 |
| | Appendix B: Test Category Summaries | B-1 |
| B.1 | Test Categories..... | B-1 |
| B.1.1 | FITL Drop Test Category | B-1 |
| B.1.2 | Multimeter Measurement Test Category | B-3 |
| B.1.3 | Noise Measurement Test Category | B-5 |
| B.1.4 | Tone Measurement Test Category | B-7 |
| | Appendix C: TR-TSY-000303 Supplement 3 and CMISE-GR2833 EM-RDT IDLC Models..... | C-1 |
| | Appendix D: IDLC and FITL System Model Summary | D-1 |
| D.1 | RDT System/Hardware Object Group | D-2 |
| D.2 | RDT General Support Object Group..... | D-4 |
| D.3 | Interface Group (IG) Object Group..... | D-8 |
| D.4 | POTS + ISDN Object Group..... | D-9 |
| D.5 | DS1 Object Group..... | D-13 |
| | References | References-1 |
| | Acronyms..... | Acronyms-1 |

List of Figures

| | | |
|--------------|---|------|
| Figure 2-1. | A Conceptual Model for System Management | 2-2 |
| Figure 2-2. | Management Communications Using CMISE | 2-3 |
| Figure 3-1. | Generic Test Access and Testing Architecture..... | 3-4 |
| Figure 3-2. | OSI/CMISE Metallic Loop Testing in an IDLC System..... | 3-6 |
| Figure 3-3. | OSI/CMISE Metallic Loop Testing in an IFITL System | 3-6 |
| Figure 4-1. | DAVIC Reference Model..... | 4-40 |
| Figure 5-1. | Inheritance Hierarchy (Sheet 1 of 2) | 5-4 |
| Figure 5-2. | Name Bindings (Sheet 1 of 2) | 5-7 |
| Figure 6-1. | Example Point-to-Point FITL System with Analog Termination | 6-3 |
| Figure 6-2. | Example Transport Model for a Point-to-Point FITL System Supporting Analog Transmission..... | 6-4 |
| Figure 6-3. | Example Hardware Model for a Point-to-Point FITL System | 6-5 |
| Figure 6-4. | Example Transport Model for a Point-to-Point FITL System Supporting DDS and ISDN 4:1 TDM | 6-6 |
| Figure 6-5. | Example Point-to-Multipoint FITL System with Analog Terminations .. | 6-7 |
| Figure 6-6. | Example Transport Model for a Point-to-Multipoint FITL System Supporting Analog Transmission | 6-8 |
| Figure 6-7. | Example of Multiple Access Function and Point-to-Multipoint Termination Point Groupings in Point-to-Multipoint FITL System | 6-9 |
| Figure 6-8. | Example of a UFITL System..... | 6-10 |
| Figure 6-9. | Example Transport Model for a UFITL System | 6-11 |
| Figure 6-10. | Example Hardware Model for a UFITL System | 6-12 |
| Figure 6-11. | Example of a Combined Technology NE..... | 6-13 |
| Figure 6-12. | Example Transport Model for a Combined Technology NE (Part 1) | 6-14 |
| Figure 6-13. | Example Transport Model for a Combined Technology NE (Part 2) | 6-15 |
| Figure 6-14. | Example Channel Test Sequence for LSS..... | 6-17 |
| Figure 6-15. | Example Drop Test Sequence for LSS | 6-18 |
| Figure 6-16. | Example Special Service Circuit Test Sequence | 6-19 |
| Figure 6-17. | Example of FITL System for Video Service | 6-20 |
| Figure 6-18. | Example of Broadcast Video Service Model at an Access Node..... | 6-21 |

List of Tables

| | | |
|-------------|--|-------|
| Table 1-1. | Changes in Managed Object References ^a | 1-6 |
| Table 4-1. | Object Classes for IDLC and FITL System Management..... | 4-2 |
| Table 4-2. | Core Object Groups for CMISE GR-2833 EM-RDT | 4-42 |
| Table 4-3. | Extension Object Groups for CMISE GR-2833 EM-RDT..... | 4-44 |
| Table 5-1. | GR-2833 Issue 2 Object Classes Moved to Other Documents..... | 5-1 |
| Table 5-2. | Deprecated Name Bindings and Replacements..... | 5-105 |
| Table C-1. | IDLC Object Classes in GR2833 and in Supplement 3..... | C-2 |
| Table D-1. | circuitPack | D-2 |
| Table D-2. | crossConnectionBCRr1 | D-2 |
| Table D-3. | equipmentHolder | D-3 |
| Table D-4. | fabricBCRr1..... | D-3 |
| Table D-5. | managedElementR1 | D-4 |
| Table D-6. | alarmSeverityAssignmentProfile..... | D-4 |
| Table D-7. | currentAlarmSummaryControlBCRr1..... | D-5 |
| Table D-8. | diagnosticControl..... | D-5 |
| Table D-9. | eventForwardingDiscriminator..... | D-5 |
| Table D-10. | managementOperationsSchedule..... | D-6 |
| Table D-11. | scanReportRecord..... | D-6 |
| Table D-12. | simpleScanner..... | D-6 |
| Table D-13. | thresholdData..... | D-7 |
| Table D-14. | idlcCallProcessingProfile | D-8 |
| Table D-15. | idlcDataLinkProfile | D-8 |
| Table D-16. | idlcTerminal..... | D-8 |
| Table D-17. | analogLineTTPBidirectional | D-9 |
| Table D-18. | ds0CTPBidirectional | D-10 |
| Table D-19. | isdnBriPathTTPBidirectional | D-10 |
| Table D-20. | isdnCTPBidirectional | D-11 |
| Table D-21. | isdnDSLTPBidirectional..... | D-11 |
| Table D-22. | quarterDs0CTPBidirectional | D-12 |
| Table D-23. | isdnTTPCurrentData - GR-836 | D-12 |
| Table D-24. | ds1CTPBidirectional | D-13 |
| Table D-25. | ds1LineTTPBidirectional | D-13 |
| Table D-26. | ds1PathTTPBidirectionalBCRr1 | D-14 |
| Table D-27. | ds1LineTTPSinkCurrentData | D-15 |
| Table D-28. | ds1PathTTPSinkCurrentData | D-15 |