

Contents

1. Introduction	1-1
1.1 Scope and Purpose of This Document	1-1
1.2 Organization of This Document	1-2
1.3 Requirements Terminology	1-3
1.4 Requirement Labeling Conventions	1-3
1.4.1 Numbering of Requirement and Related Objects	1-3
1.4.2 Requirement, Conditional Requirement, and Objective Identification	1-4
1.5 DIS Nomenclature	1-4
2. Design Considerations	2-1
2.1 Transmission Systems	2-1
2.1.1 Digital Transmission Systems	2-2
2.1.2 Analog Video Signals	2-3
2.1.3 Digital Video Signals	2-3
2.2 Equipment Interconnection Alternatives	2-4
2.2.1 Digital Signal Cross-Connect (DSX) Systems	2-4
2.2.2 Hardwired Systems	2-4
2.2.3 Digital Interface Systems	2-5
2.2.3.1 Interconnect Mode	2-5
2.2.3.2 Cross-Connect Mode	2-7
2.3 Digital Interface Systems	2-7
2.3.1 DIS Background	2-8
2.3.2 Prevailing DSX Technology	2-10
2.3.3 DIS Technology	2-11
2.3.4 DIS Functions	2-11
2.3.5 Transmission Rates	2-12
2.3.6 Transmission System Provisioning and Maintenance	2-12
2.3.7 DIS Network Location	2-12
2.3.8 DIS Equipment Termination	2-13
2.3.9 Churn	2-15
2.4 DIS Network Capabilities and Functions	2-16
2.4.1 Termination Point	2-16
2.4.2 Interconnection Capability	2-17
2.4.3 Interconnection Function	2-17
2.4.4 Bridged Access Capability	2-18
2.4.5 Series Access Capability	2-18
2.4.6 Operational Functions	2-18
2.5 Planning and Engineering Considerations	2-20
2.5.1 Planning	2-20
2.5.2 Engineering	2-22
2.6 Assignment Considerations and Operations Systems Interfaces	2-23
2.6.1 Assignment	2-23
2.6.2 Recordkeeping	2-24
2.6.3 Operations Systems	2-24

2.7	Operations and Maintenance Considerations	2-25
2.7.1	Transmission System Installation and Maintenance	2-25
2.7.2	DIS Frame Maintenance	2-25
2.7.3	Operations Environment	2-25
2.8	Future of Metallic Connection Architectures	2-26
3.	Requirements and Objectives	3-1
3.1	Connection Requirements	3-1
3.1.1	Flexibility	3-1
3.1.2	Identification of Termination Ends	3-1
3.1.3	Duration of Cross-Connection	3-2
3.2	Access Requirements	3-2
3.2.1	General	3-2
3.2.2	Series and Bridged Access	3-2
3.2.3	Test Access	3-3
3.2.4	Test Capability	3-3
3.2.5	Test Equipment	3-3
3.3	Auxiliary Apparatus Requirements	3-5
3.3.1	Bridging Regenerators	3-5
3.3.2	Quasi-Random Signal Source	3-5
3.3.3	Fault Locate and Order Wire	3-5
3.3.4	Tie Links	3-6
3.4	Planning and Engineering Requirements	3-6
3.4.1	Configuration	3-6
3.4.2	Space Requirements	3-6
3.4.3	Layout	3-6
3.4.4	Expansion	3-7
3.4.5	Capacity	3-7
3.4.6	Telcordia Client Review	3-8
3.4.7	Inter-DIS Connections	3-8
3.4.8	Inter-DIS Interface	3-8
3.4.9	Supplier's Records	3-9
3.4.10	Descriptive Information	3-9
3.4.11	Installation	3-9
3.4.12	Remote Sites	3-10
3.5	Human Interface and Safety Requirements	3-10
3.5.1	General Safety Requirements	3-10
3.5.2	Fire Safety	3-11
3.6	Documentation and Training	3-11
3.6.1	Required Documentation	3-11
3.6.2	Training	3-12
3.6.3	Format	3-13
3.6.4	Documentation Media	3-13
3.6.5	Documentation Updates	3-13
3.6.6	Job Aids	3-14
3.6.7	Common Language [®] Coding	3-14
3.7	Transmission Requirements	3-14
3.7.1	Equal-Level Point	3-14

3.7.2 Digital Signal Compatibility	3-14
3.7.3 Loss	3-17
3.7.4 Noise	3-18
3.8 Physical Requirements	3-19
3.8.1 General Requirements	3-19
3.8.2 Packaging Requirements	3-19
3.8.3 Insulation	3-20
3.8.4 Operating Temperature and Humidity Criteria	3-20
3.8.5 Tie Pairs	3-20
3.8.6 DIS Maintenance	3-20
3.8.6.1 Apparatus Design	3-20
3.8.6.2 Plug-In Boards	3-21
3.8.6.3 Internal Testing	3-21
3.8.7 Framework Requirements	3-21
3.8.8 Jumper Bundles	3-23
3.8.9 Jumper Pathways	3-23
3.8.10 Modularity	3-24
3.8.11 Bending the Jumper	3-24
3.8.12 Intra- and Inter-Bay Jumper Pathways	3-24
3.8.13 Bends, Offsets, Irregularities	3-25
3.8.14 Plug-In Boards	3-25
3.8.15 Cable Requirements	3-25
3.8.16 Cabling and Cross-Connections	3-26
3.8.17 Patch Cords	3-27
3.8.18 Trough Space Requirements	3-27
3.8.19 Minimum Bending Radius for Coaxial Cables	3-28
3.8.20 Connectors	3-28
3.8.21 Jacks and Plugs	3-29
3.8.22 Other Termination Apparatus	3-30
3.8.23 Grounding	3-30
3.8.24 AC Receptacles	3-31
3.8.25 CO Battery	3-31
3.8.26 Signal Disruption Time Interval	3-32
3.8.27 Electromagnetic Compatibility	3-33
3.8.28 Electro-Static Discharge (ESD)	3-33
3.8.29 Labels	3-33
3.9 Quality and Reliability	3-34
Appendix A: References	References-1
Appendix B: Acronyms	Acronyms-1
Appendix C: Glossary	Glossary-1
Requirement-Object Index	ROI-1
Index	Index-1

List of Figures

Figure 1-1	DIS Nomenclature	1-6
Figure 2-1	Physical Connection Alternatives	2-6
Figure 2-2	Original DSX Application	2-8
Figure 2-3	Typical DSX Applications	2-9
Figure 2-4	Original DIS Application	2-10
Figure 2-5	Typical Locations of Digital Interface Systems (DISs)	2-14
Figure 2-6	Potential DIS Terminations	2-15
Figure 2-7	Typical Metallic Central Office Connections Architecture	2-27
Figure 2-8	Fiber-Center Model	2-28
Figure 3-1	DIS Capabilities	3-4
Figure 3-2	Return-Loss Measurement Arrangement for DIS	3-16
Figure 3-3	DSX Crosstalk Measurement Arrangements	3-18

List of Tables

Table 2-1	Typical North American Services and Related Connection Systems	2-1
Table 2-2	Digital Bandwidth Hierarchy	2-2
Table 3-1	Tracing Lamp Colors	3-1
Table 3-2	Signal References in GR-499-CORE	3-15
Table 3-3	Maximum Time Interval for Signal Interruption	3-33