

## Contents

Preface . . . . .	Preface-1
1. Introduction . . . . .	1-1
1.1 Document Background . . . . .	1-1
1.1.1 Customer . . . . .	1-1
1.1.2 Relationship to Other Telcordia Requirements . . . . .	1-2
1.2 Organization of this Document . . . . .	1-3
1.3 Requirements Terminology . . . . .	1-4
1.4 Requirement Labeling Conventions . . . . .	1-4
1.4.1 Numbering of Requirement and Related Objects . . . . .	1-5
1.4.2 Requirement, Conditional Requirement, and Objective Object . . . . .	1-5
Identification . . . . .	1-5
1.5 Reason for Revision . . . . .	1-5
2. User Perspective . . . . .	2-1
2.1 GETS . . . . .	2-1
2.2 HPC . . . . .	2-1
3. Feature Requirements . . . . .	3-1
3.1 AIN Features . . . . .	3-1
3.1.1 Network Traffic Management Treatment of HPC Calls . . . . .	3-1
3.1.2 Other AIN Treatment of HPC Calls . . . . .	3-3
3.2 HPC Call Recognition and Digit Analysis . . . . .	3-4
3.2.1 HPC Number Recognition . . . . .	3-4
3.2.2 Relationship of HPC Number Recognition . . . . .	3-6
to AIN Originating Call Model . . . . .	3-6
3.3 Signaling Features . . . . .	3-7
3.3.1 IntraLATA Calls (Non-ISDN) . . . . .	3-9
3.3.1.1 All-SS7 calls . . . . .	3-10
3.3.1.1.1 Actions at the Originating Exchange . . . . .	3-10
3.3.1.1.2 Initial Address Message (IAM) . . . . .	3-10
3.3.1.1.3 Automatic Congestion Control Procedures . . . . .	3-12
3.3.1.2 Interactions . . . . .	3-12
3.3.1.2.1 SS7 Incoming Circuit, Inband Signaling on . . . . .	3-12
Outgoing Circuit . . . . .	3-12
3.3.1.2.2 Inband Signaling on Incoming Circuit, SS7 . . . . .	3-12
Outgoing Circuit . . . . .	3-12
3.3.2 InterLATA Calls (Non-ISDN) . . . . .	3-13
3.3.2.1 All-SS7 Connections . . . . .	3-13
3.3.2.1.1 Originating Treatment; Local Exchange . . . . .	3-13
Carrier to IXC . . . . .	3-13
3.3.2.1.2 Terminating Treatment: IXC to Local Exchange . . . . .	3-14
Carrier . . . . .	3-14
3.3.3 ISDN Calls . . . . .	3-15
3.4 HPC-Specific Switching System Call Processing Features . . . . .	3-15

- 3.4.1 HPC Trunk Group Queuing . . . . . 3-16
  - 3.4.1.1 HPC Trunk Group Queuing Description and Application . . . . . 3-16
  - 3.4.1.2 HPC Trunk Group Queuing Requirements . . . . . 3-17
- 3.4.2 HPC Off-Hook Waiting for Outgoing Trunks (HPC OHWOT) 3-18
  - 3.4.2.1 HPC OHWOT Applications . . . . . 3-18
  - 3.4.2.2 HPC OHWOT Requirements . . . . . 3-18
- 3.4.3 HPC Enhanced Trunk Queuing . . . . . 3-20
- 3.4.4 HPC Call Interruption and Announcement . . . . . 3-22
- 3.5 Network Traffic Management Features . . . . . 3-23
  - 3.5.1 Manual Code Controls . . . . . 3-24
  - 3.5.2 Pre-Hunt Trunk Group Controls . . . . . 3-25
    - 3.5.2.1 Manual Pre-Hunt Trunk Group Controls . . . . . 3-25
    - 3.5.2.2 Automatic Pre-Hunt Trunk Group Controls . . . . . 3-25
  - 3.5.3 Reroute and Cancel-From Control Capability . . . . . 3-26
    - 3.5.3.1 Reroute Control Operation and Requirements . . . . . 3-27
    - 3.5.3.2 Cancel-From Control Operation and Requirements 3-29
  - 3.5.4 Relationship of NTM Controls to HPC Trunk Group Queuing, HPC Enhanced Trunk Queuing, and HPC OHWOT . . . . . 3-30
- 3.6 Order of Call Treatments . . . . . 3-30
  - 3.6.1 No Specialized AIN Provided Carrier Routing Treatment . . . . . 3-31
    - 3.6.1.1 No Specialized AIN Treatment With HPC Trunk Group Queuing . . . . . 3-31
    - 3.6.1.2 No Specialized AIN Treatment With HPC OHWOT 3-33
    - 3.6.1.3 No Specialized AIN Treatment With HPC Enhanced Trunk Queuing . . . . . 3-34
  - 3.6.2 AIN Provided Multiple Carrier Routing Treatment . . . . . 3-37
    - 3.6.2.1 AIN Provided Multiple Carrier Routing Treatment With HPC Trunk Group Queuing . . . . . 3-38
    - 3.6.2.2 AIN Provided Multiple Carrier Routing Treatment With HPC OHWOT . . . . . 3-40
    - 3.6.2.3 AIN Provided Multiple Carrier Treatment With HPC Enhanced Trunk Queuing . . . . . 3-43
- 4. Administration . . . . . 4-1
  - 4.1 Service Provisioning . . . . . 4-1
  - 4.2 Traffic Measurements for HPC . . . . . 4-3
    - 4.2.1 AIN Traffic Measurements . . . . . 4-3
    - 4.2.2 Office Level Traffic Measurements in Switches . . . . . 4-4
    - 4.2.3 Special Study Measurements . . . . . 4-7
    - 4.2.4 NDC OS Interface Requirements . . . . . 4-9
  - 4.3 Network Traffic Management . . . . . 4-10
    - 4.3.1 HPC NTM Measurements in Switches . . . . . 4-11
    - 4.3.2 NTM OS Interface Requirements . . . . . 4-13
- Appendix A: Internetwork Call Control (Non-ISDN) . . . . . A-1
  - A.1 Originating InterLATA Call Control Access . . . . . A-1
  - A.2 Terminating InterLATA Call Control Access . . . . . A-1

A.3 Automatic Congestion Control (ACC) . . . . . A-2  
A.4 Internetwork Call Control Protocol . . . . . A-2  
Appendix B: Call Flow Diagram . . . . . B-1  
Appendix B: Call Flow Diagram . . . . . B-1  
References . . . . . References-1  
Glossary . . . . . Glossary-1



## List of Figures

Figure 3-1.	RR Control with Route Advance Patterns . . . . .	3-27
Figure 3-2.	Immediate Reroute Control . . . . .	3-28
Figure B-1.	Call Flow Diagram . . . . .	B-1
Figure B-1.	Call Flow Diagram (Cont.) . . . . .	B-2
Figure B-1.	Call Flow Diagram (Cont.) . . . . .	B-3