
Primary Rate Interface Generic Requirements for Message Waiting Notification

Contents

| | |
|---|-----------|
| Preface | Preface-1 |
| 1. Introduction..... | 1-1 |
| 1.1 Structure and Use of this Document | 1-1 |
| 1.2 Overview of Message Service..... | 1-1 |
| 1.3 Message Waiting Notification Definition | 1-4 |
| 1.4 Purpose and Scope | 1-5 |
| 1.5 Relationship to Other Bellcore Documents..... | 1-5 |
| 1.6 Reason for Revision | 1-5 |
| 1.7 Relationship to Standards..... | 1-6 |
| 1.8 CPE Assumptions..... | 1-6 |
| 1.9 Technical Terminology | 1-6 |
| 1.10 Requirements Terminology..... | 1-8 |
| 1.11 Requirement Labeling Conventions..... | 1-8 |
| 1.11.1 Numbering of Requirement and Related Objects | 1-9 |
| 1.11.2 Requirement, Conditional Requirement, and Objective Object Identification | 1-9 |
| 2. Feature Requirements | 2-1 |
| 2.1 Receiving and Processing an IntraOffice MWI Control Request | 2-1 |
| 2.2 Message Waiting Notification on ISDN PRI | 2-2 |
| 2.2.1 NCAS Procedures | 2-2 |
| 2.2.1.1 Establishing a Connection | 2-2 |
| 2.2.1.2 Sending a DMWN Request | 2-4 |
| 2.2.1.3 Receiving a DMWN Response..... | 2-5 |
| 2.2.1.4 Clearing a Connection | 2-6 |
| 2.2.1.5 Exchange Components for DMWN..... | 2-6 |
| 2.2.2 Contents of the MWI Control/MWN | 2-8 |
| 2.2.2.1 DMWN Activation Requests | 2-11 |
| 2.2.2.2 DMWN Deactivation Requests | 2-11 |
| 2.2.3 Receipt of a Successful Attempt Indication..... | 2-12 |
| 2.2.4 Receipt of Unsuccessful Attempt Indication | 2-13 |
| 2.3 Error Treatment and Abnormal Conditions | 2-16 |
| 2.4 InterSPCS Procedures | 2-16 |
| 2.4.1 Receiving an MWI Control TCAP Message..... | 2-17 |
| 2.4.2 Sending a TCAP MWI Control Response to the SPCS Serving the MSR System..... | 2-17 |
| 2.5 Billing..... | 2-19 |

| | | |
|------------|---|--------------|
| 3. | Signaling/Message Structure..... | 3-1 |
| 3.1 | ISDN Message Structures and Information Elements | 3-1 |
| 3.2 | ROSE Components | 3-1 |
| 3.3 | ASN.1 Description of DMWN Application Protocol | 3-2 |
| 4. | Operations Requirements | 4-1 |
| 4.1 | Memory Administration/Subscription Parameters..... | 4-2 |
| 4.1.1 | Switch Parameters | 4-2 |
| 4.1.2 | Subscription Parameters Per Primary ISDN Interface | 4-3 |
| 4.1.3 | Subscription Parameters per Destination DN | 4-4 |
| 4.1.4 | Subscription Parameters per-Terminal Service Profile/DN/CT..... | 4-4 |
| 4.2 | Network Maintenance | 4-5 |
| 4.2.1 | Surveillance..... | 4-5 |
| 4.2.2 | Testing..... | 4-5 |
| 4.3 | Network Data Collection (NDC) | 4-6 |
| 4.3.1 | Background | 4-6 |
| 4.3.2 | Relationship to GR-478-CORE and Scope of this Section..... | 4-7 |
| 4.3.3 | Data Collection Requirements for Message Service..... | 4-7 |
| 4.4 | Network Traffic Management (NTM) | 4-9 |
| References | | References-1 |
| Ref.1 | Bellcore Family of Requirements (FR)..... | References-1 |
| Ref.2 | Bellcore Generic Requirements (GR) | References-1 |
| Ref.3 | Bellcore Technical References..... | References-2 |
| Ref.4 | Bellcore Special Reports | References-3 |
| Glossary | | Glossary-1 |

List of Figures

| | | |
|-------------|---|-----|
| Figure 1-1. | An Example System Architecture for ISDN Message Service | 1-3 |
| Figure 3-1. | ASN.1 Description of DMWN Operation (Activation/Deactivation) (Sheet 1 of 3) | 3-5 |

List of Tables

| | | |
|------------|--|------|
| Table 2-1. | CTE to SPCS Error Summary | 2-14 |
| Table 2-2. | SPCS to ISDN MSR System Error Summary | 2-15 |
| Table 4-1. | ISDN Switch Parameters | 4-3 |
| Table 4-2. | ISDN Primary Rate Access Line Parameters | 4-4 |
| Table 4-3. | Failure Types and Possible Causes | 4-9 |