

---

# Transport Performance Management Based on the Telecommunication Management Network (TMN) Architecture

## Contents

Preface .....	Preface-1
1. Introduction.....	1-1
1.1 Business Drivers.....	1-1
1.1.1 Proactive Maintenance.....	1-1
1.1.2 Service Quality Verification .....	1-1
1.2 Overview of the TMN Functional Architecture.....	1-2
1.3 Purpose and Scope .....	1-3
1.4 Audience .....	1-3
1.5 Document Organization .....	1-3
1.6 Requirements Terminology.....	1-4
1.7 Requirement Labeling Conventions.....	1-5
1.7.1 Numbering of Requirement and Related Objects .....	1-5
1.7.2 Requirement and Objective Object Identification .....	1-5
2. Basic Principles.....	2-1
2.1 Performance Management .....	2-1
2.1.1 Traffic Performance Management .....	2-1
2.1.2 Transport Performance Management.....	2-2
2.1.3 Performance Management of NEs .....	2-2
2.2 Description of Performance Monitoring .....	2-2
2.3 What the NE Provides .....	2-3
2.4 Performance Management Systems in the TMN Environment .....	2-3
2.5 Uses of Performance Management Information .....	2-4
2.5.1 Proactive Maintenance.....	2-4
2.5.2 Service Verification .....	2-4
2.6 TMN Management Application Functions .....	2-4
3. Network Resource Entities and Terminology.....	3-1
3.1 TMN Layers and Their Domains .....	3-1
3.2 EML-NML Interface Indication Terminology.....	3-2
3.3 Network Resource Entities.....	3-4
3.3.1 Network Elements.....	3-4
3.3.2 Monitoring Points .....	3-4
3.3.2.1 Trail Termination Points.....	3-5
3.3.2.2 Intermediate Performance Monitoring Points .....	3-5
3.3.3 Trails .....	3-5

---

3.3.4	Facilities .....	3-7
3.3.5	Circuits .....	3-7
3.3.6	Service Instances .....	3-7
4.	Element Management Layer .....	4-1
4.1	NE(s) Performance Characterization .....	4-1
4.1.1	Performance Parameters .....	4-1
4.1.1.1	Cove Violations/Background Block Errors (CV/BBE).....	4-2
4.1.1.2	Errored Seconds.....	4-2
4.1.1.3	Severely Errored Seconds.....	4-3
4.1.1.4	Unavailable Seconds.....	4-3
4.1.2	Data Collection Intervals .....	4-3
4.1.3	Threshold Crossing Alerts .....	4-4
4.2	Performance Administration .....	4-4
4.2.1	NE Threshold Setting.....	4-4
4.2.2	Control of Raw Performance Monitoring Data Collection.....	4-6
4.2.2.1	Continuous Raw Performance Monitoring Data Collection	4-7
4.2.2.2	Collection of Raw Performance Monitoring Data in Response to TCAs.....	4-8
4.2.2.3	Far-End Data Collection .....	4-10
4.3	NE(s) TCA Processing.....	4-11
4.3.1	Suppression of TCA Processing During Failures .....	4-12
4.3.2	Root Cause Impairment Analysis .....	4-12
4.3.2.1	Hierarchy of Trail Types .....	4-15
4.3.2.2	Hierarchy of Reported TCA Types.....	4-16
4.3.2.3	RCIA Examples .....	4-18
4.3.2.4	Dependence of RCIA on Near Real-Time Configuration Data.....	4-24
4.3.2.5	NE Time of Day Clock Synchronization.....	4-25
4.3.3	Impairment Persistence Determination .....	4-25
4.3.3.1	The Sliding Window Algorithm .....	4-25
4.3.4	Reporting of Impairment Indications .....	4-27
4.3.4.1	Impairment Persistence Determination Example .....	4-30
4.4	Performance Monitoring Data Accumulation.....	4-31
4.4.1	Performance Data Logging .....	4-31
4.4.2	Reporting of Data to Upstream Systems.....	4-32
4.4.2.1	Ad-Hoc Queries on Performance Information .....	4-32
4.4.2.2	Scheduled Raw Performance Monitoring Data Reporting ..	4-33
4.5	NE(s) Trend Analysis.....	4-33
4.5.1	An Approach to Pattern Recognition .....	4-34
4.5.1.1	Increasing Severity .....	4-34
4.5.1.2	Cyclic Patterns .....	4-35
4.5.1.3	Impairment Signatures.....	4-35

---

---

4.5.2	Characterization and Reporting of Trend Indications .....	4-36
4.5.2.1	Duration of Trend Indications .....	4-37
4.5.3	A Pattern Definition Example .....	4-38
4.5.4	Correlation of Trend Indications With Impairment Indications .....	4-39
5.	Network Management Layer .....	5-1
5.1	Data Aggregation and Trending .....	5-1
5.2	Network Performance Monitoring Event Correlation and Filtering .....	5-2
5.2.1	Correlation of Impairment Indications Along a Trail .....	5-3
5.2.2	Correlation of Impairment Indications Among Related Trails .....	5-4
5.2.3	Correlation Window .....	5-4
5.2.4	Correlation of Trend Indications with Impairment Indications .....	5-5
5.2.5	Correlation and Filtering of Impairment Update and Clear Messages .....	5-7
5.2.6	Uncovering Masked Impairments .....	5-7
5.3	Circuit Specific Data Collection .....	5-8
5.3.1	Monitored Circuits .....	5-8
5.3.2	Type of Data Collected .....	5-8
5.3.3	Performance Parameters Collected .....	5-9
5.4	Network Performance Characterization .....	5-10
5.4.1	Availability and Error-Free Seconds .....	5-11
5.4.2	Background Block Error Ratio .....	5-11
5.4.3	Bit Error Ratio .....	5-12
5.4.4	Other QOS Metrics .....	5-12
5.4.5	QOS Measurement Intervals .....	5-13
5.4.6	Network Level QOS Performance Reporting .....	5-13
6.	Service Management Layer .....	6-1
6.1	QOS Performance Assessment .....	6-1
6.1.1	Performance Monitoring and Maintenance-Based QOS Metrics .....	6-1
6.1.2	Monitored Services .....	6-2
6.1.3	Services Provided by a Single Path .....	6-3
6.1.4	Services Provided by Multiple Paths .....	6-3
6.1.4.1	Service Availability and Error-Free Seconds Estimation .....	6-4
6.1.4.2	Service Background Block Error Ratio Estimation .....	6-4
6.1.4.3	Service Bit Error Ratio Estimation .....	6-4
6.1.5	Maintenance-Based QOS Metrics .....	6-5
6.1.5.1	Maintenance-Based Service Availability .....	6-5
6.1.5.2	Outage Duration and Frequency .....	6-6
6.1.6	QOS for Bundled Services .....	6-7
6.1.7	QOS Performance Metric Requirements .....	6-7
6.1.8	Comparison of Observed QOS to QOS Objectives .....	6-8
6.1.9	Exception Reporting .....	6-10
6.2	Customer Service Performance Summary .....	6-11
6.3	Subscriber Service Quality Criteria .....	6-13

---

References .....	References-1
Acronyms.....	Acronyms-1
Glossary .....	Glossary-1

## List of Figures

Figure 3-1.Surveillance Operations Flows .....	3-3
Figure 3-2.Logical View of Signal A's Client Trail List .....	3-6
Figure 3-3.Logical View of Signal Z's Server Trail List .....	3-6
Figure 4-1.Performance Administration: Update of Thresholds .....	4-6
Figure 4-2.Far-End Data Diagram.....	4-10
Figure 4-3.Example Hierarchy of Trails.....	4-16
Figure 4-4.PDH Example Diagram .....	4-19
Figure 4-5.SONET Example Diagram .....	4-21
Figure 4-6.Intermediate Performance Monitoring Example Diagram .....	4-23
Figure 4-7.Triggering a Persistent Impairment .....	4-28
Figure 6-1.Anatomy of a Service Outage.....	6-6
Figure 6-2.QOS Report Based on a Controlling Objective .....	6-12
Figure 6-3.QOS Report Based on Daily Data .....	6-13

## List of Tables

Table 2-1.Performance Management MAF Matrix.....	2-5
Table 4-1.Hierarchy of Trail Types.....	4-15
Table 4-2.Hierarchy of Reported TCA Types - SONET.....	4-17
Table 4-3.Hierarchy of Reported TCA Types - PDH.....	4-18
Table 4-4.PDH Example of RCIA.....	4-20
Table 4-5.SONET Example of RCIA.....	4-22
Table 4-6.Intermediate Performance Monitoring Example of RCIA.....	4-24
Table 4-7.Impairment Persistence Determination Example.....	4-31
Table 5-1.Path Data for Service Signal Rate.....	5-9