
Generic Requirements for Multi-Purpose Fiber Optic Cable

Contents

Preface	Preface-1
1. Introduction	1-1
1.1 Purpose and Scope	1-1
1.2 Structure and Use of this Document	1-2
1.3 Requirements Terminology	1-2
1.4 Requirement Labeling Conventions.....	1-3
1.4.1 Numbering of Requirement and Related Objects	1-3
1.4.2 Requirement, Conditional Requirement, and Objective Object Identification	1-4
2. General Information.....	2-1
2.1 General Description	2-1
2.2 Optical Fibers	2-1
2.2.1 Optical Characteristics	2-1
2.2.2 Mechanical Characteristics	2-2
2.3 Optical Cables	2-2
2.3.1 Characteristics of Fiber Optic Units.....	2-5
2.3.1.1 Characteristics of Fiber Ribbons	2-5
2.3.1.2 Characteristics of Loose Tubes.....	2-5
2.3.1.3 Characteristics of Tight-Buffered Bundles.....	2-5
2.3.2 Classification of Optical Cables.....	2-5
2.4 Applications of Premises/Outside Plant Cables	2-6
2.4.1 Safety	2-8
2.5 Engineering of Optical Fiber Systems	2-8
2.6 Optical Fiber Compatibility	2-8
3. Product Qualification Requirements.....	3-1
3.1 Optical Fiber and Fiber Ribbon Product Qualification	3-1
3.2 Fiber Ribbon Product Qualification	3-2
3.3 Fiber Optic Cable Product Qualification.....	3-2
3.4 Product Testing	3-5
3.5 Documentation	3-6
3.5.1 Practices	3-6
3.5.2 Workcenter Information Package	3-6
4. Requirements and Test Procedures for Optical Fiber	4-1
4.1 Optical Requirements.....	4-1
4.2 Geometrical Requirements.....	4-1

4.2.1	Tight-Buffered, Loose-Buffered, and Composite-Buffered Fiber Outside Diameter	4-1
4.3	Mechanical Requirements	4-1
4.3.1	Coating Strip Force	4-1
4.3.1.1	Tight-Buffered Fiber.....	4-1
4.3.1.2	Loose-Buffered	4-2
4.3.1.3	Composite-Buffered Fiber	4-2
5.	Requirements for Fiber Ribbons	5-1
6.	Requirements for Optical Cables	6-1
6.1	Cable Construction.....	6-1
6.1.1	Cable	6-1
6.1.2	Anti-buckling and Strength Elements Splicing.....	6-1
6.1.3	Pulling Tension	6-2
6.1.4	Number of Fibers/Spares per Cable	6-2
6.1.5	Number of Fibers Per Unit/Binder.....	6-2
6.1.6	Unit Stranding	6-3
6.1.7	Spliced and Defective Fibers	6-3
6.1.8	RipCORDS	6-3
6.2	Cable Marking, Packaging, and Shipping.....	6-4
6.2.1	Cable Marking.....	6-4
6.2.2	Cable Re-marking	6-4
6.2.3	Identification Marking	6-4
6.2.4	Cable Length and Length Markings.....	6-5
6.2.5	Fiber and Unit Identification	6-5
6.2.6	Packaging	6-6
6.2.7	Shipping	6-6
6.2.8	Cable Reel	6-7
6.3	Cable Materials	6-7
6.3.1	Water-Blocking Material	6-7
6.3.2	Filling and Water-Blocking Material Flow (If used)	6-7
6.3.3	Cable Material Compatibility.....	6-7
6.4	Jacket Requirements.....	6-7
6.4.1	Jacket Material	6-7
6.4.2	Outer Cable Diameter and Jacket Thickness	6-8
6.5	Mechanical Requirements	6-9
6.5.1	Optical Measurement Equipment.....	6-9
6.5.2	Cable Testing	6-9
6.5.3	Low and High Temperature Cable Bend	6-10
6.5.4	Impact Resistance	6-11
6.5.5	Compressive Strength	6-11
6.5.6	Tensile Strength of Cable.....	6-12
6.5.7	Cable Twist	6-13
6.5.8	Cable Cyclic Flexing.....	6-13

6.5.9	Cable Termination.....	6-14
6.6	Environmental Requirements.....	6-15
6.7	Flammability Listing of Indoor/Outdoor Cables.....	6-15
6.7.1	Riser Cable.....	6-15
References	References-1
Glossary	Glossary-1
Requirement-Object List	ROL-1
Requirement-Object Index	ROI-1

List of Figures

Figure 2-1.	Cross Section: Generic Ribbon Cable	2-3
Figure 2-2.	Cross Section: Generic Loose Tube Cable	2-4
Figure 2-3.	Cross Section: Generic Tight-Buffered Distribution Cable	2-4
Figure 2-4.	Cable Deployment	2-7