

Contents

Preface	Preface-1
1. Introduction	1-1
1.1 Purpose	1-1
1.2 Scope	1-2
1.3 Target Audience	1-3
1.4 Review/Concurrence Information	1-3
1.5 Structure and Use of This Document	1-3
1.6 Assumptions, Dependencies, and Constraints	1-3
1.6.1 Existing E9-1-1 Tandem Architecture	1-4
1.6.2 AIN based E9-1-1 Architecture	1-7
1.7 Requirements Terminology	1-8
1.8 Requirement Labeling Conventions	1-9
1.8.1 Numbering of Requirement and Related Objects	1-9
1.8.2 Requirement, Conditional Requirement, and Objective Object Identification	1-10
1.9 Reason for Re-Issue	1-10
2. User Perspective	2-1
3. PSAP Perspective	3-1
4. E9-1-1 Service Provider Perspective	4-1
5. E9-1-1 Tandem Switch Requirements	5-1
5.1 Feature Operation	5-1
5.1.1 E9-1-1 Call-Type Determination	5-1
5.1.1.1 Detection of Emergency Calls	5-2
5.1.1.2 Detection of Direct Calls	5-2
5.1.2 Receiving Location Information	5-2
5.1.2.1 Distinguishing Wireline Calls from Wireless Mobile Calls	5-3
5.1.3 Definition of Calling Station Number and Callback Number	5-4
5.1.3.1 Calling Station Number for Emergency Calls	5-4
5.1.3.2 Calling Party Number for Direct Calls	5-5
5.1.4 Routing	5-6
5.1.4.1 Routing of Emergency Calls	5-6
5.1.4.2 Default Routing of Emergency Calls	5-7
5.1.4.3 Alternate Routing of Emergency Calls	5-8
5.1.4.4 Routing of Direct Calls	5-9
5.1.5 Terminating Calls to a PSAP on an ISDN BRI	5-10
5.1.5.1 Distributing Calls to a PSAP	5-10
5.1.5.2 ISDN BRI PSAP Busy/Failure Conditions	5-12
5.1.5.3 Terminating Emergency Calls	5-13
5.1.5.3.1 Inclusion of Location Identification Number	5-15

	5.1.5.3.2	Inclusion of Calling Geodetic Location Information	5-16	
	5.1.5.3.3	Inclusion of Emergency Call and “Flashing Display” Indications	5-17	
	5.1.5.3.4	Single 10-Digit Number Options for Calls with Location Information	5-18	
	5.1.5.4	Terminating Direct Calls	5-21	
5.1.6		Release Treatment/Forced Disconnect	5-22	
5.1.7		Call Transfer	5-22	
	5.1.7.1	Transfer Feature Operation Using Flexible Calling	5-24	
	5.1.7.2	Selective Transfer Feature Operation	5-27	
	5.1.7.3	Fixed Transfer Feature Operation	5-28	
	5.1.7.4	Manual Transfer Feature Operation	5-28	
5.1.8		Callback Calls	5-29	
5.1.9		E9-1-1 Test Calls	5-29	
5.1.10		X.25 Packet Connection	5-29	
5.1.11		Administrative Line Capabilities	5-29	
5.1.12		Error Treatments and Abnormal Events	5-30	
5.2		Internal Call Processing Controls	5-31	
	5.2.1	Class of Service/Configuration	5-31	
	5.2.2	Code Interpretation	5-31	
5.3		Signaling/Message Structure	5-32	
	5.3.1	Customer Signaling/User-Network Interface	5-32	
		5.3.1.1 Message Structure	5-32	
		5.3.1.2 Information Elements	5-35	
	5.3.2	Common Channel Signaling Interworking	5-38	
		5.3.2.1 Mapping of SS7 Parameters to ISDN BRI PSAP Interface	5-38	
	5.3.3	Interworking with MF Signaling	5-42	
	5.3.4	Operator Services Signaling	5-44	
5.4		Administration/Operations	5-44	
	5.4.1	Memory Administration (Service Changes/Subscription Parameters)	5-44	
		5.4.1.1 Per E9-1-1 Tandem Switch Assignments	5-45	
		5.4.1.2 ISDN BRI (PSAP)	5-45	
		5.4.1.3 Directory Number/Call Type (DN/CT)	5-46	
			5.4.1.3.1 DN/CTs Used for E9-1-1 Calls	5-46
			5.4.1.3.2 DN/CTs Used for Administrative Calls	5-47
		5.4.1.4 E9-1-1 Tandem Translations Database	5-47	
	5.4.2	Network Maintenance	5-50	
		5.4.2.1 Surveillance	5-50	
		5.4.2.2 Testing	5-51	
	5.4.3	Network Data Collection (NDC)	5-51	
	5.4.4	Network Traffic Management (NTM)	5-53	
	5.4.5	AMA Recording and Comptroller	5-53	
5.5		Interactions	5-53	
	5.5.1	Additional Call Offering (ACO)	5-54	

5.5.2	ISDN Basic Business Group	5-55
5.5.3	Speed Calling	5-55
5.5.4	Calling Number Identification Services (CNIS)	5-56
5.5.5	Calling Name	5-57
5.5.6	ISDN Call Forwarding	5-57
5.5.7	Flexible Calling for Managing Multiple Independent Calls	5-57
5.5.8	ISDN Multiline Hunt Group	5-58
5.5.9	Electronic Key Telephone Service	5-58
5.5.10	Direct Connect	5-60
5.5.11	Call Park	5-61
6.	AIN Based E9-1-1 End Office Switch Requirements	6-1
6.1	Feature Operation	6-1
6.1.1	E9-1-1 Call-Type Determination	6-1
6.1.2	Receiving Location Information	6-1
6.1.3	Definition of Calling Station Number and Callback Number	6-2
6.1.4	Routing	6-2
6.1.4.1	Routing of Emergency Calls	6-2
6.1.4.2	Alternate Routing of Emergency Calls	6-3
6.1.4.3	Routing of Direct Calls	6-3
6.1.5	Terminating Calls to a PSAP on an ISDN BRI	6-3
6.1.6	Release Treatment/Forced Disconnect	6-5
6.1.7	Call Transfer	6-5
6.1.7.1	Local Switch Implementation	6-5
6.1.7.2	AIN Based Implementation	6-5
6.1.8	Callback Calls	6-6
6.1.9	E9-1-1 Test Calls	6-6
6.1.10	X.25 Packet Connection	6-6
6.1.11	Administrative Line Capabilities	6-6
6.1.12	Error Treatments and Abnormal Events	6-6
6.2	Internal Call Processing Controls	6-7
6.2.1	Class of Service/Configuration	6-7
6.2.2	Code Interpretation	6-7
6.3	Signaling/Message Structure	6-7
6.3.1	Customer Signaling/User-Network Interface	6-7
6.3.2	Common Channel Signaling Interworking	6-7
6.3.3	Interworking with MF Signaling	6-8
6.3.4	Operator Services Signaling	6-8
6.4	Administration/Operations	6-8
6.4.1	Memory Administration (Service Changes/Subscription Parameters)	6-9
6.4.1.1	Per SSP/End Office Switch Assignments	6-9
6.4.1.2	ISDN BRI (PSAP)	6-9
6.4.1.3	Directory Number/Call Type (DN/CT)	6-10
6.4.1.4	E9-1-1 Tandem Translations Database	6-12
6.4.2	Network Maintenance	6-12
6.4.3	Network Data Collection (NDC)	6-12

6.4.4	Network Traffic Management (NTM)	6-12
6.4.5	AMA Recording and Comptroller	6-12
6.5	Interactions	6-12
7.	Network Impacts	7-1
7.1	Reliability	7-1
References		References-1
Ref.1	Telcordia Family of Requirements (FR)	References-1
Ref.2	Telcordia Generic Requirements (GR)	References-1
Ref.3	Telcordia Special Reports (SR)	References-3
Ref.4	Telcordia Technical References (TRs)	References-3
Ref.5	Standards Documents	References-6
Ref.6	Other Documents	References-7
Glossary		Glossary-1
Requirement-Object Index		ROI-1

List of Figures

Figure 1-1.	Representative Architecture Showing Interfaces (MF, CCS, ISDN, Wireless) and Interworking Points	1-6
Figure 1-2.	Representative AIN-Based Architecture for E9-1-1 Service	1-8
Figure 5-1.	“Emergency Call Control” Information Element	5-36
Figure 5-2.	Generic Information” Information Element	5-37

List of Tables

Table 5-1.	SETUP Message Content	5-33
Table 5-2.	Coding Standard	5-36
Table 5-3.	Control Information Interpretation	5-36
Table 5-4.	Type of Information	5-37
Table 5-5.	Coding of Number Digits of Location Identification Number .	5-38
Table 5-6.	Mapping of SS7 Parameters to ISDN Information Elements .	5-39
Table 5-7.	Feature Interactions	5-54
Table 6-1.	Mapping of SS7 Parameters to ISDN Information Elements . .	6-8