

Service Provider Identification Capability Specification

Contents

Preface.....	Preface-1
1. Introduction.....	1-1
1.1 Purpose and Scope	1-1
1.2 Limitations.....	1-2
1.3 Target Audience	1-4
1.4 End User Perspective	1-4
1.5 Review/Concurrence Information	1-4
1.6 Structure and Use of This Document.....	1-4
1.7 Requirements Terminology	1-5
1.8 Requirement Labeling Conventions	1-5
1.8.1 Numbering of Requirement and Related Objects.....	1-5
1.8.2 Requirement, Conditional Requirement, and Objective Object Identification	1-6
2. Overview	2-1
2.1 Overview of LSPI	2-1
2.2 Drivers for LSPI Capability.....	2-1
2.3 Definitions	2-3
2.4 Assumptions.....	2-5
2.5 Format of LSPI	2-7
2.5.1 LSPI Assignment Criteria.....	2-8
2.6 LSPI Call Model.....	2-8
2.6.1 DN Attributes	2-8
2.6.2 Trunk Group Attributes	2-9
2.6.3 Basic Call Model	2-10
2.7 Sample Call Scenarios.....	2-13
2.7.1 Originating Account Owner LSPI in a Resale Environment.....	2-14
2.7.2 Using Dedicated Trunks Groups For LSPI Information	2-14
2.7.3 Using LSPI-FE For LSPI Information.....	2-16
2.7.4 Passing LSPI Information through an Intermediate Network ..	2-17
3. LSPI Provisioning Requirements	3-1
3.1 LSPI Provisioning Overview	3-1
3.2 Per Switch LSPI Network Capability Control Requirements.....	3-2
3.3 Per Switch LSPI Recording Options.....	3-3
3.4 Per-LSPI Value Screening and Recording Options	3-3
3.5 Associating Directory Numbers With LSPI	3-8
3.5.1 Associating a Directory Number with a Switch Owner LSPI.....	3-9
3.5.2 Associating a Directory Number with an Account Owner LSPI	3-9
3.6 Associating a Trunk Group with a LSPI.....	3-10

3.6.1	Associating an Interswitch Trunk Group with an Account Owner LSPI	3-11
3.6.2	Associating an Interswitch Trunk Group with a Far End LSPI and Signaling Option.....	3-11
3.6.3	Associating Interswitch Trunk Group Type Attribute	3-12
3.6.4	Associating Interswitch Trunk Group Recording Options.....	3-12
3.7	LSPI Query and Reporting Capabilities	3-13
4.	Common Channel Signaling	4-1
4.1	ISDNUP Requirements for Service Provider Identification	4-1
4.1.1	Introduction.....	4-1
4.1.2	Signaling.....	4-1
4.2	Generic Requirements.....	4-2
4.2.1	Signaling LSPI Information in the Forward Direction	4-3
4.2.1.1	Populating the IAM at an Originating LSPI-Capable Switch	4-3
4.2.1.2	Populating the IAM at an Intermediate Switch.....	4-3
4.2.1.2.1	SS7 Signaling on Incoming and Outgoing Trunks.....	4-3
4.2.1.2.2	MF Signaling on Incoming Trunk and SS7 Signaling on Outgoing Trunk	4-6
4.2.1.3	Obtaining LSPI Information at an LSPI-Capable Terminating Switch.....	4-8
4.2.1.3.1	SS7 Signaling Incoming to the Terminating Switch	4-8
4.2.1.3.2	MF Signaling Incoming to the Terminating Switch	4-9
4.2.2	Signaling LSPI Information in the Backward Direction	4-10
4.2.2.1	Terminology	4-11
4.2.2.2	LSPI-Capable Terminating Switch	4-12
4.2.2.3	Intermediate Switch.....	4-13
4.2.2.3.1	SS7 Signaling on Incoming and Outgoing Trunks.....	4-13
4.2.2.3.2	SS7 Signaling on Incoming Trunk and MF Signaling on Outgoing Trunk	4-15
4.2.2.4	LSPI-Capable Originating Switch	4-17
4.2.2.4.1	SS7 Signaling in Backward Direction to the Originating Switch.....	4-17
4.2.2.4.2	MF Signaling In Backward Direction to the Originating Switch.....	4-18
4.3	Local Service Provider Identification Parameter	4-19
5.	Usage Measurements	5-1
5.1	Working Assumptions for AMA	5-1
5.2	General AMA Recording Options.....	5-3
5.3	Office-wide AMA Recording Requirements.....	5-4
5.3.1	Attempt Recording	5-4
5.3.1.1	Error Conditions Affecting Attempt Recording	5-6

5.3.2	AMA Recording Precedence.....	5-6
5.4	LSPI-specific AMA Recording Options	5-8
5.4.1	Directory Number Recording Options.....	5-8
5.4.2	Trunk group Recording Options.....	5-9
5.5	AMA Requirements for the Originating Switch.....	5-9
5.5.1	Appending LSPI Modules to Existing Originating Intraswitch AMA	5-10
5.5.2	Populating the Interconnection Timing Module.....	5-15
5.6	Generating New LSPI Intraswitch Originating AMA.....	5-16
5.7	Originating Interswitch Calls.....	5-23
5.7.1	Appending LSPI Modules to Existing AMA for Originating Interswitch Calls	5-23
5.7.2	Generating New LSPI AMA for Originating Interswitch Calls .	5-28
5.7.2.1	DN Recording Option.....	5-28
5.7.2.2	Outgoing TG Recording Option.....	5-30
5.8	Generating BAF Structure Code 0001	5-31
5.8.1	Populating the Originating Number Field.....	5-32
5.8.2	Generating BAF Structure Code 0500	5-33
5.9	AMA Requirements for the Intermediate Switch.....	5-34
5.9.1	Generating New AMA at the Intermediate Switch	5-35
5.10	Population Rules for New AMA at an Intermediate Switch	5-36
5.10.1	Appending Modules to Intermediate Switch AMA	5-37
5.10.2	Recording Signaling Information at the Intermediate Switch. .	5-38
5.10.3	Recording Incoming Trunk Group Account Owner	5-38
5.11	AMA Recording Options for the Terminating Switch	5-39
5.11.1	Appending LSPI Modules to Existing Terminating AMA.....	5-40
5.11.2	Generating New Terminating AMA	5-42
5.11.2.1	Incoming TG Recording Option.....	5-47
Appendix A: Operator Services, LIDB, AIN and CLASS Interactions.....		A-1
A.1	Operator Services	A-1
A.2	LIDB.....	A-3
A.2.1	Background and Definitions.....	A-3
A.2.2	Potential Concerns	A-3
A.2.2.1	LIDB May Need to Store Both the Unbundler and the True AO.....	A-3
A.2.2.2	Potential Impacts on Services that Use LIDB.....	A-4
A.2.2.3	Service Order Process (SOP).....	A-4
A.2.2.4	Potential Security Concerns for the AS/LIDB.....	A-4
A.2.3	Summary	A-5
A.3	AIN.....	A-5
A.3.1	Use of LSPI information by AIN services	A-5
A.3.2	Manipulation of LSPI information by AIN services.....	A-7
A.3.3	Unbundled AIN	A-7
A.4	CLASS.....	A-7
A.4.1	Customer Originated Trace	A-7
A.4.2	Potential Concerns	A-8

A.4.3 Summary A-8

A.5 800/888 “Toll-Free” Service..... A-8

A.6 Queries to obtain LSPI-XX..... A-9

Appendix B: LSPI Codeset Considerations..... B-1

B.1 Purpose of Local Service Provider Identification (LSPI) B-1

B.2 Identification of Service Providers - Current Methods B-1

B.3 Existing Databases/Processes..... B-2

B.3.1 Data Sources for OCNs and NECA Company Codes B-2

B.3.2 Databases and Processes Using OCNs/NECA Company Codes..... B-3

B.4 Candidates for LSPI..... B-4

B.5 Using the Telcordia OCN/NECA Company Code B-5

B.6 OCN/NECA Code Assignments as LSPI..... B-6

B.6.1 Assignment Criteria..... B-7

B.6.2 LSPI Format in GR-2970-CORE..... B-7

Appendix C: Acronyms..... C-1

References..... References-1

Requirement-Object Index..... ROI-1

List of Figures

Figure 2-1.	Samples of Trunk Group Types from an LSPI Perspective	2-10
Figure 2-2.	LSPI Call Model	2-12
Figure 2-3.	Originating Call from a Resold DN.....	2-14
Figure 2-4.	Identification of a Resold Line from a Non-LSPI-Capable Switch .	2-16
Figure 2-5.	Identification of a Non-LSPI-Capable Switch Owner	2-17
Figure 2-6.	Passing LSPI Information through an Intermediate Network	2-19
Figure 3-1.	General LSPI Switch Options	3-5
Figure 4-1.	Trunk Setup and Backward Signaling Diagram	4-11
Figure 4-2.	Identification of Trunk Groups and Signaling Links in Figure	4-12
Figure 4-3.	Local Service Provider Identification Parameter (Parameter name code: (XXXX XXXX))	4-20
Figure 4-4.	Encoding Scheme	4-20
Figure 4-5.	LSPI Type	4-20
Figure 4-6.	Context Identification.....	4-21
Figure 5-1.	Decision Tree for Populating BAF Module 338 for ODNAO and ODNSO at the Originating Switch	5-16
Figure 5-2.	Decision Tree for Populating Module 338 for TDNAO and TDNSO at an Originating Switch for Intraswitch Calls	5-18
Figure 5-3.	Decision Tree for Populating Module 104 - Table 244	5-26
Figure 5-4.	Decision Tree for Populating Module 338 for TDNAO and TDNSO for Interswitch Calls - Originating and Intermediate Switches	5-27
Figure 5-5.	Decision Tree for populating Party Identifier for Incoming Trunk Group Account Owner.....	5-39
Figure 5-6.	Decision Tree for Populating Module 338 for ODNAO and ODNSO at Intermediate and Terminating Switches	5-46
Figure A-1.	Potential LSPI Information Available at an OSS During an Operator Services Call.....	A-2

List of Tables

Table 2-1.	Billing Relationships Among Interconnected Entities	2-1
Table 2-2.	Provisioning LSPI-FE.....	2-12
Table 3-1.	General LSPI Switch Options	3-6
Table 5-1.	LSPI Acronyms for AMA Requirements	5-2
Table 5-2.	Potential Number of LSPI BAF Modules.....	5-2
Table 5-3.	Illustrative Examples of LSPI AMA Recording Options for DNs	5-8
Table 5-4.	Illustrative Examples of LSPI Attributes per Trunk Group	5-9
Table 5-5.	BAF SC 0001 / Call Type Codes 126, 127, 128	5-31
Table 5-6.	Populating the Originating Number Field for LSPI.....	5-33
Table 5-7.	BAF SC 0500 / Call Type Codes 126, 127, 128	5-34