

Contents

Preface	Preface-1
1. Introduction	1-1
1.1 Purpose and Scope	1-3
1.2 Structure and Use of This Document	1-4
1.3 Reasons for GR-2979-CORE, Issue 5	1-4
1.4 Requirements Terminology	1-5
1.5 Requirement Labeling Conventions	1-6
1.5.1 Numbering of Requirement and Related Objects	1-6
1.5.2 Requirement, Conditional Requirement, and Objective Object Identification	1-6
2. Overview of Generic Optical Multichannel Network Architectures	2-1
2.1 Terminology Definition	2-4
2.2 OADM/OTM Functional Overview	2-8
2.3 Physical Linear Architecture Overview	2-12
2.3.1 1+1 Point-to-Point Protection Mechanism	2-14
2.3.2 1:1/1:n Point-to-Point Protection Mechanism	2-16
2.4 Physical Ring Architecture Overview	2-17
2.4.1 Optical Multiplex Section Shared Protection Ring Mechanism	2-19
2.4.1.1 Wavelength Allocation Plans	2-20
2.4.2 Optical Channel Dedicated Protection Ring Mechanism	2-23
2.4.3 Optical Channel Shared Protection Ring Mechanism	2-25
2.4.3.1 2-Fiber OChSPRING	2-27
2.4.3.2 4-Fiber OChSPRING	2-28
2.5 OLN/OTN Interconnection Overview	2-30
2.5.1 Dual Node Interconnection Without Coordination Protocol	2-33
2.5.1.1 Dual Transmit Method (Interconnection Method #1)	2-33
2.5.1.2 Dual Transmit With Drop and Continue (Interconnection Method #2)	2-35
2.5.1.3 Dual Transmit with Drop and Continue for Both Transmit and Receive (Interconnection Method #3)	2-38
2.5.2 Dual Node Interconnection With Coordination Protocol	2-40
2.5.3 Escalation Strategies	2-42
3. Network Applications	3-1
4. Basic Equipment Criteria	4-1
4.1 Basic OADM/OTM Requirements	4-1
4.1.1 Requirements of the NNI	4-2
4.1.1.1 Equipment Requirements for 2-Fiber OADM/OTM	4-4
4.1.1.2 Equipment Requirements for 4-Fiber OADM/OTM	4-5
4.1.2 Requirements of the UNI	4-5

4.1.3	Requirements of the OADM and OTM Common Unit	4-7
4.1.3.1	Requirements Generic to OADM and OTM	4-9
4.1.3.2	Requirements Specific to OADM	4-12
4.1.4	Test Access Requirements for OADM and OTM	4-15
4.1.5	Synchronization Requirements for OADM and OTM	4-16
5.	ONE Optical Protection Requirements	5-1
5.1	Point-to-Point Protection Switching Mechanisms	5-8
5.1.1	ODU1 Linear Automatic Protection Switching (APS)	5-8
5.1.1.1	1+1 (Dedicated) ODU1 Protection Architecture	5-10
5.1.1.2	1:n ODU1 Protection Architecture	5-11
5.1.1.3	1:1 Case of the 1:n Architecture	5-12
5.1.1.4	ODUk APS Channel Protocol	5-14
5.1.2	Point-to-Point Optical Channel (OCh) Dedicated Protection	5-29
5.1.3	1:1 Point-to-Point Optical Channel Protection	5-33
5.1.3.1	OCh APS Channel Protocol	5-33
5.1.4	1:n Point-to-Point Optical Channel (OCh) Protection	5-38
5.1.5	Point-to-Point Optical Multiplex Section Dedicated Protection	5-39
5.1.6	1:1 Point-to-Point Optical Multiplex Section Protection	5-40
5.1.7	1:n Point-to-Point Optical Multiplex Section (OMS) Protection	5-43
5.2	Ring Protection Switching Mechanisms	5-43
5.2.1	ODU1 Ring Protection	5-43
5.2.2	Optical Channel Dedicated Protection Ring	5-43
5.2.3	Optical Multiplex Section Shared Protection Ring	5-44
5.2.4	Optical Channel Shared Protection Ring	5-44
5.3	Optical Network Survivable Interconnection Requirements	5-55
5.3.1	Requirements for Interconnection Methods #1, #2, and #3	5-57
5.3.1.1	Network Interconnection Using Dual Transmit (Interconnection Method #1)	5-58
5.3.1.2	Network Interconnection Using Dual Transmit With Drop and Continue (Interconnection Method #2)	5-59
5.3.1.3	Network Interconnection Using Dual Transmit With Drop and Continue on Transmit and Receive (Interconnection Method #3)	5-60
5.3.2	Requirements for Interconnection Methods #4 and #5	5-60
5.4	Escalation Requirements	5-60
5.4.1	Interlayer Escalation Strategy	5-61
5.4.2	Intralayer Escalation Strategy	5-61
6.	Management Criteria	6-1
6.1	Management Communications Architecture	6-4
6.1.1	Optical Supervisory Channel	6-6
6.2	Management Communications	6-8
6.2.1	Interactive Protocol Stacks	6-8
6.2.1.1	OSI-Based Interactive Protocol Stacks	6-8

6.2.1.2	IP-Based Interactive Protocol Stacks	6-10
6.2.2	Communications Roles for ONEs	6-10
6.2.2.1	Communications Roles for ONEs in OSI-Based Management Communication Systems	6-11
6.2.2.2	Communications Functions for ONEs in IP-Based Management Communication Systems	6-11
6.2.2.3	Management Communications Network Architecture	6-12
6.2.2.4	Communications Requirements for Gateway ONEs	6-13
6.2.2.5	Gateway NEs in Support of File Transfer Protocol	6-16
6.2.3	Routing Protocol Support	6-19
6.2.3.1	OSI-Based Management Communications Routing Protocol Support	6-19
6.2.3.2	IP-Based Management Communications Routing Protocol Support	6-20
6.2.4	Mediation Devices (MDs)	6-20
6.2.5	Communicating Entities	6-20
6.2.6	General Requirements for Management Communications .	6-21
6.2.7	Craftsperson/ONE Interfaces	6-21
6.2.7.1	Remote Access	6-21
6.3	Configuration Management	6-22
6.3.1	Installation Support	6-23
6.3.1.1	ONE Commissioning	6-23
6.3.1.2	ONE Software Installation	6-24
6.3.1.3	Installation Completion Reporting	6-27
6.3.1.4	ONE Installation Administration	6-27
6.3.2	ONE Provisioning	6-29
6.3.2.1	ONE Configuration	6-29
6.3.2.2	Inventory Notification and Query	6-31
6.3.2.3	ONE Provisioning Requirements Specific to OADM	6-35
6.3.2.4	ONE Administration	6-37
6.3.2.5	Provisioning of Transport Protection Mechanisms	6-39
6.3.2.6	Provisioning of Equipment Protection Mechanisms	6-42
6.3.2.7	ONE Database Management	6-43
6.4	Performance Management	6-45
6.4.1	Performance Monitoring	6-46
6.4.2	OLN Performance Monitoring Requirements	6-48
6.4.3	Performance Monitoring Requirements for SONET Clients	6-48
6.4.4	OTN Performance Monitoring Requirements	6-48
6.5	Fault Management	6-49
6.5.1	Alarm Surveillance	6-49
6.5.1.1	Alarm Administration and Summary	6-50
6.5.1.2	Failure Event Detection and Reporting	6-53
6.5.2	Fault Localization	6-56

6.5.2.1	Network Element Diagnostics	6-56
6.5.3	Fault Correction	6-57
6.5.4	Testing	6-57
6.5.4.1	Test Access	6-58
6.5.4.2	Loopback	6-58
6.6	Security Management	6-59
6.6.1	Identification	6-60
6.6.2	Authentication	6-60
6.6.3	System Access Control	6-61
6.6.4	Resource Access Control	6-62
6.6.5	Security Log	6-63
6.6.6	Data and System Integrity	6-64
6.6.7	Security Administration	6-64
6.6.8	Interoperable Security Features	6-65
References	References-1	
Acronyms	Acronyms-1	
Requirement-Object Index (ROI)	ROI-1	

List of Figures

Figure 2-1.	Conceptual View of an OADM and an OTM	2-2
Figure 2-2.	Functional Block Diagram of an OADM	2-3
Figure 2-3.	Functional Block Diagram of an OTM	2-3
Figure 2-4.	Conceptual Representation of OCh/OMS/OTS Trails	2-8
Figure 2-5.	OADM Utilizing Point-to-Point 1+1 Protection Mechanism: Example Configuration	2-9
Figure 2-6.	Functions Within an OADM: Unidirectional Traffic Flow	2-10
Figure 2-7.	Logical Network Connection	2-12
Figure 2-8.	Linear WDM System	2-13
Figure 2-9.	1+1 Point-to-Point Protection at the OCh and OMS Layer	2-15
Figure 2-10.	Fiber Needs for 1+1 and 1:1 Point-to-Point Protection Mechanism	2-15
Figure 2-11.	Generic 2-Fiber Optical Ring Network	2-17
Figure 2-12.	Functional Aspects of OADM	2-18
Figure 2-13.	Operation of an OMSSPRING: Bidirectional Traffic	2-20
Figure 2-14.	Different Ways to Allocate Optical Channels for Protection Purposes	2-21
Figure 2-15.	Bidirectional Traffic: Unidirectional vs. Bidirectional Path	2-22
Figure 2-16.	Options to Provision Optical Channel Trails on an OChDPRING	2-24
Figure 2-17.	Operation of the OChDPRING During Transmission Defect	2-25
Figure 2-18.	Virtual OChSPRINGs Within Physical OCh SPRING	2-27
Figure 2-19.	2-Fiber OChSPRING Functional Architecture	2-28
Figure 2-20.	2-Fiber OChSPRING Functional Architecture (Ring Switch)	2-29
Figure 2-21.	4-Fiber OChSPRING Functional Architecture	2-30
Figure 2-22.	4-Fiber OChSPRING Functional Architecture (Span Switch)	2-31
Figure 2-23.	4-Fiber OChSPRING Functional Architecture (Ring Switch)	2-32
Figure 2-24.	Failure Scenario of Optical Network Interconnection Using Single Point of Connection	2-33
Figure 2-25.	Dual Node Interconnection Using Dual Transmit Method	2-34
Figure 2-26.	Dual Node Interconnection Using Dual Transmit Between Two Optical Networks: Loss of Connectivity	2-35
Figure 2-27.	Dual Node Interconnection Using Dual Transmit With Drop and Continue	2-36
Figure 2-28.	Dual Node Interconnection Using Dual Transmit With Drop and Continue Between Two Optical Networks: Traffic Restored	2-37
Figure 2-29.	Dual Node Interconnection Using Dual Transmit With Drop and Continue Between Two Optical Networks: Loss of Connectivity	2-38
Figure 2-30.	Dual Node Interconnection Using Dual Transmit With Drop and Continue for Both Transmit and Receive	2-39
Figure 2-31.	Dual Node Interconnection Using Dual Transmit With Drop and Continue on Transmit and Receive: Traffic Restored	2-39

Figure 2-32.	Dual Node Interconnection Using Drop and Continue: Method #4	2-40
Figure 2-33.	Dual Node Interconnection Using Drop and Continue: Method #5	2-41
Figure 4-1.	Functional Block Diagram: NNI	4-2
Figure 4-2.	Functional Block Diagram: UNI	4-6
Figure 4-3.	Functional Block Diagram: Common Unit	4-7
Figure 4-4.	Potential Routing Capabilities for an OADM: Unidirectional	4-9
Figure 4-5.	Drop and Continue on Protection Capability	4-14
Figure 4-6.	Functional Block Diagram: Test Access	4-15
Figure 4-7.	Functional Block Diagram: Synchronization Interface	4-16
Figure 5-1.	Potential Misconnection of Extra Traffic	5-8
Figure 5-2.	Format and Fields of the ODU1 APS Channel	5-15
Figure 5-3.	1+1 Protection - Non-Intrusive Monitoring	5-30
Figure 5-4.	1+1 Protection - Non-Intrusive Monitoring (Failure to Working)	5-31
Figure 5-5.	1+1 Protection - Non-Intrusive Monitoring (Failure Before Domain)	5-31
Figure 5-6.	Unidirectional and Bidirectional Point-to-Point OCh Dedicated Protection Switching Mechanism	5-32
Figure 5-7.	Unidirectional and Bidirectional Point-to-Point OMS Dedicated Protection Switching Mechanism	5-40
Figure 5-8.	Point-to-Point OMS 1:1 Protection	5-42
Figure 5-9.	Shared Protection - Non-Intrusive Monitoring at Receive Node Only	5-46
Figure 5-10.	Shared Protection - Non-Intrusive Monitoring at Receive Node Only (Failure to Working)	5-46
Figure 5-11.	Shared Protection - Non-Intrusive Monitoring at Receive Node Only (Failure Before Domain)	5-47
Figure 5-12.	Shared Protection - Non-Intrusive Monitoring at Transmit and Receive Node	5-48
Figure 5-13.	Shared Protection - Non-Intrusive Monitoring at Transmit and Receive Node (Failure to Working)	5-48
Figure 5-14.	Shared Protection - Non-Intrusive Monitoring at Transmit and Receive Node (Failure Before Domain)	5-49
Figure 5-15.	Shared Protection - Inherent Monitoring (Failure to Working)	5-50
Figure 5-16.	Shared Protection - Inherent Monitoring (Failure Before Domain)	5-51
Figure 5-17.	Shared Protection - Sublayer Monitoring	5-51
Figure 5-18.	Shared Protection - Sublayer Monitoring (Failure to Working)	5-52
Figure 5-19.	Shared Protection - Sublayer Monitoring (Failure Before Domain)	5-52
Figure 5-20.	OMS Protection Embedded Within OCh Protection	5-62
Figure 6-1.	TMN - Telecommunications Network Relationship	6-5
Figure 6-2.	Interactive Protocol Stacks for Management Communications Networks	6-9

Figure 6-3.	IP Interactive Protocol Stacks for Management Communications	6-10
Figure 6-4.	Management Communications Functions for ONEs	6-12
Figure 6-5.	GNE That Interworks an OSC-DCC and the Intra-Site LAN	6-14
Figure 6-6.	A GNE That Interworks an OSC-DCC and the TCP/IP or X.25 DCN	6-15
Figure 6-7.	Example OTN Management Communications Network	6-16
Figure 6-8.	Gateway NEs in Support of File Transfer Protocol	6-17
Figure 6-9.	Remote Access	6-22

List of Tables

Table 2-1.	Optical Layer Network Model	2-7
Table 2-2.	Wavelength Allocation Options	2-23
Table 5-1.	Types of Optical Layer Protection Switching Mechanisms . . .	5-2
Table 5-2.	ODUk APS Channel Indicators	5-15
Table 5-3.	Channel Number Assignments for Requested and Bridged Signal Bytes	5-22
Table 5-4.	Type of Request	5-34
Table 5-5.	OCh SPRING Monitoring Analysis	5-53
Table 5-6.	Types of OLN/OTN Interconnections	5-56
Table 6-1.	Scope of Coverage of GR-2918-CORE and GR-2979-CORE . . .	6-1
Table 6-2.	Examples of Requirements Covered in GR-2918-CORE and GR-2979-CORE	6-2