
Future Voice Grade Special Access Services - Configurations, Transmission Parameter Limits, and Interface Combinations

Contents

Trademark Acknowledgements	iii
Preface	Preface-1
1. Introduction	1-1
1.1 Purpose and Scope	1-1
1.1.1 Voice Grade Special Access (VGSA) Services	1-1
1.1.2 IntraLATA Private Line Services (IPLS)	1-2
1.1.3 Applicability of Technical Specifications	1-2
1.1.4 Alternative Arrangements	1-2
1.2 Structure and Use of This Document	1-2
1.3 Reason for Issue	1-3
2. Service Descriptions and Technical Considerations	2-1
2.1 General	2-1
2.2 Voice Grade Special Access (VGSA)	2-1
2.3 IntraLATA Private Line Service (IPLS)	2-3
2.4 Channel Configurations	2-4
2.4.1 2-Wire and Effective 2-Wire Channels	2-4
2.4.2 Effective 4-Wire Channel	2-5
2.4.3 4-Wire Channel	2-6
2.5 Transfer Arrangements	2-6
2.6 Signal-Level Considerations	2-8
2.6.1 Maximum Signal Power on Multipoint Channels	2-9
2.7 Echo Return Loss and Stability	2-9
2.7.1 Equal Level Echo Path Loss vs. Return Loss Measurements	2-12
2.8 Multipoint Service	2-13
2.8.1 Bridging Arrangements	2-13
2.8.2 Multipoint Design Considerations	2-16
2.8.3 Maximum Number of Links	2-16
2.8.4 Multipoint Design	2-16
2.8.5 Signaling Arrangements	2-18
3. Interface Descriptions	3-1
3.1 General	3-1
3.2 Interface Codes	3-1
3.2.1 NCI Code Structure and Components	3-1
3.3 Conventions	3-10
3.3.1 Transmit and Receive Transmission Directions	3-10
3.3.2 Simplex Signaling Sense (Polarity) 4-Wire POT	3-10

3.3.3	Compatible Transmission Level Points (TLPs) at Interfaces	3-12
3.4	Tabulation of VG Interface Code Combinations	3-13
3.4.1	Digital High-Capacity Interfaces	3-13
3.5	Interface Illustrations	3-15
3.5.1	Interface Code 04AB2	3-15
3.5.2	Interface Code 02AC2	3-16
3.5.3	Interface Code 04AC2	3-17
3.5.4	Interface Code 02CC8.....	3-18
3.5.5	Interface Code 02CT3.....	3-19
3.5.6	Interface Code 04CT2.....	3-20
3.5.7	Interface Code 02DA2	3-21
3.5.8	Interface Code 04DA2	3-22
3.5.9	Interface Code 06DA2	3-23
3.5.10	Interface Code 02DB2	3-24
3.5.11	Interface Code 04DB2	3-25
3.5.12	Interface Code 02DC8	3-26
3.5.13	Interface Code 04DD2	3-27
3.5.14	Interface Code 02DE2.....	3-28
3.5.15	Interface Code 04DE2.....	3-29
3.5.16	Interface Codes 04DS	3-30
3.5.17	Interface Code 04DX2	3-31
3.5.18	Interface Codes 04EA2.E, 04EA2.M.....	3-32
3.5.19	Interface Codes 06EA2.E, 06EA2.M.....	3-33
3.5.20	Interface Codes 06EB2.E, 06EB2.M	3-34
3.5.21	Interface Codes 08EB2.E, 08EB2.M	3-35
3.5.22	Interface Code 08EC2.....	3-36
3.5.23	Interface Code 06EX2.A.....	3-37
3.5.24	Interface Code 06EX2.B.....	3-38
3.5.25	Interface Codes 02GO2, 02GO3.....	3-39
3.5.26	Interface Code 04GO2	3-40
3.5.27	Interface Codes 02GS2, 02GS3	3-41
3.5.28	Interface Code 04GS2.....	3-42
3.5.29	Interface Codes 02LA2, 02LB2, 02LC2.....	3-43
3.5.30	Interface Codes 02LO2, 02LO3.....	3-44
3.5.31	Interface Code 04LO2.....	3-45
3.5.32	Interface Code 02LR2.....	3-46
3.5.33	Interface Code 04LR2.....	3-47
3.5.34	Interface Codes 02LS2, 02LS3	3-48
3.5.35	Interface Code 04LS2	3-49
3.5.36	Interface Code 02N02.....	3-50
3.5.37	Interface Code 04NO2	3-51
3.5.38	Interface Code 02PR2.....	3-52
3.5.39	Interface Code 04PR2	3-53
3.5.40	Interface Code 02RV2.O.....	3-54

3.5.41	Interface Code 02RV2.T	3-55
3.5.42	Interface Code 04RV2.O	3-56
3.5.43	Interface Codes 04RV2.T	3-57
3.5.44	Interface Code 04SF2	3-58
3.5.45	Interface Code 02TF2	3-59
3.5.46	Interface Code 04TF2	3-60
3.5.47	CO-NCI Code Overview	3-61
4.	Signaling Arrangements	4-1
4.1	General	4-1
4.2	Loop-Start Signaling	4-1
4.2.1	Loop-Start Operation Closed-End (LS)	4-1
4.2.2	Loop-Start Operation Open-End (LO)	4-2
4.2.3	Loop-Start Signaling - Reference Information	4-2
4.3	Ground-Start Signaling	4-3
4.3.1	Ground-Start Operation Closed-End (GS)	4-4
4.3.2	Ground-Start Operation Open-End (GO)	4-4
4.3.3	Ground-Start Signaling - Reference Information	4-4
4.4	E&M Lead Signaling	4-4
4.4.1	Type I E&M Interface (EA-E, EA-M)	4-5
4.4.2	Type II E&M Interface (EB-E, EB-M)	4-6
4.4.3	Type III E&M Interface (EC)	4-7
4.5	Reverse-Battery Signaling (RV-O, RV-T)	4-7
4.5.1	Reverse-Battery Operation	4-8
4.5.2	Reverse-Battery Signaling - Reference Information	4-8
4.6	Duplex (DX) Signaling	4-9
4.6.1	DX Operation	4-9
4.7	Single-Frequency (SF) Signaling	4-10
4.8	Digital Multiplexed (DS) Signaling	4-10
4.8.1	SF Signaling for Digital Multiplexed Interface	4-11
4.9	Tandem Signaling (EX)	4-11
5.	VGSA Channel Specifications	5-1
5.1	General	5-1
5.2	Transmission Performance Considerations	5-1
5.3	Special Access - Voice Line	5-3
5.3.1	2-Point Special Access - Voice Line	5-3
5.3.2	Multipoint Special Access - Voice Line	5-4
5.3.3	Available Options for Special Access - Voice Line	5-5
5.3.4	Transmission Performance Specifications for Special Access - Voice Line	5-6
5.3.5	Interface Combinations	5-7
5.3.6	Registered Equipment/Facility Identification Code (RE/FIC) Cross- Reference	5-9
5.3.7	Special Access - Voice Line Compatible TLP Ranges at the EU-NI	5-9

5.3.8	Special Access - Voice Line Compatible TLP Ranges at the IC-POT	5-10
5.4	Special Access - Voice Trunk	5-12
5.4.1	Available Signaling	5-12
5.4.2	Available Options	5-12
5.4.3	Transmission Performance Specifications for Special Access - Voice Trunk	5-13
5.4.4	Interface Combinations	5-16
5.4.5	Special Access - Voice Trunk Compatible TLP Ranges at the EU-NI	5-17
5.4.6	Special Access - Voice Trunk Compatible TLP Ranges at the IC-POT	5-18
5.5	Special Access - Data Line	5-20
5.5.1	2-Point Special Access - Data Line	5-20
5.5.2	Multipoint Special Access - Data Line	5-20
5.5.3	Available Signaling	5-21
5.5.4	Available Options	5-22
5.5.5	Transmission Performance Specifications for Special Access - Data Line	5-22
5.5.6	Interface Combinations	5-25
5.5.7	Special Access - Data Line Compatible TLP Ranges at the EU-NI	5-26
5.5.8	Special Access - Data Line Compatible TLP Ranges at the IC-POT	5-27
5.6	Special Access Voice Grade 12 (VG12)	5-29
5.6.1	Special Access 2-Point Voice Grade 12 (VG12)	5-29
5.6.2	Special Access Multipoint (VG12)	5-29
5.6.3	Available Options	5-30
5.6.4	Transmission Performance Specifications for Special Access VG12	5-30
5.6.5	Interface Combinations	5-32
5.6.6	Special Access VG12 Compatible TLP Ranges at the EU-NI	5-33
5.6.7	Special Access VG12 Compatible TLP Ranges at the IC-POT	5-33
5.7	C-Message Noise Limits for Special Access Services	5-34
5.8	Additional Transmission Performance Options	5-35
5.8.1	C-Conditioning Option	5-35
5.8.2	Improved Attenuation Distortion Option	5-35
5.8.3	Improved Envelope Delay Distortion Option	5-36
5.8.4	Data Capability Option	5-36
5.8.5	Simplex Reversal Option	5-37
5.9	Special Access Voice Grade - Customized (VGC)	5-38
6.	IPLS Channel Specifications	6-1
6.1	IntraLATA Private Line Service - Voice Line (IPLS - Voice Line)	6-1
6.1.1	Architecture	6-1
6.1.2	Available Signaling	6-2

6.1.3	Available Options	6-2
6.1.4	Transmission performance specifications for IPLS - Voice Line	6-2
6.1.5	IPLS - Voice Line Interface Combinations.....	6-3
6.1.6	IPLS - Voice Line TLP Ranges at the EU-NI.....	6-4
6.1.7	Registered Equipment/Facility Identification Code (RE/FIC) Cross-Reference	6-4
6.2	IntraLATA Private Line Service - Voice Trunk (IPLS Voice Trunk)	6-6
6.2.1	Architecture.....	6-6
6.2.2	Available Signaling.....	6-6
6.2.3	Available Options	6-7
6.2.4	Transmission Performance Specifications for IPLS - Voice Trunk ...	6-7
6.2.5	IPLS - Voice Trunk Interface Combinations	6-8
6.2.6	IPLS - Voice Trunk TLP Ranges at the EU-NI	6-9
6.2.7	Tie-Trunk Cross-References	6-10
6.3	IntraLATA Private Line Service - Data Line (IPLS - Data Line).....	6-11
6.3.1	Architecture.....	6-11
6.3.2	Available Signaling.....	6-11
6.3.3	Available Options	6-12
6.3.4	Transmission Performance Specifications for IPLS - Data Line	6-12
6.3.5	IPLS - Data Line Interface Combinations.....	6-15
6.3.6	IPLS - Data Line TLP Ranges at the EU-NI.....	6-15
6.4	Additional Transmission Performance Options for IPLS - Data Line	6-16
6.4.1	C-Conditioning.....	6-16
6.4.2	Data Capability Option	6-16
References	References-1
Glossary	Glossary-1

List of Figures

Figure 2-1.	Typical 2-Wire and Effective 2-Wire Channel Configurations.....	2-5
Figure 2-2.	Typical Effective 4-Wire Channel Configuration	2-6
Figure 2-3.	Typical 4-Wire Channel Configuration.....	2-6
Figure 2-4.	Configuration of a Through Connection	2-7
Figure 2-5.	Station Terminal Transfer or Exclusion Configuration.....	2-7
Figure 2-6.	Transmission Level Point Concept.....	2-8
Figure 2-7.	Relationship of EPL, TLPs, and ELEPL	2-11
Figure 2-8.	ELEPL to RLMS-Reading Conversion Chart	2-12
Figure 2-9.	End-Link and Mid-Link Definitions.....	2-14
Figure 2-10.	Two Multipoint Access Services Connected by Interexchange Carrier..	2-14
Figure 2-11.	A Multipoint Access Service Connected to Seven 2-Point Access Lines...2-15	
Figure 2-12.	Multipoint Access Services with a 2-Point Access Line	2-15
Figure 3-1.	Transmit and Receive Transmission Directions	3-10
Figure 3-2.	Standard Simplex Sense for 04LO, 04LS, 04GO, 04GS, and 04DX Interfaces	3-11
Figure 3-3.	Standard Simplex Sense for 04RV2.O Interface	3-12
Figure 3-4.	Interface Code 04AB2	3-15
Figure 3-5.	Interface Code 02AC2	3-16
Figure 3-6.	Interface Code 04AC2	3-17
Figure 3-7.	Interface Code 02CC8	3-18
Figure 3-8.	Interface Code 02CT3	3-19
Figure 3-9.	Interface Code 04CT2	3-20
Figure 3-10.	Interface Code 02DA2.....	3-21
Figure 3-11.	Interface Code 04DA2.....	3-22
Figure 3-12.	Interface Code 06DA2.....	3-23
Figure 3-13.	Interface Code 02DB2	3-24
Figure 3-14.	Interface Code 04DB2	3-25
Figure 3-15.	Interface Code 02DC8.....	3-26
Figure 3-16.	Interface Code 04DD2.....	3-27
Figure 3-17.	Interface Code 02DE2	3-28
Figure 3-18.	Interface Code 04DE2	3-29
Figure 3-19.	Interface Code 04DS	3-30
Figure 3-20.	Interface Code 04DX2.....	3-31
Figure 3-21.	Interface Codes 04EA2.E & 04EA2.M	3-32
Figure 3-22.	Interface Codes 06EA2.E & 06EA2.M	3-33
Figure 3-23.	Interface Codes 06EB2.E & 06EB2.M.....	3-34
Figure 3-24.	Interface Codes 08EB2.E & 08EB2.M.....	3-35
Figure 3-25.	Interface Code 08EC2	3-36

Figure 3-26.	Interface Code 06EX2.A	3-37
Figure 3-27.	Interface Code 06EX2.B.....	3-38
Figure 3-28.	Interface Codes 02GO2 & 02GO3	3-39
Figure 3-29.	Interface Code 04GO2.....	3-40
Figure 3-30.	Interface Codes 02GS2 & 02GS3.....	3-41
Figure 3-31.	Interface Code 04GS2	3-42
Figure 3-32.	Interface Codes 02LA2, 02LB2, & 02LC2	3-43
Figure 3-33.	Interface Code 02LO2 & 02LO3.....	3-44
Figure 3-34.	Interface Code 04LO2	3-45
Figure 3-35.	Interface Code 02LR2	3-46
Figure 3-36.	Interface Code 04LR2	3-47
Figure 3-37.	Interface Codes 02LS2 & 02LS3.....	3-48
Figure 3-38.	Interface Code 04LS2.....	3-49
Figure 3-39.	Interface Code 02NO2.....	3-50
Figure 3-40.	Interface Code 04NO2.....	3-51
Figure 3-41.	Interface Code 02PR2.....	3-52
Figure 3-42.	Interface Code 04PR2.....	3-53
Figure 3-43.	Interface Code 02RV2.O	3-54
Figure 3-44.	Interface Code 02RV2.T.....	3-55
Figure 3-45.	Interface Code 04RV2.O	3-56
Figure 3-46.	Interface Code 04RV2.T.....	3-57
Figure 3-47.	Interface Code 04SF2	3-58
Figure 3-48.	Interface Code 02TF2.....	3-59
Figure 3-49.	Interface Code 04TF2.....	3-60
Figure 3-50.	CO-NCI Code BF - Split Frequency Bridge	3-61
Figure 3-51.	CI Code BR - Bridging.....	3-62
Figure 3-52.	CO-NCI Code TA - Transfer Arrangement.....	3-63
Figure 3-53.	CO-NCI Code CS - Digital Cross-connect System	3-64
Figure 3-54.	CO-NCI Code DM - Data Stream in VF Band at CO Location	3-64
Figure 4-1.	Loop-Start Signaling Circuit	4-2
Figure 4-2.	Ground-Start Signaling.....	4-3
Figure 4-3.	Type I E&M Interface — M-Lead Originate	4-5
Figure 4-4.	Type II E&M Interface — M-Lead Originate	4-6
Figure 4-5.	Type III E&M Lead Interface.....	4-7
Figure 4-6.	Reverse-Battery Signaling.....	4-8
Figure 4-7.	DX Signaling Circuit.....	4-9
Figure 5-1.	2-Point Special Access - Voice Line Configurations	5-3
Figure 5-2.	Multipoint Special Access - Voice Line Configurations.....	5-5
Figure 5-3.	Special Access - Voice Trunk Configurations	5-12
Figure 5-4.	2-Point Special Access - Data Line Configurations	5-20
Figure 5-5.	Multipoint Special Access - Data Line Configurations.....	5-21
Figure 5-6.	2-Point VG12 Configurations.....	5-29
Figure 5-7.	Multipoint VG12 Configurations	5-30
Figure 6-1.	IPLS - Voice Line Configurations.....	6-1

Figure 6-2. IPLS - Voice Trunk Configurations6-6
Figure 6-3. IPLS - Data Line Configurations.....6-11

List of Tables

Table 2-1.	Original VGSA Services	2-2
Table 2-2.	Consolidated VGSA Services.....	2-3
Table 2-3.	Original IPLS.....	2-4
Table 2-4.	Consolidated IPLS.....	2-4
Table 2-5.	Guidelines for Maximum Transmitted Power of Simultaneous Signals ...	2-9
Table 2-6.	Multipoint Applications of VGSA Services.....	2-13
Table 2-7.	Attenuation Distortion — Multipoint Channels	2-17
Table 3-1.	Network Channel Interface Code Format.....	3-1
Table 3-2.	Codes for the Number of Conductors.....	3-2
Table 3-3.	Impedance Codes.....	3-2
Table 3-4.	TLP Codes	3-3
Table 3-5.	NCI Protocol Codes and Options	3-4
Table 3-6.	Protocol Codes and Options - CO Terminations.....	3-7
Table 3-7.	Digital High-Capacity Interfaces.....	3-14
Table 4-1.	E&M Lead Signal States	4-5
Table 4-2.	PUB 43801 Descriptions and Associated NCI Protocol Codes	4-11
Table 5-1.	Special Access - Voice Line Loss Deviation Limits	5-6
Table 5-2.	Special Access - Voice Line Three-tone Slope Limits.....	5-6
Table 5-3.	Special Access - Voice Line Attenuation Distortion Limits	5-6
Table 5-4.	Special Access -Voice Line C-Message Noise Limits	5-7
Table 5-5.	Special Access -Voice Line Echo Control Limits,.....	5-7
Table 5-6.	Special Access - Voice Line Compatible Interface Combinations.....	5-8
Table 5-7.	Special Access - Voice Line High-Capacity Cross-Connect Code Combinations.....	5-9
Table 5-8.	Special Access - Voice Line RE/FIC to IC-POT NCI Code Cross-reference..	5-9
Table 5-9.	Special Access - Voice Line TLP Ranges at the EU-NI for Channels with 2- Wire Transmission.....	5-10
Table 5-10.	Special Access - Voice Line TLP Ranges at the EU-NI for Channels with 4- Wire Transmission.....	5-10
Table 5-11.	Special Access - Voice Line TLP Ranges at the IC-POT for Channels with 4-Wire Transmission	5-11
Table 5-12.	Special Access - Voice Line TLP Ranges at the IC-POT for Channels with 2-Wire Transmission	5-11
Table 5-13.	Special Access - Voice Line TLP Ranges at the IC-POT for Channels with Digital Signal.....	5-11
Table 5-14.	Special Access - Voice Trunk Loss Deviation Limits.....	5-13
Table 5-15.	Special Access - Voice Trunk Three-Tone Slope Limits	5-13
Table 5-16.	Special Access - Voice Trunk Attenuation Distortion Limits.....	5-13
Table 5-17.	Special Access - Voice Trunk Envelope Delay Distortion Limits	5-14

Table 5-18.	Special Access - Voice Trunk C-Message Noise Limits.....	5-14
Table 5-19.	Special Access - Voice Trunk C-Notched Noise Limits	5-14
Table 5-20.	Special Access - Voice Trunk Impulse Noise Limits.....	5-14
Table 5-21.	Special Access - Voice Trunk Signal to Intermodulation Distortion Ratio Limits.....	5-14
Table 5-22.	Special Access - Voice Trunk Phase Jitter Limits.....	5-15
Table 5-23.	Special Access - Voice Trunk Frequency Shift Limits	5-15
Table 5-24.	Special Access - Voice Trunk Phase Hit, Gain Hit, and Dropout Performance Limits.....	5-15
Table 5-25.	Special Access - Voice Trunk Echo Control Limits.....	5-15
Table 5-26.	Special Access - Voice Trunk Compatible Interface Combinations	5-16
Table 5-27.	Special Access - Voice Trunk High-Capacity Cross-Connect Code Combinations.....	5-17
Table 5-28.	Special Access - Voice Trunk TLP Ranges at the EU-NI for Channels with 2-Wire Transmission	5-17
Table 5-29.	Special Access - Voice Trunk TLP Ranges at the EU-NI for Channels with 4-Wire Transmission	5-18
Table 5-30.	Special Access - Voice Trunk TLP Ranges at the IC-POT for Channels with Analog Interfaces.....	5-19
Table 5-31.	Special Access - Voice Trunk TLP Ranges at the IC-POT for Channels with Digital Signal.....	5-19
Table 5-32.	Special Access - Data Line Loss Deviation Limits	5-22
Table 5-33.	Special Access - Data Line Three-tone Slope Limits.....	5-22
Table 5-34.	Special Access - Data Line Attenuation Distortion Limits	5-22
Table 5-35.	Special Access - Data Line Envelope Delay Distortion Limits.....	5-23
Table 5-36.	Special Access - Data Line C-Message Noise Limits	5-23
Table 5-37.	Special Access - Data Line C-Notched Noise Limits.....	5-23
Table 5-38.	Special Access - Data Line Impulse Noise Limits	5-23
Table 5-39.	Special Access - Data Line Signal to Intermodulation Distortion Ratio Limits.....	5-24
Table 5-40.	Special Access - Data Line Phase Jitter Limits	5-24
Table 5-41.	Special Access - Data Line Frequency Shift Limits.....	5-24
Table 5-42.	Special Access - Data Line Phase Hit, Gain Hit, and Dropout Performance Limits.....	5-24
Table 5-43.	Special Access - Data Line Echo Control Limits.....	5-25
Table 5-44.	Special Access - Data Line Compatible Interface Combinations.....	5-25
Table 5-45.	Special Access - Data Line Compatible High-Capacity Cross-Connect Code Combinations.....	5-26
Table 5-46.	Special Access - Data Line Compatible TLP Ranges at the EU-NI for Channels with 2-Wire Transmission	5-26
Table 5-47.	Special Access - Data Line Compatible TLP Ranges at the EU-NI for Channels with 4-Wire Transmission	5-27
Table 5-48.	Special Access - Data Line Compatible TLP Ranges at the IC-POT for Channels with 4-Wire Transmission	5-27

Table 5-49.	Special Access - Data Line Compatible TLP Ranges at the IC-POT for Channels with 2-Wire Transmission	5-28
Table 5-50.	Special Access - Data Line Compatible TLP Ranges at the IC-POT for Channels with Digital Signal	5-28
Table 5-51.	Special Access VG12 Loss Deviation Limits.....	5-30
Table 5-52.	Special Access VG12 Three-tone Slope Limits	5-31
Table 5-53.	Special Access VG12 Attenuation Distortion Limits	5-31
Table 5-54.	Special Access VG12 Envelope Delay Distortion Limits	5-31
Table 5-55.	Special Access VG12 C-Message Noise Limits.....	5-31
Table 5-56.	Special Access VG12 C-Notched Noise Limits	5-31
Table 5-57.	Special Access VG12 Impulse Noise Limits.....	5-32
Table 5-58.	Special Access VG12 Frequency Shift Limits	5-32
Table 5-59.	Special Access VG12 Phase Hit, Gain Hit, and Dropout Performance Limits.....	5-32
Table 5-60.	Special Access VG12 Compatible Interface Combinationbs	5-32
Table 5-61.	Special Access VG12 Compatible TLP Ranges at the EU-NI	5-33
Table 5-62.	Special Access VG12 Compatible TLP Ranges at the IC-POT	5-33
Table 5-63.	Special Access Services C-Message Noise Limits (dBrnC0)	5-34
Table 5-64.	C-Conditioning Option Attenuation Distortion Limits	5-35
Table 5-65.	C-Conditioning Option Envelope Delay Distortion Limits.....	5-35
Table 5-66.	Improved Attenuation Distortion Option Attenuation Distortion Limits	5-36
Table 5-67.	Improved Envelope Delay Distortion Option Envelope Delay Distortion Limits.....	5-36
Table 5-68.	Data Capability Option C-Notched Noise Limits.....	5-37
Table 5-69.	Data Capability Option Signal to Intermodulation Distortion Ratio Limits	5-37
Table 5-70.	VGC Loss Deviation Limit Options.....	5-38
Table 5-71.	VGC Three-tone Slope Limit Options.....	5-39
Table 5-72.	VGC Attenuation Distortion Options	5-39
Table 5-73.	VGC Impulse Noise Limit Options	5-39
Table 5-74.	VGC Envelope Delay Distortion Limit Options	5-40
Table 5-75.	VGC C-Notched Noise and Signal-to-C-Notched Noise Ratio Limit Options.....	5-40
Table 5-76.	VGC Signal-to-Intermodulation Distortion Ratio Limit Options.....	5-40
Table 5-77.	VGC Frequency Shift Limit Options.....	5-41
Table 5-78.	VGC Phase Jitter Limit Options	5-41
Table 5-79.	VGC Echo Control Limit Options.....	5-41
Table 6-1.	IPLS - Voice Line Loss Deviation Limits	6-2
Table 6-2.	IPLS - Voice Line Three-tone Slope Limits.....	6-2
Table 6-3.	IPLS - Voice Line Attenuation Distortion Limits	6-3
Table 6-4.	IPLS - Voice Line C-Message Noise Limits	6-3
Table 6-5.	IPLS - Voice Line Echo Control Limits	6-3
Table 6-6.	IPLS - Voice Line EU-NI to EU-NI Compatible Interface Combinations	6-4
Table 6-7.	IPLS - Voice Line TLP Ranges at the EU-NI	6-4

Table 6-8.	IPLS - Voice Line RE/FIC to EU-NI NCI Code Cross-reference.....	6-5
Table 6-9.	IPLS - Voice Trunk Loss Deviation Limits.....	6-7
Table 6-10.	IPLS - Voice Trunk Three-tone Slope Limits	6-7
Table 6-11.	IPLS - Voice Trunk Attenuation Distortion Limits.....	6-7
Table 6-12.	IPLS - Voice Trunk C-Message Noise Limits.....	6-8
Table 6-13.	IPLS - Voice Trunk Echo Control Limits	6-8
Table 6-14.	IPLS - Voice Trunk EU-NI to EU-NI Compatible Interface Combinations ..	6-8
Table 6-15.	IPLS - Voice Trunk TLP Ranges at the EU-NI.....	6-9
Table 6-16.	IPLS - Voice Trunk Tie-trunk Interface Cross-reference Listing	6-10
Table 6-17.	IPLS - Data Line Loss Deviation Limits	6-12
Table 6-18.	IPLS - Data Line Three-tone Slope Limits.....	6-12
Table 6-19.	IPLS - Data Line Attenuation Distortion Limits	6-12
Table 6-20.	IPLS - Data Line C-Message Noise Limits	6-13
Table 6-21.	IPLS - Data Line Echo Control Limits	6-13
Table 6-22.	IPLS - Data Line C-notched Noise Limits	6-13
Table 6-23.	IPLS - Data Line Envelope Delay Distortion Limits	6-13
Table 6-24.	IPLS - Data Line Impulse Noise Limits	6-14
Table 6-25.	IPLS - Data Line Signal-to-Intermodulation Distortion Ratio Limits.....	6-14
Table 6-26.	IPLS - Data Line Phase Jitter Limits	6-14
Table 6-27.	IPLS - Data Line Frequency Shift Limits.....	6-14
Table 6-28.	IPLS - Data Line Phase Hit, Gain Hit, and Dropout Performance Limits ..	6-14
Table 6-29.	IPLS - Data Line EU-NI to EU-NI Compatible Interface Combinations	6-15
Table 6-30.	IPLS - Data Line TLP Ranges at the EU-NI	6-15
Table 6-31.	C-Conditioning Option Attenuation Distortion Limits	6-16
Table 6-32.	C-Conditioning Option Envelope Delay Distortion Limits.....	6-16
Table 6-33.	Data Capability Option C-Notched Noise Limits.....	6-17
Table 6-34.	Data Capability Option Signal to Intermodulation Distortion Ratio Limits	6-17
