

## Fault Management Based on the Telecommunications Management Network (TMN) Architecture

### Contents

Preface .....	Preface–1
1. Introduction .....	1–1
1.1 Business Drivers.....	1–1
1.2 Purpose and Scope .....	1–1
1.3 Audience .....	1–2
1.4 Discussion of Business Drivers.....	1–3
1.4.1 Savings of Repair Costs .....	1–3
1.4.2 Proactive Maintenance.....	1–4
1.4.3 Trouble Administration.....	1–4
1.4.4 Quality Assurance .....	1–5
1.5 Overview of the TMN Functional Architecture.....	1–6
1.6 Document Organization .....	1–6
1.7 Requirements Terminology.....	1–7
1.8 Requirement Labeling Conventions.....	1–8
1.8.1 Numbering of Requirement and Related Objects .....	1–8
1.8.2 Requirement and Objective Object Identification .....	1–9
2. Basic Principles.....	2–1
2.1 Fault Management Overview .....	2–1
2.1.1 Faults and their root causes .....	2–1
2.1.2 Detection of faults .....	2–2
2.1.3 Proactive maintenance .....	2–2
2.1.4 Service restoration after detection of a fault .....	2–3
2.1.5 Determination of the root cause .....	2–3
2.1.6 Repair .....	2–3
2.1.7 Interaction with the customer.....	2–3
2.1.8 Cooperation with other jurisdictions.....	2–4
2.1.9 Quality Assurance .....	2–5
2.1.9.1 Quality Measurements .....	2–5
2.1.9.2 Survivability (reports of severe problems) .....	2–7
2.2 What the NE Provides .....	2–8
2.3 Fault Management Systems in the TMN Environment.....	2–9
2.4 TMN Management Application Functions .....	2–9
3. Network Resource Entities and Terminology .....	3–1
3.1 TMN Layers and Their Domains .....	3–1

---

3.2	Network Resource Entities.....	3-2
3.2.1	Network Elements (NEs) .....	3-3
3.2.1.1	Transport NEs .....	3-4
3.2.1.2	Congestible NEs .....	3-4
3.2.1.3	Subscriber access NEs .....	3-4
3.2.1.4	Signaling NEs .....	3-5
3.2.2	Paths .....	3-5
3.2.2.1	Trails .....	3-5
3.2.2.2	Connections .....	3-7
3.2.3	Monitoring Points .....	3-7
3.2.3.1	Equipment monitoring points .....	3-7
3.2.3.2	Trail termination points .....	3-7
3.2.3.3	Intermediate monitoring points.....	3-8
3.2.3.4	Environmental monitoring points.....	3-8
3.2.4	Facilities .....	3-8
3.2.5	Circuits .....	3-9
3.2.6	Test access points .....	3-9
3.2.7	Networks .....	3-9
3.2.7.1	Subnetworks .....	3-9
3.2.7.2	Links .....	3-10
3.2.8	Service instances .....	3-10
4.	RAS Quality Assurance .....	4-1
4.1	EML .....	4-1
4.1.1	NE(s) outage reporting.....	4-1
4.2	NML .....	4-6
4.2.1	Network outage reporting .....	4-6
4.3	SML.....	4-9
4.3.1	Service outage reporting .....	4-9
4.4	BML .....	4-12
4.4.1	Network RAS goal setting .....	4-12
4.4.2	Service availability goal setting .....	4-13
4.4.3	RAS assessment .....	4-14
5.	Alarm Surveillance .....	5-1
5.1	EML .....	5-2
5.1.1	Alarm reporting.....	5-2
5.1.1.1	Failure processing .....	5-2
5.1.1.2	Notification logging.....	5-5
5.1.1.3	Message inhibition.....	5-8
5.1.2	Alarm summary.....	5-9
5.1.3	Alarm event criteria .....	5-10
5.1.4	Alarm indication management.....	5-12
5.1.5	Log control .....	5-14
5.1.6	Alarm correlation and filtering .....	5-16

---

5.1.6.1	Processing of equipment alarms .....	5-16
5.1.6.2	Processing of communication alarms .....	5-16
5.1.6.3	Processing of environmental alarms .....	5-17
5.1.6.4	Processing of state changes .....	5-17
5.1.6.5	Correlation of alarms .....	5-18
5.1.6.6	Message inhibition.....	5-19
5.1.6.7	Alarm resynchronization .....	5-20
5.1.6.8	Message logging .....	5-22
5.1.6.9	Persistence analysis .....	5-22
5.1.6.10	Sending fault indications to NE(s) fault localization.....	5-24
5.1.6.11	Sending fault indications to NE(s) status and control .....	5-25
5.2	NML .....	5-26
5.2.1	Alarm status modification .....	5-26
5.2.2	Network fault event analysis, including correlation and filtering.....	5-27
5.2.2.1	Correlation of fault indications along a trail.....	5-29
5.2.2.2	Correlation of fault indications among related trails .....	5-30
5.2.2.3	Forwarding of fault indications .....	5-30
5.2.2.4	Interactions with Configuration Management .....	5-32
5.3	SML.....	5-33
5.4	BML .....	5-33
5.4.1	Alarm policy .....	5-33
5.4.1.1	Control of Alarm event criteria.....	5-33
5.4.1.2	Control of Alarm indication management .....	5-34
5.4.1.3	Control of Alarm correlation and filtering.....	5-35
5.4.1.4	Control of Alarm status modification.....	5-35
6.	Fault Localization .....	6-1
6.1	EML .....	6-1
6.1.1	NE(s) fault localization .....	6-1
6.1.1.1	Control of scheduled exercises, diagnostics, and audits....	6-2
6.1.1.2	On-demand diagnostics, exercises, and audits .....	6-3
6.1.1.3	Fault localization flows.....	6-5
6.1.1.4	Interaction with Configuration Management.....	6-7
6.1.1.5	Policy inputs for on-demand fault localization.....	6-8
6.2	NML .....	6-9
6.2.1	Network fault localization.....	6-9
6.2.1.1	Event inputs .....	6-10
6.2.1.2	Network fault localization process .....	6-11
6.2.1.3	Pattern analysis .....	6-17
6.2.1.4	Persistence analysis .....	6-18
6.2.1.5	Trouble Ticket Requests .....	6-20
6.2.1.6	Reporting to Status and Control MAFs .....	6-21
6.2.1.7	Trouble report creation and update.....	6-22
6.2.1.8	Fault localization procedure initiation and processing .....	6-22
6.2.1.9	Circuit test initiation and processing .....	6-24

---

6.2.1.10	External condition processing.....	6-26
6.2.1.11	Network topology database .....	6-27
6.2.1.12	Interactions with Configuration Management.....	6-28
6.3	SML.....	6-30
6.3.1	Verification of parameters and connectivity.....	6-30
6.3.1.1	Service instance identification.....	6-31
6.3.1.2	Verification request processing .....	6-32
6.4	BML .....	6-33
6.4.1	Fault localization policy .....	6-33
6.4.1.1	Control of NE(s) fault localization .....	6-34
6.4.1.2	Control of Network fault localization.....	6-35
7.	Fault Correction .....	7-1
7.1	EML .....	7-1
7.1.1	NE(s) fault correction.....	7-1
7.2	NML .....	7-5
7.2.1	Scheduling and dispatch administration of repair force.....	7-5
7.2.1.1	Management of assignment queues for new and changed trouble tickets.....	7-6
7.2.1.2	Determination of next task.....	7-7
7.2.1.3	Assignment of forces and other repair resources to a task	7-8
7.2.1.4	Borrowing circuit and NE components .....	7-12
7.2.1.5	Routing of mobile forces .....	7-14
7.2.1.6	Testing tasks .....	7-16
7.2.1.7	Completion .....	7-16
7.2.1.8	Administration of repair resources .....	7-17
7.3	SML.....	7-19
7.3.1	Arrangement of repair with customer .....	7-19
7.4	BML .....	7-21
7.4.1	Management of repair process .....	7-21
8.	Testing.....	8-1
8.1	EML .....	8-1
8.1.1	Test access configuration .....	8-1
8.1.2	Test circuit configuration .....	8-1
8.1.3	NE(s) test control .....	8-1
8.1.4	Results and status reporting .....	8-2
8.1.5	Test access path management .....	8-2
8.2	NML .....	8-2
8.2.1	Circuit selection, test correlation and fault location .....	8-2
8.2.2	Selection of test suite .....	8-2
8.2.3	Test access network control and recovery .....	8-2
8.3	SML.....	8-2
8.3.1	Service test .....	8-2
8.4	BML .....	8-3

---

8.4.1	Test point policy.....	8-3
9.	Trouble Administration.....	9-1
9.1	EML .....	9-2
9.2	NML .....	9-3
9.2.1	Trouble ticket administration .....	9-3
9.3	SML.....	9-7
9.3.1	Trouble reporting .....	9-8
9.3.2	Trouble report status change notification.....	9-14
9.3.3	Trouble information query .....	9-16
9.3.4	Trouble ticket creation notification.....	9-19
9.3.5	Management of trouble by service customer .....	9-20
9.4	BM <sub>L</sub> .....	9-21
9.4.1	Trouble report policy .....	9-21
Appendix A: Cross-Reference Tables for Interactions.....		A-1
A.1	Introduction.....	A-1
A.2	RAS Quality Assurance .....	A-2
A.2.1	BM <sub>L</sub> .....	A-2
A.2.2	SML .....	A-4
A.2.3	NML.....	A-6
A.2.4	EML .....	A-8
A.3	Alarm Surveillance.....	A-8
A.3.1	BM <sub>L</sub> .....	A-8
A.3.2	NML.....	A-9
A.3.3	EML .....	A-11
A.4	Fault Localization.....	A-14
A.4.1	BM <sub>L</sub> .....	A-14
A.4.2	SML .....	A-14
A.4.3	NML.....	A-15
A.4.4	EML .....	A-18
A.5	Fault Correction .....	A-19
A.5.1	BM <sub>L</sub> .....	A-19
A.5.2	SML .....	A-20
A.5.3	NML.....	A-21
A.5.4	EML .....	A-25
A.6	Trouble Administration.....	A-26
A.6.1	BM <sub>L</sub> .....	A-26
A.6.2	SML .....	A-28
A.6.3	NML.....	A-33
Appendix B: Cross-Reference Table for Management Application Functions.....		B-1
References .....	.....	References-1
Acronyms.....	.....	Acronyms-1

---

Glossary .....	Glossary-1
Index .....	Index-1

## List of Figures

Figure 2-1.	Concepts of Dependability .....	2-6
Figure 2-2.	Mean Time Between Failures.....	2-6
Figure 3-1.	Logical View of Signal X's Client Trail List .....	3-6
Figure 3-2.	Logical View of Signal Y's Server Trail List.....	3-6
Figure 4-1.	Overview of Information Flow for RAS .....	4-1
Figure 4-2.	Sources of Information for NE(s) outage reporting.....	4-2
Figure 4-3.	Sources of Information for Network outage reporting .....	4-6
Figure 4-4.	Interaction Diagram for Service outage reporting.....	4-9
Figure 4-5.	Interaction Diagram for Goal Setting MAFs .....	4-12
Figure 4-6.	Measurement Inputs to RAS assessment.....	4-15
Figure 5-1.	Alarm Surveillance Flow .....	5-1
Figure 5-2.	Interactions of Alarm policy.....	5-33
Figure 6-1.	Information Flow for Fault Localization .....	6-1
Figure 6-2.	Interactions of NE(s) fault localization .....	6-3
Figure 6-3.	Interaction flows for on-demand fault localization procedures.....	6-6
Figure 6-4.	Fault Localization Flow .....	6-10
Figure 6-5.	Network Fault Localization Flowchart.....	6-12
Figure 6-6.	Interactions of Verification of parameters and connectivity .....	6-30
Figure 6-7.	Interactions of Fault localization policy .....	6-34
Figure 7-1.	Interaction Diagram of NE(s) fault correction .....	7-2
Figure 7-2.	Queueing Structure .....	7-5
Figure 7-3.	Interaction Diagram for the Repair of an NE .....	7-9
Figure 7-4.	Borrowing Circuit and NE Components for Priority Service Restoration (a Patch) .....	7-12
Figure 7-5.	Example of an Efficient Route .....	7-15
Figure 7-6.	Arrangement for Cooperation with a Customer, Originating from Scheduling and dispatch administration of repair force .....	7-20
Figure 9-1.	Simplified Flow for Creating Trouble Tickets and Trouble Reports for Network-Detected Troubles .....	9-3
Figure 9-2.	Interaction Diagram Showing Major Information Flows Among MAFs of the SML and NML for Customer Trouble Reporting.....	9-7
Figure 9-3.	Validation of Trouble Reports .....	9-8
Figure 9-4.	Providing Trouble Information to MAFs of a Customer's TMN .....	9-15
Figure 9-5.	Interactions Between Trouble report policy and MAFs of Trouble Administration at the SML .....	9-22



## List of Tables

Table 2-1.	Fault Management MAF Matrix.....	2-10
Table 4-1.	NE(s) outage reporting: Criteria for Reporting .....	4-4
Table 5-1.	Severity Levels .....	5-11
Table 5-2.	Event Type Components .....	5-11
Table 5-3.	Alarm Modification Example .....	5-27
Table 5-4.	Significance of Fault Indications .....	5-29
Table A-1.	Network RAS goal setting - RAS assessment .....	A-2
Table A-2.	Network RAS goal setting - Network outage reporting .....	A-2
Table A-3.	Network RAS goal setting - NE(s) outage reporting.....	A-2
Table A-4.	Service availability goal setting - RAS assessment.....	A-2
Table A-5.	Service availability goal setting - Service outage reporting .....	A-3
Table A-6.	Service availability goal setting - Trouble information query.....	A-3
Table A-7.	RAS assessment - Service outage reporting .....	A-3
Table A-8.	RAS assessment - Network outage reporting .....	A-3
Table A-9.	RAS assessment - Trouble information query .....	A-3
Table A-10.	RAS assessment - Material management (CM) .....	A-4
Table A-11.	Service outage reporting - Network outage reporting .....	A-4
Table A-12.	Service outage reporting - Service status administration (CM) .....	A-4
Table A-13.	Service outage reporting - Leased circuit network status (CM).....	A-4
Table A-14.	Service outage reporting - Access circuit design (CM).....	A-5
Table A-15.	Service outage reporting - Leased circuit design (CM).....	A-5
Table A-16.	Service outage reporting - Network infrastructure design (CM).....	A-5
Table A-17.	Service outage reporting - Assignable inventory management (CM) .....	A-5
Table A-18.	Service outage reporting - Traffic control (PM).....	A-5
Table A-19.	External relations (CM) - Service outage reporting .....	A-6
Table A-20.	Network outage reporting - NE(s) outage reporting .....	A-6
Table A-21.	Network outage reporting - Network infrastructure design (CM).....	A-6
Table A-22.	Network outage reporting - Access infrastructure design (CM) .....	A-6
Table A-23.	Network outage reporting - Facility infrastructure design (CM) .....	A-7
Table A-24.	Network outage reporting - Interexchange circuit design (CM) .....	A-7
Table A-25.	Network outage reporting - Access circuit design (CM).....	A-7
Table A-26.	Network outage reporting - Leased circuit design (CM).....	A-7
Table A-27.	Network outage reporting - Facility design (CM).....	A-7
Table A-28.	Network outage reporting - Transport network status (CM) .....	A-8
Table A-29.	NE(s) outage reporting - NE(s) status and control (CM) .....	A-8
Table A-30.	Alarm policy - Alarm status modification .....	A-8
Table A-31.	Alarm policy - Alarm event criteria .....	A-9
Table A-32.	Alarm policy - Alarm indication management .....	A-9
Table A-33.	Alarm policy - Alarm correlation and filtering .....	A-9
Table A-34.	Network fault event analysis, including correlation and filtering - Alarm status modification.....	A-9

Table A-35.	Network fault event analysis, including correlation and filtering - Facility design (CM).....	A-10
Table A-36.	Network fault event analysis, including correlation and filtering - Circuit inventory notification (CM).....	A-10
Table A-37.	Network fault event analysis, including correlation and filtering - Transport network status (CM) .....	A-10
Table A-38.	Traffic control (PM) - Network fault event analysis, including correlation and filtering.....	A-10
Table A-39.	Alarm status modification - Alarm correlation and filtering.....	A-11
Table A-40.	Alarm reporting - Alarm summary .....	A-11
Table A-41.	Alarm reporting - Alarm event criteria.....	A-11
Table A-42.	Alarm reporting - Failure event detection and reporting .....	A-11
Table A-43.	Alarm reporting -Automatic restoration .....	A-12
Table A-44.	Alarm reporting - Detection, counting, storage and reporting (PM) .....	A-12
Table A-45.	Alarm indication management - Failure event detection and reporting	A-12
Table A-46.	Log control - Alarm reporting .....	A-12
Table A-47.	Alarm correlation and filtering - Alarm reporting.....	A-12
Table A-48.	Alarm correlation and filtering - Alarm summary.....	A-13
Table A-49.	Alarm correlation and filtering - NE(s) fault localization .....	A-13
Table A-50.	Alarm correlation and filtering - NE(s) design (CM).....	A-13
Table A-51.	Alarm correlation and filtering - NE(s) configuration (CM).....	A-13
Table A-52.	Alarm correlation and filtering - NE(s) status and control (CM) .....	A-13
Table A-53.	Fault localization policy - Network fault localization .....	A-14
Table A-54.	Fault localization policy - NE(s) fault localization .....	A-14
Table A-55.	Verification of parameters and connectivity - Service status administration (CM) .....	A-14
Table A-56.	Verification of parameters and connectivity - Circuit inventory query (CM)	A-15
Table A-57.	Network fault localization - Network fault event analysis, including correlation and filtering .....	A-15
Table A-58.	Network fault localization - NE(s) fault localization .....	A-15
Table A-59.	Network fault localization - Circuit selection, test correlation and fault location .....	A-15
Table A-60.	Network fault localization - Trouble reporting.....	A-16
Table A-61.	Network fault localization - Trouble information query .....	A-16
Table A-62.	Network fault localization - Trouble ticket administration .....	A-16
Table A-63.	Network fault localization - Network infrastructure design (CM) .....	A-16
Table A-64.	Network fault localization - Facility design (CM) .....	A-17
Table A-65.	Network fault localization - Circuit inventory notification (CM) .....	A-17
Table A-66.	Network fault localization - Transport network status (CM) .....	A-17
Table A-67.	Network fault localization - NE(s) status and control (CM) .....	A-17
Table A-68.	Network fault localization - Network performance monitoring event correlation and filtering (PM).....	A-18
Table A-69.	NE(s) fault localization - Running of diagnostic.....	A-18

---

Table A-70.	NE(s) fault localization - NE(s) fault correction .....	A-18
Table A-71.	NE(s) fault localization - NE(s) configuration (CM) .....	A-18
Table A-72.	Management of repair process - Service outage reporting .....	A-19
Table A-73.	Management of repair process - Network outage reporting .....	A-19
Table A-74.	Management of repair process - NE(s) outage reporting .....	A-19
Table A-75.	Management of repair process - Arrangement of repair with customer	A-19
Table A-76.	Management of repair process - Scheduling and dispatch administration of repair force.....	A-20
Table A-77.	Management of repair process - Trouble ticket administration.....	A-20
Table A-78.	Arrangement of repair with customer - Scheduling and dispatch administration of repair force .....	A-20
Table A-79.	Arrangement of repair with customer - Solution proposal (CM) .....	A-20
Table A-80.	Scheduling and dispatch administration of repair force - Network fault event analysis, including correlation and filtering .....	A-21
Table A-81.	Scheduling and dispatch administration of repair force - Management of repair process.....	A-21
Table A-82.	Scheduling and dispatch administration of repair force - Arrangement of repair with customer .....	A-21
Table A-83.	Scheduling and dispatch administration of repair force - NE(s) fault correction .....	A-21
Table A-84.	Scheduling and dispatch administration of repair force - Service test ..	A-22
Table A-85.	Scheduling and dispatch administration of repair force - Circuit selection, test correlation and fault location .....	A-22
Table A-86.	Scheduling and dispatch administration of repair force - Trouble information query .....	A-22
Table A-87.	Scheduling and dispatch administration of repair force - Trouble ticket administration .....	A-22
Table A-88.	Scheduling and dispatch administration of repair force - Routing design (CM) .....	A-23
Table A-89.	Scheduling and dispatch administration of repair force - Material management (CM).....	A-23
Table A-90.	Scheduling and dispatch administration of repair force - Provisioning policy (CM) .....	A-23
Table A-91.	Scheduling and dispatch administration of repair force - Access circuit design (CM).....	A-23
Table A-92.	Scheduling and dispatch administration of repair force - Leased circuit design (CM).....	A-24
Table A-93.	Scheduling and dispatch administration of repair force - Facility design (CM) .....	A-24
Table A-94.	Scheduling and dispatch administration of repair force - Transport network status (CM) .....	A-24
Table A-95.	Scheduling and dispatch administration of repair force - NE(s) status and control (CM) .....	A-24
Table A-96.	NE(s) fault correction - Alarm correlation and filtering.....	A-25

---

Table A-97. NE(s) fault correction - Automatic restoration.....	A-25
Table A-98. NE(s) fault correction - Software administration (CM) .....	A-25
Table A-99. NE(s) fault correction - NE(s) administration (CM) .....	A-25
Table A-100. NE(s) fault correction - NE(s) database management (CM) .....	A-26
Table A-101. NE(s) fault correction - Access to parameters and cross-connects in NEs (CM) .....	A-26
Table A-102. NE(s) fault correction - NE(s) status and control (CM) .....	A-26
Table A-103. Trouble report policy - Trouble reporting .....	A-26
Table A-104. Trouble report policy - Trouble report status change notification.....	A-27
Table A-105. Trouble report policy - Trouble information query .....	A-27
Table A-106. Trouble report policy - Trouble ticket creation notification.....	A-27
Table A-107. Trouble report policy - Trouble ticket administration .....	A-27
Table A-108. Trouble reporting - Verification of parameters and connectivity.....	A-28
Table A-109. Trouble reporting - Arrangement of repair with customer .....	A-28
Table A-110. Trouble reporting - Service test .....	A-28
Table A-111. Trouble reporting - Trouble information query .....	A-28
Table A-112. Trouble reporting - Trouble ticket administration .....	A-29
Table A-113. Trouble reporting - Customer identification (CM).....	A-29
Table A-114. Trouble reporting - Solution proposal (CM) .....	A-29
Table A-115. Trouble reporting - Priority service restoration (CM) .....	A-29
Table A-116. Trouble reporting - Leased circuit network status (CM).....	A-30
Table A-117. Trouble reporting - Transport network status (CM).....	A-30
Table A-118. Trouble report status change notification - Trouble information query	A-30
Table A-119. Trouble information query - Service outage reporting .....	A-30
Table A-120. Trouble information query - Solution proposal (CM) .....	A-30
Table A-121. Trouble information query - Service status administration (CM) .....	A-31
Table A-122. Trouble information query - Leased circuit network status (CM).....	A-31
Table A-123. Trouble information query - Totaling usage charges (AM) .....	A-31
Table A-124. Trouble ticket creation notification - Trouble information query .....	A-31
Table A-125. Management of trouble by service customer - Trouble reporting .....	A-31
Table A-126. Management of trouble by service customer - Trouble report status change notification.....	A-32
Table A-127. Management of trouble by service customer - Trouble information query.... A-32	
Table A-128. Management of trouble by service customer - Trouble ticket creation notification.....	A-32
Table A-129. Management of trouble by service customer - Trouble ticket administration A-32	
Table A-130. Management of trouble by service customer - Provisioning policy (CM) A- 33	
Table A-131. Trouble ticket administration - Trouble report status change notification A- 33	
Table A-132. Trouble ticket administration - Trouble information query.....	A-33
Table A-133. Trouble ticket administration - Trouble ticket creation notification ....	A-33

Table A-134. Trouble ticket administration - Management of trouble by service customer  
A-34

Table A-135. Trouble ticket administration - Provisioning policy (CM)..... A-34

Table B-1. MAF Cross-Reference Table..... B-1