

## Contents

Preface . . . . .	Preface-1
1. Introduction . . . . .	1-1
1.1 Purpose and Scope . . . . .	1-2
1.2 Target Audience . . . . .	1-2
1.3 Structure and Use of This Document . . . . .	1-2
1.4 Requirements Terminology . . . . .	1-3
1.5 Requirement Labeling Conventions . . . . .	1-3
1.5.1 Numbering of Requirement and Related Objects . . . . .	1-4
1.5.2 Requirement, Conditional Requirement, and Objective Object Identification . . . . .	1-4
1.6 Update History . . . . .	1-4
2. Background . . . . .	2-1
2.1 Terminology Definition . . . . .	2-1
2.2 Optical Cross-Connect Definition . . . . .	2-5
2.3 Classification of OXCs . . . . .	2-6
2.4 Definition of FXC, WSXC and Wavelength Interchange Capable Cross- connects . . . . .	2-9
2.4.1 Fiber Cross-Connect . . . . .	2-9
2.4.2 Wavelength Selective Cross-Connect . . . . .	2-10
2.4.3 Wavelength Interchange Capable Cross-Connect . . . . .	2-12
2.4.3.1 Wavelength Interchanging Cross-Connect . . . . .	2-14
2.4.3.2 WSXC/WIXC Hybrid . . . . .	2-15
2.5 Hybrid OXCs . . . . .	2-18
2.5.1 FXC/WSXC Hybrid . . . . .	2-18
2.5.2 Utility of FXC/WSXC Hybrid . . . . .	2-19
2.5.3 FXC/WIXC Hybrid . . . . .	2-20
2.5.4 FXC/WSXC/WIXC Hybrid . . . . .	2-20
2.6 Optically Interfaced Electrical Cross-Connect (O <sub>i</sub> EXC) . . . . .	2-21
2.7 Functional Block Diagrams for the Different OXC Classes . . . . .	2-22
2.8 Description of the Modules in the Functional Block Diagrams . . . . .	2-25
2.8.1 Transport Interface Module . . . . .	2-25
2.8.2 Operations Interface Module . . . . .	2-26
2.8.3 Cross-Connect Matrix Module . . . . .	2-26
2.8.4 Multiplex/Demultiplex Module . . . . .	2-26
2.8.5 Wavelength Interchange Module (WI) . . . . .	2-27
2.8.6 Test Access Module . . . . .	2-27
2.8.7 Common Unit . . . . .	2-27
3. OXC Applications and Example Network Architectures . . . . .	3-1
3.1 FXC Applications . . . . .	3-1
3.1.1 Remote Reconfigurable Fiber Cross-connection . . . . .	3-1
3.1.2 Facility Rolling . . . . .	3-2
3.2 WSXC, WIXC, WSXC/WIXC Hybrid Applications . . . . .	3-2

3.2.1	Optical Grooming . . . . .	3-3
3.2.2	Optical Add/Drop . . . . .	3-3
3.3	Gateway Application . . . . .	3-9
3.4	Linear Chain . . . . .	3-10
3.5	Hub . . . . .	3-10
3.6	Ring . . . . .	3-11
3.7	Interconnected Rings . . . . .	3-12
3.8	Mesh . . . . .	3-13
3.9	Interconnected Chain, Hub, Ring and Mesh . . . . .	3-14
3.10	Scope Of This Document . . . . .	3-14
4.	Generic Equipment Criteria . . . . .	4-1
4.1	Physical Layer Criteria . . . . .	4-1
4.2	Functional Criteria . . . . .	4-1
4.2.1	FXC Functional Criteria . . . . .	4-1
4.2.1.1	Transport Ports . . . . .	4-2
4.2.1.2	Cross-Connect Matrix . . . . .	4-5
4.2.2	WSXC Functional Criteria . . . . .	4-9
4.2.2.1	Transport Interfaces . . . . .	4-10
4.2.2.2	Cross-Connect Matrix . . . . .	4-17
4.2.3	FXC/WSXC Hybrid Functional Criteria . . . . .	4-25
4.2.4	WI Capable OXC Functional Criteria . . . . .	4-26
4.2.4.1	Transport Interfaces . . . . .	4-27
4.2.4.2	Cross-Connect Matrix . . . . .	4-31
4.2.5	O <sub>1</sub> EXC Functional Criteria . . . . .	4-38
4.2.5.1	Optical Interface Criteria . . . . .	4-38
4.2.5.2	Electrical Matrix Criteria . . . . .	4-39
4.2.6	Survivability Schemes and Associated Requirements . . . . .	4-39
4.2.6.1	Point-to-Point Connection . . . . .	4-42
4.2.6.2	Linear Chain Network . . . . .	4-43
4.2.6.3	Ring Network . . . . .	4-46
4.2.6.4	Mesh Network . . . . .	4-47
4.2.7	OXC System Expansion . . . . .	4-53
4.2.7.1	Criteria for Hardware Expansion . . . . .	4-54
4.2.7.2	Total OXC System Outage . . . . .	4-55
5.	Management Criteria . . . . .	5-1
5.1	Management Communications Architecture . . . . .	5-4
5.1.1	Optical Supervisory Channel . . . . .	5-6
5.2	OSI-Based Management Communications . . . . .	5-8
5.2.1	Communications Roles for ONEs . . . . .	5-9
5.2.1.1	Communications Requirements for Gateway ONEs . . . . .	5-11
5.2.1.2	GNEs in Support of File Transfer Protocol (FTP) . . . . .	5-13
5.2.2	Routing Protocol Support . . . . .	5-16
5.2.3	Mediation Devices . . . . .	5-17
5.2.4	Communicating Entities . . . . .	5-17
5.2.5	General Requirements for Management Communications . . . . .	5-17

5.2.6	Workstation-ONE Interfaces . . . . .	5-18
5.2.6.1	Remote Access . . . . .	5-18
5.3	IP-Based Management Communications . . . . .	5-19
5.4	Configuration Management . . . . .	5-19
5.4.1	Installation Support . . . . .	5-20
5.4.1.1	ONE Commissioning . . . . .	5-20
5.4.1.2	ONE Software Installation . . . . .	5-21
5.4.1.3	Installation Completion Reporting . . . . .	5-23
5.4.1.4	ONE Installation Administration . . . . .	5-23
5.4.2	ONE Provisioning . . . . .	5-27
5.4.2.1	ONE Configuration . . . . .	5-27
5.4.2.2	Inventory Notification and Query . . . . .	5-33
5.4.2.3	ONE Administration . . . . .	5-35
5.4.2.4	Provisioning of Protection Mechanisms . . . . .	5-37
5.4.2.5	Provisioning of Equipment Protection Mechanisms . . . . .	5-39
5.4.2.6	ONE Database Management . . . . .	5-40
5.5	Performance Management . . . . .	5-42
5.5.1	Performance Monitoring . . . . .	5-43
5.5.1.1	Performance Monitoring Requirements Specific to WIXCs and WSXC/WIXC Hybrids . . . . .	5-46
5.5.2	OLN Performance Monitoring Requirements . . . . .	5-46
5.5.3	Performance Monitoring Requirements for SONET Clients . . . . .	5-46
5.5.4	OTN Performance Monitoring Requirements . . . . .	5-47
5.6	Fault Management . . . . .	5-47
5.6.1	Alarm Surveillance . . . . .	5-47
5.6.1.1	Alarm Administration and Summary . . . . .	5-49
5.6.1.2	Failure Event Detection and Reporting . . . . .	5-51
5.6.2	Fault Localization . . . . .	5-57
5.6.2.1	Network Element Diagnostics . . . . .	5-57
5.6.3	Fault Correction . . . . .	5-59
5.6.4	Testing . . . . .	5-59
5.6.4.1	Loopback . . . . .	5-60
5.6.4.2	Network Element Test Access . . . . .	5-60
5.7	Security Management . . . . .	5-61
5.7.1	Identification . . . . .	5-62
5.7.2	Authentication . . . . .	5-62
5.7.3	System Access Control . . . . .	5-63
5.7.4	Resource Access Control . . . . .	5-64
5.7.5	Security Log . . . . .	5-65
5.7.6	Data and System Integrity . . . . .	5-66
5.7.7	Security Administration . . . . .	5-66
5.7.8	Interoperable Security Features . . . . .	5-67
5.8	Software Criteria . . . . .	5-67
5.8.1	Software Security . . . . .	5-67
5.8.1.1	System Initialization via a Disk Drive . . . . .	5-67
5.8.1.2	Software Load via Other Removable Media . . . . .	5-68

5.8.1.3	Software Purity . . . . .	5-68
5.9	Reliability Criteria . . . . .	5-68
5.9.1	Operations and Maintenance Design Criteria . . . . .	5-69
5.9.1.1	Installation and Provisioning . . . . .	5-70
5.9.1.2	Trouble Detection and Notification . . . . .	5-70
5.9.1.3	Repair and Restore . . . . .	5-70
5.9.1.4	Routine Maintenance . . . . .	5-71
5.9.1.5	Data Integrity . . . . .	5-72
5.9.1.6	Emergency Control . . . . .	5-73
5.9.1.7	System Defensiveness . . . . .	5-73
5.9.2	Growth and Expansion Criteria . . . . .	5-74
5.9.2.1	Port Availability . . . . .	5-74
5.9.2.2	Total System Availability . . . . .	5-74
5.9.2.3	Control System Availability . . . . .	5-74
	References . . . . .	References-1
	Acronyms . . . . .	Glossary-1
	Requirement-Object Index . . . . .	ROI-1

## List of Figures

Figure 2-1.	Conceptual Representation of OCh/OMS/OTS Trails . . . . .	2-5
Figure 2-2.	OXC Classification . . . . .	2-6
Figure 2-3.	<i>Logical</i> Partitioning of the FXC Ports into Single and Multiwavelength Ports . . . . .	2-9
Figure 2-4.	Schematic Representation of the Basic Functionality of a WSXC . . . . .	2-11
Figure 2-5.	Wavelength-Path and Light-Path Optical Connections . . . . .	2-12
Figure 2-6.	Full and Limited Wavelength Interchange in an n-wavelength System. . . . .	2-14
Figure 2-7.	Schematic Representation of the Basic Functionality of a WIXC . . . . .	2-15
Figure 2-8.	Conceptual Representation of a WSXC/WIXC Hybrid OXC . . . . .	2-16
Figure 2-9.	Example Node Shared WSXC/WIXC Hybrid Architecture . . . . .	2-17
Figure 2-10.	Example Link Shared WSXC/WIXC Hybrid Architecture . . . . .	2-18
Figure 2-11.	Conceptual Representation of an FXC/WSXC Hybrid OXC . . . . .	2-19
Figure 2-12.	Conceptual Representation of an FXC/WIXC Hybrid OXC . . . . .	2-20
Figure 2-13.	Conceptual Representation of an FXC/WSXC/WIXC Hybrid OXC . . . . .	2-21
Figure 2-14.	Fiber Cross-Connect Functional Block Diagram . . . . .	2-22
Figure 2-15.	Wavelength Selective Cross-Connect Functional Block Diagram . . . . .	2-23
Figure 2-16.	Wavelength Interchanging Cross-Connect Functional Block Diagram . . . . .	2-23
Figure 2-17.	FXC/WSXC Hybrid Functional Block Diagram . . . . .	2-24
Figure 2-18.	WSXC/WIXC Hybrid Functional Block Diagram . . . . .	2-25
Figure 3-1.	Adjacent Network Elements (shaded) . . . . .	3-1
Figure 3-2.	Inside and Outside Connections Through an FXC . . . . .	3-2
Figure 3-3.	Optical Layer Consolidation . . . . .	3-4
Figure 3-4.	Optical Layer Segregation . . . . .	3-5
Figure 3-5.	Segregation Based on Destination . . . . .	3-6
Figure 3-6.	Optical Add/Drop with an WSXC . . . . .	3-7
Figure 3-7.	Add/Drop Application with Add/Drop Incapable WSXC . . . . .	3-8
Figure 3-8.	Example of OXC as a Transport Gateway . . . . .	3-9
Figure 3-9.	A WSXC in a Linear Chain Architecture . . . . .	3-10
Figure 3-10.	WSXC Used in a Hub Network . . . . .	3-10
Figure 3-11.	Ring Application of WSXC . . . . .	3-11
Figure 3-12.	WSXC Used for Ring Interconnection . . . . .	3-12
Figure 3-13.	Mesh Network of WSXCs . . . . .	3-13
Figure 3-14.	WSXC Applications . . . . .	3-15
Figure 4-1.	8x8 FXC Transport Ports . . . . .	4-2
Figure 4-2.	8x8 FXC Organized for Two-fiber Bidirectional Connections (i/p - Input, o/p - Output) . . . . .	4-3
Figure 4-3.	1+1 Dedicated Protection with One FXC . . . . .	4-3
Figure 4-4.	1+1 Dedicated Protection with Two FXCs . . . . .	4-4

Figure 4-5.	Single Fiber Cross-Connection Between Input Port 2 and Output Port 7 . . . . .	4-7
Figure 4-6.	Two-Fiber Cross-Connection Between Transport Ports 2 and 7	4-8
Figure 4-7.	A 1:3 Broadcast Connection . . . . .	4-8
Figure 4-8.	Loopback Connection . . . . .	4-9
Figure 4-9.	Dual Homed Interconnection of Fixed Wavelength Subnetworks through Gateway WSXCs . . . . .	4-12
Figure 4-10.	8x8 WSXC with 6x6 Add-Drop . . . . .	4-17
Figure 4-11.	8x8 WSXC with 6x6 Add-Drop Organized for Two-Fiber Bidirectional Connections (i/p - Input, o/p - Output) . . . . .	4-18
Figure 4-12.	1+1 Dedicated Protection with Two WSXCs . . . . .	4-19
Figure 4-13.	1+1 Dedicate Protection with One WSXC . . . . .	4-20
Figure 4-14.	Different Types of Unidirectional Connections in a WSXC . . . . .	4-21
Figure 4-15.	Different Types of Bidirectional Connections in a WSXC . . . . .	4-22
Figure 4-16.	Different Types of Broadcast Connections in a WSXC . . . . .	4-23
Figure 4-17.	General Broadcast and Drop and Continue Connections . . . . .	4-24
Figure 4-18.	Loopback Connections in a WSXC . . . . .	4-25
Figure 4-19.	Different Types of Unidirectional Connections in WI Capable Cross-Connects . . . . .	4-34
Figure 4-20.	Different Types of Bidirectional Connections in WI Capable Cross-Connects . . . . .	4-34
Figure 4-21.	Different Types of Broadcast Connections in WI capable Cross-Connects . . . . .	4-36
Figure 4-22.	General Broadcast and Drop and Continue Connections . . . . .	4-37
Figure 4-23.	Loopback Connections in WI Capable Cross-Connects . . . . .	4-37
Figure 4-24.	Survivability in Optical Networks . . . . .	4-40
Figure 4-25.	Point-to-Point Connection Employing Dedicated Protection . . . . .	4-43
Figure 4-26.	OCh Dedicated Protection in a Linear Chain Architecture . . . . .	4-44
Figure 4-27.	OMS Dedicated Protection in a Linear Chain Architecture . . . . .	4-45
Figure 4-28.	OCh Dedicated Protection in a Ring . . . . .	4-46
Figure 4-29.	OMS Dedicated Protection in a Ring . . . . .	4-47
Figure 4-30.	OCh Dedicated Protection in a Mesh Network . . . . .	4-48
Figure 4-31.	OMS Dedicated Protection in a Mesh Network . . . . .	4-49
Figure 4-32.	OCh-Based Restoration in a Mesh Network . . . . .	4-50
Figure 4-33.	OMS-Based Restoration in a Mesh Network . . . . .	4-50
Figure 4-34.	Mesh Network with Centralized Control . . . . .	4-51
Figure 4-35.	Mesh Network with Distributed Control . . . . .	4-53
Figure 5-1.	TMN - Telecommunications Network Relationship . . . . .	5-5
Figure 5-2.	Interactive Protocol Stacks for Management Communications	5-9
Figure 5-3.	Management Communications Functions for ONEs . . . . .	5-10
Figure 5-4.	GNE that Interworks an OSC-DCC and the Intra-site LAN . . . . .	5-11
Figure 5-5.	A GNE that Interworks an OSC-DCC and the TCP/IP or X.25 WAN . . . . .	5-12
Figure 5-6.	Example OTN Management Communications Network . . . . .	5-13
Figure 5-7.	Software Download/Remote Backup Using FTP . . . . .	5-14
Figure 5-8.	Remote Access . . . . .	5-19

## List of Tables

Table 2-1.	Optical Layer Network Model . . . . .	2-5
Table 2-2.	Functions and Applications of Various OXC Classes . . . . .	2-8
Table 4-1.	OXC Parameters . . . . .	4-56
Table 5-1.	Scope of Coverage of GR-2918-CORE and GR-3009-CORE . .	5-1
Table 5-2.	Examples of Requirements Covered in GR-2918-CORE and GR-3009-CORE . . . . .	5-2
Table 5-3.	Management Functions and the Various OXC Classes . . . . .	5-3