

Table of Contents

Preface	xi
1 Introduction	
1.1 Purpose	1-1
1.1.1 Reasons for GR-3108, Issue 4	1-2
1.1.2 Reasons for GR-3108, Issue 3	1-3
1.1.3 Reasons for GR-3108, Issue 2	1-4
1.2 Scope	1-4
1.3 Environmental Classes - Definitions and Characteristics	1-7
1.3.1 Class 1 - Controlled Protected Environments	1-8
1.3.2 Class 2 - Protected Equipment in Outside Environments	1-9
1.3.3 Class 3 - Protected Equipment in Severe Outside Environments	1-10
1.3.4 Class 4 - Unprotected Environments Directly Exposed to Weather	1-11
1.4 Summary of Functional Requirements	1-13
1.5 Associated Closures for Equipment	1-15
1.6 Target Audience	1-17
1.7 Structure and Use of This Document	1-18
1.8 Requirements Terminology	1-18
1.9 Requirement Labeling Conventions	1-19
1.9.1 Numbering of Requirement and Related Objects	1-19
1.9.2 Requirement, Conditional Requirement, and Objective Identification	1-20
2 General Product Information	
2.1 Equipment Description Features	2-1
2.2 Safety and Reliability Considerations	2-1
2.2.1 Frames, Fasteners, Brackets, and Associated Mounting Hardware	2-3
2.3 Materials	2-3
2.4 Documentation	2-3
2.4.1 Test Report and Performance Information	2-3
2.4.2 Instructions and Training	2-4
2.5 Installation and Maintenance	2-4
2.6 Quality	2-5
2.6.1 Product Changes	2-5
3 General Test Requirements	
3.1 Product Samples	3-1
3.1.1 Selection and Identification	3-1
3.1.2 Sample Retest	3-1
3.1.3 Exchange Protocol Between Environmental Classes	3-2
3.1.4 Previous Test Results of Systems and Subassemblies	3-2
3.2 Test Report and Conditions	3-3
3.2.1 Report	3-3
3.2.2 Test Report	3-3
3.2.3 Test Safety and Conditions	3-4
3.3 Dimensions and Mounting Requirements	3-5
3.4 Display, Label, and Alarms	3-5

3.4.1	Display and Labels	3-5
3.4.2	Alarms	3-6
4	Thermal Exposure and Heat Management	
4.1	Introduction	4-1
4.1.1	Operational Levels During Testing	4-1
4.2	Heat Dissipation and Heat Characteristics	4-2
4.2.1	Reporting Requirements	4-3
4.2.1.1	General	4-3
4.2.1.2	Class 1 Environments	4-4
4.2.1.3	Class 2 and Class 3 Environments	4-5
4.2.2	Surface Temperatures	4-7
4.2.2.1	Test Procedure (Class 4 Environment)	4-9
4.2.3	Energy Efficiency	4-9
4.3	Environmental Tests (Temperature, Altitude, and Humidity)	4-10
4.3.1	Solar Loading for Class 4 Environments	4-11
4.4	Temperature and Humidity Shock (Transportation and Storage)	4-12
4.5	Equipment Start at Cold and Hot Temperatures	4-13
4.5.1	Cold Start	4-13
4.5.2	Hot Start	4-14
4.6	Temperature and Humidity Cycling Test	4-14
4.6.1	Fan Failure Test	4-18
4.7	Operating at Altitude	4-19
5	Electrical Requirements	
5.1	Electromagnetic Compatibility (EMC) and Electrical Safety Criteria	5-1
5.1.1	Documentation	5-3
5.2	EMC and Electrical Safety Criteria Applicable to Network Equipment	5-3
5.2.1	Electrostatic Discharge (ESD)	5-4
5.2.2	Electrical Fast Transients (EFTs)	5-4
5.2.3	Electromagnetic Interference (EMI)	5-5
5.2.4	Lightning and Power Fault	5-5
5.2.5	Steady-State Power Induction	5-6
5.2.6	DC Potential Difference	5-6
5.2.7	Electrical Safety Criteria	5-6
5.2.8	Corrosion	5-6
5.2.9	Bonding and Grounding	5-7
5.3	Power Interface Requirements	5-7
5.3.1	DC Power Interface (Port Type 8)	5-7
5.3.2	AC Power Interface (Port Type 7)	5-7
6	Environmental Requirements	
6.1	Brackets and Associated Closure Hardware	6-1
6.2	Salt Fog Exposure	6-1
6.3	Transportation, Earthquake, and Operational Vibration Resistance	6-3
6.3.1	Packaging and Transportation	6-3
6.3.1.1	Marking, Packaging, and Shipping	6-3
6.3.1.2	Packaged Equipment Shock (Drop)	6-5
6.3.1.3	Packaged Equipment Shock (Rail) Criteria	6-5

6.3.1.4 Unpackaged Equipment Shock Criteria	6-5
6.3.1.5 Transportation Vibration - Packaged Environment	6-6
6.3.2 Earthquake	6-6
6.3.3 Low-Level Vibration Resistance	6-9
6.4 Particulate Contamination and Corrosive Gas Resistance	6-10
6.4.1 Particulate Contamination (Hygroscopic Dust Resistance)	6-13
6.5 Fire Resistance	6-16
6.6 Acoustic Noise	6-17

7 Closure Requirements for Integrated Products

7.1 General	7-1
7.1.1 Case Studies	7-1
7.1.2 Case Study #1: Retrofit of Components or Equipment Shelf Unit	7-2
7.1.3 Case Study #2: Smart Battery Deployment	7-4
7.1.4 Case Study #3: Integrated Product Deployed in Different Environments	7-4
7.1.4.1 Directly Exposed	7-5
7.1.4.2 Inside a Closure That Provides a Class 3 Environment	7-5
7.1.4.3 Inside a Cabinet or Equivalent Closure That Provides a Class 2 Environment	7-6
7.1.4.4 Inside a Hut or Structure That Provides a Class 1 Environment	7-7
7.1.5 Case Study #4: Components to Support Wireless Systems	7-7
7.1.5.1 Cell Sites - Wireless Equipment and Pole-Mounted Boxes	7-8
7.1.5.2 Small Base Stations - Wireless Equipment Inside Cabinets	7-8
7.1.5.3 Base Stations and MSOs - Wireless Equipment Inside Buildings/ Structures	7-8
7.2 Class 1 Environments	7-8
7.3 Class 2 Environments	7-9
7.3.1 Relevant and Applicable GR-487 Requirements	7-9
7.4 Class 3 Environments	7-10
7.4.1 Relevant and Applicable GR-13 Requirements	7-11
7.4.2 Relevant and Applicable GR-950 Requirements	7-12
7.5 Class 4 Environments	7-13

Appendix A: Commentaries

A.1 Equipment-Cooling (EC) Class Syntax and Commentary	A-1
A.1.1 Commentary - EC Class	A-5
A.1.1.1 Class 1 Environments	A-5
A.1.1.2 Class 2 Environments	A-6
A.1.1.3 Class 3 Environments	A-6
A.1.1.4 Class 4 Environments	A-6

Appendix B: References

B.1 Requirements Documents	B-1
B.2 Other Industry Documents	B-2
B.3 Obtain Additional Reference Material	B-4
B.4 Family of Requirements (FR) and Family of Documents (FD) Sets	B-4
B.5 Reference Notes	B-5
B.5.1 Contact Customer Service	B-5
B.5.2 Order Documents from Our Online Store	B-5

B.5.3 Websites for Generic Requirements Information	B-6
B.5.4 Licensing Agreements for Documents	B-6
Appendix C: Acronyms	
C.1 Definitions of Selected Technical Terms	C-4
Requirement-Object Index	

List of Figures

Figure 1-1	Related Generic Requirements Documents	1-6
Figure 6-1	Earthquake Zone Map	6-8
Figure 6-2	Sample Phase 3 Temperature and Humidity Profile	6-15
Figure A-1	EC-Class Syntax: Face Definitions	A-1
Figure A-2	EC-Class Syntax: (S) F1-T Class	A-2
Figure A-3	EC-Class Syntax: (S) F1-F3 Class	A-2
Figure A-4	Class (S) F1-R3: Front-Bottom to Rear-Top	A-3
Figure A-5	Class (S) F1-T: Front-Bottom to Top	A-3
Figure A-6	Class (S) F1-F3: Front-Bottom to Front-Top	A-3
Figure A-7	Class (S) F1/R1-T: Front-Bottom and Rear-Bottom to Top	A-3
Figure A-8	Class (S) F2-R2: Front to Rear	A-4
Figure A-9	Class (S) F2-T/B: Front to Top and Bottom	A-4
Figure A-10	Class (S) F3-F1: Front-Top to Front-Bottom	A-4
Figure A-11	Class (S) B-SL/SR: Bottom to Sides	A-4
Figure A-12	Class (S) SL-SR: Side to Side	A-5

List of Tables

Table 1-1	Test Criteria/Conditions for Class-Specific Requirements	1-13
Table 4-1	Reporting Format for Power Consumption and Heat Dissipation Data	4-6
Table 4-2	Surface Temperature Criteria (Class 4 Environments)	4-8
Table 6-1	Vibrational Stress Test Conditions from ETSI EN 300 019	6-9
Table 6-2	GR-63 Indoor or Pollution Class 2 Contaminant Levels	6-10
Table 6-3	GR-63 Outdoor or Pollution Class 3 Contaminant Levels	6-11
Table 6-4	Air Composition and Duration of MFG Testing	6-12