

## Contents

<b>Preface</b> . . . . .	xv
The Telcordia Technologies GR Process . . . . .	xv
About GR-3114-CORE . . . . .	xv
Funders of GR-3114-CORE, Issue 1, are: . . . . .	xv
Relative Maturity Level . . . . .	xvi
GR-3114-CORE Plans . . . . .	xvi
To Submit Comments . . . . .	xvi
<b>1 Introduction</b>	
1.1 General . . . . .	1-1
1.2 Scope and Purpose . . . . .	1-2
1.3 Organization of the Document . . . . .	1-2
1.4 Requirements Terminology . . . . .	1-3
1.5 Requirement Labeling Conventions . . . . .	1-3
1.5.1 Numbering of Requirement and Related Objects . . . . .	1-3
1.5.2 Requirement, Conditional Requirement, and Objective Identification . . . . .	1-4
1.5.3 Requirements in this GR . . . . .	1-4
1.6 Terminology and Abbreviations . . . . .	1-5
<b>2 SIP Network Access Architectures for PSAPs</b>	
2.1 SIP Network Architecture - General . . . . .	2-1
2.1.1 Clients . . . . .	2-2
2.1.2 Servers . . . . .	2-2
2.1.2.1 Proxy Servers . . . . .	2-2
2.1.2.2 Redirect Servers . . . . .	2-3
2.1.2.3 Location Server . . . . .	2-3
2.1.2.4 Registrar Server . . . . .	2-3
2.2 E9-1-1 Network Access Protocol Architecture . . . . .	2-4
2.2.1 Overview . . . . .	2-4
2.2.2 Higher Layer/Application Layer Protocols . . . . .	2-5
2.2.2.1 Session Initiation Protocol (SIP) . . . . .	2-5
2.2.2.2 Session Description Protocol (SDP) . . . . .	2-5
2.2.2.3 Real-time Transfer Protocol (RTP) . . . . .	2-5
2.2.3 Transport and Network Layers . . . . .	2-6
2.2.4 Lower Layer Protocols . . . . .	2-6
2.2.4.1 Ethernet . . . . .	2-7
2.2.4.2 Asynchronous Transfer Mode . . . . .	2-8
2.2.4.3 Frame Relay . . . . .	2-8
2.3 E9-1-1 Network Access Interconnection Architecture Alternatives . . . . .	2-8
2.3.1 SIP Gateway-Based Interface Architecture . . . . .	2-9
2.3.2 SIP-Enabled E9-1-1 Tandem and SIP-Enabled PSAP . . . . .	2-10
2.4 Synergies with Other PSAP Service Needs . . . . .	2-11

### 3 Network Access Functional Requirements for Voice Services

3.1	Background and Assumptions . . . . .	3-1
3.1.1	Conventions for Representation of SIP/SDP Information . . . . .	3-1
3.1.2	General Principles . . . . .	3-2
3.1.3	Identification of Call, Dialog, and Call Control Association . . . . .	3-2
3.1.4	URI Types . . . . .	3-2
3.2	Emergency Call Termination to a PSAP . . . . .	3-4
3.2.1	Description of Functions . . . . .	3-4
3.2.1.1	Background on MF Signaling from E9-1-1 Tandems to PSAPs . . . . .	3-5
3.2.1.2	SIP AGW for the E9-1-1 Tandem . . . . .	3-6
3.2.1.3	SIP-Enabled E9-1-1 Tandem . . . . .	3-7
3.2.1.4	SIP CAGW for the PSAP . . . . .	3-7
3.2.1.5	SIP-Enabled PSAP . . . . .	3-7
3.2.2	Emergency Call Termination – Information Flow . . . . .	3-8
3.2.2.1	Example Scenario: E9-1-1 Tandem with SIP AGW to SIP-Enabled PSAP . . . . .	3-10
3.2.2.2	Example Scenario – SIP-Enabled E9-1-1 Tandem to PSAP with SIP CAGW . . . . .	3-12
3.2.2.3	Use of Alternate INFO Method . . . . .	3-13
3.2.3	Interface Signaling Requirements . . . . .	3-16
3.2.3.1	Interworking Scenarios . . . . .	3-16
3.2.3.2	General . . . . .	3-16
3.2.3.3	Preliminary Actions . . . . .	3-17
3.2.3.4	Sending the SIP INVITE . . . . .	3-17
3.2.3.4.1	Coding of Session Description Protocol (SDP) Media Description Lines . . . . .	3-19
3.2.3.4.2	Request-URI . . . . .	3-19
3.2.3.4.3	From Header . . . . .	3-19
3.2.3.4.4	Coding of E9-1-1 Specific Special Handling Parameters in Outgoing INVITE for SIP . . . . .	3-20
3.2.3.4.5	Coding of E911 Specific Location Information in Outgoing INVITE for SIP . . . . .	3-21
3.2.3.4.6	Coding of Encapsulated MF Signals in Outgoing INVITE for SIP . . . . .	3-21
3.2.3.4.7	Priority Header . . . . .	3-22
3.2.3.4.8	Processing Responses to the INVITE . . . . .	3-22
3.2.3.5	Sending the SIP INFO . . . . .	3-22
3.2.3.6	Sending the ACK . . . . .	3-23
3.2.3.7	Receiving the SIP INVITE . . . . .	3-23
3.2.3.7.1	Sending Responses to the SIP INVITE . . . . .	3-24
3.2.3.8	Receiving the SIP INFO . . . . .	3-25
3.2.3.9	Receiving the ACK . . . . .	3-25
3.3	Emergency Call Clearing . . . . .	3-25
3.3.1	Description of Function . . . . .	3-25
3.3.2	PSAP Initiates Call Clearing – Information Flow . . . . .	3-26
3.3.3	Caller Initiates Call Clearing . . . . .	3-27

3.3.4	Interface Requirements . . . . .	3-27
3.4	Alternate Routing Control and Notification . . . . .	3-28
3.4.1	Description of Function . . . . .	3-28
3.4.2	Information Flows . . . . .	3-28
3.4.2.1	Invocation of Alternate Routing Control by Conventional Alternate PSAP with Notification to Conventional Primary PSAP . . . . .	3-28
3.4.2.2	Invocation of Alternate Routing Control by SIP-Enabled Alternate PSAP with Notification to SIP-Enabled Primary PSAP . . . . .	3-32
3.4.3	Interface Requirements . . . . .	3-36
3.5	Emergency Call Transfer . . . . .	3-37
3.5.1	Selective Transfer . . . . .	3-37
3.5.2	Fixed Transfer . . . . .	3-37
3.5.3	Manual Transfer . . . . .	3-37
3.5.4	Feature Operation . . . . .	3-38
3.5.4.1	Conventional E9-1-1 Tandem and Conventional PSAP . . . . .	3-38
3.5.4.2	Conventional E9-1-1 Tandem and SIP/IP-Enabled PSAP . . . . .	3-39
3.5.4.3	SIP/IP-Enabled E9-1-1 Tandem and Conventional PSAP . . . . .	3-40
3.5.4.4	SIP/IP-Enabled E9-1-1 Tandem and SIP/IP-Enabled PSAP . . . . .	3-40
3.5.4.5	Disconnect of Transferred 9-1-1 Call . . . . .	3-41
3.5.4.5.1	Primary PSAP Disconnects First . . . . .	3-41
3.5.4.5.2	Added Party Disconnects First . . . . .	3-41
3.5.4.5.3	Calling Party Disconnects First . . . . .	3-42
3.5.5	Information Flows . . . . .	3-42
3.5.5.1	Emergency Call Transfer Involving Conventional PSAP and Conventional E9-1-1 Tandem . . . . .	3-42
3.5.5.2	Emergency Call Transfer Involving SIP-Enabled PSAP and Conventional E9-1-1 Tandem . . . . .	3-47
3.5.6	Interface Requirements . . . . .	3-51
3.6	Network Call Conferencing . . . . .	3-52
3.6.1	Description of Function . . . . .	3-52
3.6.2	Information Flows . . . . .	3-53
3.6.2.1	Network Call Conferencing Involving Conventional PSAP and Conventional E9-1-1 Tandem . . . . .	3-53
3.6.2.2	Network Call Conference Involving SIP-Enabled PSAP and Conventional E9-1-1 Tandem . . . . .	3-57
3.6.3	Interface Requirements . . . . .	3-61
3.7	Network Call Forwarding . . . . .	3-62
3.7.1	Feature Operation . . . . .	3-62
3.7.2	Information Flows . . . . .	3-63
3.7.2.1	Emergency Call Forwarding Due to Invocation of Night Service by Conventional PSAP . . . . .	3-63
3.7.2.2	Emergency Call Forwarding Due to Invocation of Night Service by SIP-Enabled PSAP . . . . .	3-66
3.7.3	Interface Requirements . . . . .	3-69
3.8	Emergency Callback Call . . . . .	3-70
3.8.1	Description of Function . . . . .	3-70
3.8.2	Information Flows . . . . .	3-71

3.8.3 Interface Requirements . . . . . 3-74

**4 Network Access Interface Protocol and Messages**

4.1 Internet Protocol (IP) . . . . . 4-1  
4.2 Session Initiation Protocol . . . . . 4-1  
    4.2.1 SIP Request Messages . . . . . 4-2  
    4.2.2 SIP Responses Messages . . . . . 4-3  
    4.2.3 SIP Message Headers . . . . . 4-4  
    4.2.4 SIP Message Body . . . . . 4-5  
    4.2.5 SIP/IP Addressing . . . . . 4-5  
4.3 Session Description Protocol . . . . . 4-6  
4.4 Real-time Transfer Protocol . . . . . 4-6

**5 Security and Performance Requirements**

5.1 Security Threats . . . . . 5-1  
    5.1.1 Eavesdropping . . . . . 5-1  
    5.1.2 Spoofing . . . . . 5-2  
    5.1.3 Denial of Service Attacks . . . . . 5-2  
5.2 Security Threat Mitigation Techniques . . . . . 5-3  
    5.2.1 Encryption . . . . . 5-3  
    5.2.2 Message Integrity . . . . . 5-4  
5.3 Mechanisms in SIP to Mitigate Security Threats . . . . . 5-4  
    5.3.1 HTTP Authentication . . . . . 5-4  
    5.3.2 PGP Authentication . . . . . 5-5  
    5.3.3 Security using S/MIME . . . . . 5-5  
5.4 Security at the IP Layer . . . . . 5-5  
5.5 Security Specifications . . . . . 5-6  
5.6 Performance – Quality of Service . . . . . 5-6

**Appendix A: References and Bibliography**

Telcordia Generic Requirements Documents . . . . . A-1  
Internet Engineering Task Force Requests for Comments . . . . . A-1  
IETF Internet Drafts (Work in Progress) . . . . . A-3  
ANSI T1 Documents . . . . . A-3  
Note . . . . . A-4  
    To Contact Telcordia Customer Service or to Order Documents . . . . . A-4  
    To Order Documents Online From the Telcordia Information SuperStore . . . . . A-4  
    To Order Documents From Within Telcordia (Employees Only) . . . . . A-4  
    For the Latest Information on Telcordia Products . . . . . A-5

**Appendix B: Glossary**

## List of Figures

Figure 2-1	SIP Network Architecture - General . . . . .	2-1
Figure 2-2	SIP Protocol Stack . . . . .	2-4
Figure 2-3	Possible Lower Layers . . . . .	2-7
Figure 2-4	Interface Between SIP Gateways Serving E9-1-1 Tandem and PSAP . . . . .	2-10
Figure 2-5	Interface Between SIP-Enabled E9-1-1 Tandem and SIP-Enabled PSAP . . . . .	2-11
Figure 2-6	PSAP Network Access Architecture Using SIP Gateways . . . . .	2-12
Figure 2-7	Interface Between SIP-Enabled E9-1-1 Tandem and SIP-Enabled PSAP . . . . .	2-13
Figure 3-1	<a href="#">Emergency Call Termination – Information Flow</a> . . . . .	3-9
Figure 3-2	Alternate <a href="#">Emergency Call Termination – Information Flow</a> . . . . .	3-14
Figure 3-3	<a href="#">PSAP Initiates Call Clearing – Information Flow</a> . . . . .	3-26
Figure 3-4	<a href="#">Caller Initiates Call Clearing</a> . . . . .	3-27
Figure 3-5	Invocation of Alternate Routing Control by Conventional Alternate PSAP with Notification to Conventional Primary PSAP . . . . .	3-31
Figure 3-6	Invocation of Alternate Routing Control by SIP-Enabled Alternate PSAP with Notification to SIP-Enabled Primary PSAP . . . . .	3-34
Figure 3-7	Emergency Call Transfer Involving Conventional PSAP and Conventional E9-1-1 Tandem . . . . .	3-45
Figure 3-8	Emergency Call Transfer Involving SIP-Enabled PSAP and Conventional E9-1-1 Tandem . . . . .	3-49
Figure 3-9	Network Call Conferencing Involving Conventional PSAP and Conventional E9-1-1 Tandem . . . . .	3-55
Figure 3-10	Network Call Conference Involving SIP-Enabled PSAP and Conventional E9-1-1 Tandem . . . . .	3-59
Figure 3-11	Emergency Call Forwarding Due to Invocation of Night Service by Conventional PSAP . . . . .	3-64
Figure 3-12	Emergency Call Forwarding Due to Invocation of Night Service by SIP- Enabled PSAP . . . . .	3-67
Figure 3-13	Callback Call Placed by Conventional PSAP to 9-1-1 Caller Served by SS7 End Office . . . . .	3-72



## List of Tables

Table 3-1	SIP Interworking – Interworked Contents of the INVITE Message	3-17
-----------	---	------