

Table of Contents

1 Introduction

1.1 Purpose and Scope	1-1
1.2 Target Audience	1-2
1.3 History of Changes	1-2
1.3.1 Issue 4	1-2
1.3.2 Issue 3	1-2
1.3.3 Issue 2	1-3
1.4 Background	1-4
1.4.1 i2 Solution Overview	1-4
1.4.1.1 i2 Solution Architecture Overview	1-6
1.4.1.2 Description of i2 Solution Functional Elements	1-6
1.4.1.3 VoIP i2 Solution Data Elements	1-8
1.4.2 VPC Functional Overview	1-10
1.4.2.1 Call Routing Support	1-10
1.4.2.2 Location Information Delivery	1-11
1.4.2.3 Authentication and Authorization of Routing and Location Queries	1-11
1.4.2.4 ESQK Data Updates/Audits	1-11
1.4.2.5 System Measurements	1-11
1.4.3 VPC Interfaces	1-12
1.5 Assumptions	1-13
1.6 Document Organization	1-14
1.7 Related Documents	1-14
1.8 Requirements Terminology	1-15
1.9 Requirement Labeling Conventions	1-16
1.9.1 Numbering of Requirement and Related Objects	1-16
1.9.2 Requirement, Conditional Requirement, and Objective Identification	1-16

2 User Perspective

3 Public Safety Perspective

4 Service Provider Perspectives

4.1 VoIP Service Provider Perspective	4-1
4.2 E9-1-1 System Service Provider Perspective	4-1
4.3 Emergency Service Zone (ESZ) Routing Database (ERDB) Perspective	4-2
4.4 Location Information Server (LIS) Perspective	4-3
4.5 Emergency Services Gateway (ESGW) Provider Perspective	4-3

5 Requirements

5.1 Functional Requirements	5-1
5.1.1 Support for Emergency Call Routing	5-1
5.1.1.1 Processing of Routing Requests from the Call Server/Proxy	5-1
5.1.1.2 Generation of Queries to the LIS to Obtain Location Information	5-2
5.1.1.3 ERDB Discovery	5-2
5.1.1.4 Generation of Routing Queries to the ERDB	5-5

- 5.1.1.5 Processing of Routing Responses from the ERDB 5-6
- 5.1.1.6 Generation of Responses to Routing Requests from a
Call Server/Proxy 5-7
- 5.1.1.7 Release of ESQs 5-8
- 5.1.1.8 Support of Contingency/Default Routing 5-9
- 5.1.2 Delivery of Location Information 5-11
 - 5.1.2.1 Processing of Location Queries from ALI DB 5-11
 - 5.1.2.2 Generating Responses to Location Queries 5-12
 - 5.1.2.2.1 Successful Responses 5-12
 - 5.1.2.2.2 Error Responses 5-15
 - 5.1.2.2.3 Protocol Problem Responses 5-16
- 5.2 VPC Data Organization 5-16
 - 5.2.1 Call Routing Related Database 5-16
 - 5.2.2 ERDB Directory Database 5-18
 - 5.2.3 Current Call Database 5-20
 - 5.2.4 Archived Call Databases 5-28
 - 5.2.5 Call and Location-Related Data Elements 5-30
- 5.3 Signaling Requirements 5-39
 - 5.3.1 V2 Interface Signaling Requirements 5-39
 - 5.3.1.1 V2 Interface Messaging Requirements 5-40
 - 5.3.1.1.1 Receipt of the Emergency Services Routing Request (esrRequest)
Message 5-40
 - 5.3.1.1.2 esrResponse Message 5-43
 - 5.3.1.1.3 Emergency Services Call Termination Message (ESCT) 5-51
 - 5.3.1.1.4 Emergency Services Call Termination Acknowledge (ESCTAck)
Message 5-52
 - 5.3.1.2 V3 Interface Signaling Requirements 5-53
 - 5.3.1.3 V8 Interface Signaling Requirements 5-54
 - 5.3.1.3.1 V8 Interface Messaging Requirements 5-54
 - 5.3.1.3.1.1 erdbRequest Message 5-54
 - 5.3.1.3.1.2 erdbResponse Message 5-57
 - 5.3.1.3.2 V9 Interface Definition 5-62
 - 5.3.1.3.3 V-E2 Interface Signaling Requirements 5-64
 - 5.3.1.3.3.1 Messages 5-64
 - 5.3.1.3.3.1.1 Emergency Services Position Request (ESPOSREQ) 5-65
 - 5.3.1.3.3.1.2 Emergency Services Position Request Response (esposreq) 5-66
 - 5.3.1.3.3.1.3 Emergency Services Position Request Response Return
Error 5-68
 - 5.3.1.3.3.1.4 Emergency Services Position Request Response Reject 5-68
 - 5.3.1.3.3.2 Emergency Services Protocol (ESP) Parameters 5-69
 - 5.3.1.3.3.2.1 ESMEIdentification 5-69
 - 5.3.1.3.3.2.2 Position Information – Geographic Position Parameter 5-69
 - 5.3.1.3.3.2.3 Position Information - Position Source Parameter 5-70
 - 5.3.1.3.3.2.4 Callback Number 5-72
 - 5.3.1.3.3.2.5 Emergency Services Routing Key/Emergency Services Routing
Digits 5-72
 - 5.3.1.3.3.2.6 Generalized Time 5-72
 - 5.3.1.3.3.2.7 Company ID 5-73
 - 5.3.1.3.3.2.8 LocationDescription 5-73
 - 5.4 Operations 5-75



5.4.1	Data Administration	5-75
5.4.1.1	Configuration Options	5-75
5.4.1.2	Provisioned Data	5-76
5.4.1.3	Access to Call Databases	5-77
5.4.1.4	Access to Other Databases	5-78
5.4.2	Traffic Measurements	5-78
5.4.3	Maintenance	5-79
5.4.3.1	Trouble Detection	5-80
5.4.3.2	Trouble Notification	5-81
5.4.3.3	Trouble Verification	5-82
5.4.3.4	Maintenance Measurements	5-82
5.4.4	Testing	5-83
5.5	Performance and Security	5-84
5.5.1	Availability	5-84
5.5.2	Query Response Times	5-84
5.5.3	Processing Capacity	5-85
5.5.4	Data Storage Capacity	5-85
5.5.5	VPC Security	5-87
5.5.5.1	General Security Requirements	5-87
5.5.5.1.1	Identification	5-87
5.5.5.1.2	Security Audit (Log)	5-88
5.5.5.1.3	Data and System Integrity	5-89
5.5.5.2	Interface Security	5-90
5.5.5.2.1	V2 Interface to Call Server/Proxy	5-90
5.5.5.2.2	V8 Interface Security	5-91
5.5.5.2.3	V-E2 Interface Security	5-91
5.5.5.2.4	V3 Interface	5-92
5.5.5.2.5	V9 Interface	5-92

Appendix A: References

A.1	Telcordia Generic Requirements Documents	A-1
A.2	National Emergency Number Association Documents	A-1
A.3	Government Publications	A-1
A.4	Industry Standards and Documents	A-1

Appendix B: Acronyms

Requirement-Object Index

List of Figures

Figure 1-1	i2 Solution Architecture	1-6
------------	------------------------------------	-----

List of Tables

Table 5-1	VoIP Call and Location-Related Data Elements for a Call Instance	5-31
Table 5-2	esrRequest Message Parameters	5-40
Table 5-3	esrResponse Parameters	5-44
Table 5-4	ResultCode Parameter Codings	5-47
Table 5-5	erdbRequest Message Parameters	5-55
Table 5-6	erdbResponse Message	5-57
Table 5-7	Result Parameter Codings	5-61
Table 5-8	identityRequest Parameters	5-63
Table 5-9	ESPOSREQ Parameters.	5-65
Table 5-10	Emergency Services Position Request Response (esposreq) Parameters	5-66
Table 5-11	Emergency Services Position Request Response Return Error Parameters	5-68
Table 5-12	Emergency Services Position Request Response Reject Parameters	5-69
Table 5-13	Mappings of Method Token Values of the PIDF-LO to Codings of the Position Source Parameter in the esposreq Response Message . .	5-71
Table 5-14	Mappings of Civic Address Data Elements To Tagged Fields in Location Description Parameter	5-74