

Table of Contents

1 Introduction

1.1 Target Audience	1-1
1.2 Reasons for GR-3120-CORE, Issue 2	1-1
1.3 Structure and Use of This Document	1-1
1.4 Requirements Terminology	1-2
1.5 Requirement Labeling Conventions	1-2
1.5.1 Numbering of Requirement and Related Objects	1-2
1.5.2 Requirement, Conditional Requirement, and Objective Identification	1-3
1.6 Sample Selection and Re-Test	1-3

2 General Information

2.1 General Description	2-1
2.2 Operating Installation and Testing Environment	2-1
2.3 Safety Precautions	2-1
2.4 Application-Specific Requirements	2-2
2.4.1 Overview of Optical Performance Criteria	2-2
2.4.1.1 Modifications and Conditions	2-3
2.4.1.1.1 Pre-Screening	2-3
2.4.1.1.2 Measurement Error	2-3
2.4.1.1.3 Reflectance Increase Criteria Applicability	2-4
2.4.1.1.4 Reflectance Criteria Applicability	2-4
2.4.1.1.5 Handling of Nonconformance	2-4
2.4.2 Performance of a New Product	2-5
2.4.2.1 Test Method	2-6
2.4.2.2 Test Configuration and Conditions for Optical Measurements	2-6
2.4.2.2.1 Transmission Measurement Facility	2-7
2.4.2.2.2 OTDR Measurement Facility	2-10
2.4.3 Thermal Equilibrium	2-14
2.4.4 Handling of Nonconformance	2-14
2.4.4.1 Conformance Criteria	2-14
2.4.4.2 Test Method	2-15
2.4.5 Test Program Schedule	2-15
2.5 Re-Testing	2-19
2.5.1 Re-Testing Matrix	2-19
2.6 Sample Sizes	2-19
2.7 Requalification for Product/Manufacturing Changes	2-19

3 General Requirements

3.1 Product Samples	3-1
3.2 Product Changes	3-1
3.3 Safety and Reliability Considerations	3-1
3.4 Plastic Materials	3-2
3.5 Optical Connectors	3-2
3.6 Cable Media	3-2
3.7 Documentation	3-3
3.8 Marking, Packaging, and Shipping	3-3

- 3.9 Quality 3-3
- 3.10 HFOA/HFOC Keying 3-4
- 3.11 Dust Cap 3-4
- 3.12 Index Matching Material 3-4
- 3.13 Cleanability 3-4

4 Application-Specific Requirements

- 4.1 Geometry Requirements 4-1
 - 4.1.1 Ferrule Endface Geometry for Non-Angled Physical Contact Connectors 4-1
 - 4.1.2 Endface Geometry Requirements for Angled Physical Contact (APC) Connectors 4-3
 - 4.1.3 Endface Geometry Measurement Areas 4-5
- 4.2 Environmental Performance 4-6
 - 4.2.1 Temperature, Humidity, and Condensation Tests 4-6
 - 4.2.1.1 Thermal Age Test 4-6
 - 4.2.1.2 Thermal Cycle Test 4-7
 - 4.2.1.3 Humidity Aging Test 4-9
 - 4.2.1.4 Humidity/Condensation Cycling Test 4-9
 - 4.2.1.5 Dry-Out Step 4-11
 - 4.2.1.6 Post-Condensation Thermal Cycle Test 4-11
 - 4.2.2 Vibration Test 4-11
 - 4.2.3 Freeze/Thaw Test 4-12
 - 4.2.3.1 Conformance Criteria 4-12
 - 4.2.3.1.1 Aerial 4-12
 - 4.2.3.1.2 Direct Buried/Handhole Application 4-13
 - 4.2.3.1.3 Underground/Handhole 4-20
 - 4.2.4 Water Resistance Test 4-20
 - 4.2.5 Salt Spray Test 4-20
 - 4.2.6 Airborne Contaminants Test 4-23
 - 4.2.7 Ultraviolet Resistance Test 4-25
 - 4.2.7.1 Conformance Criteria 4-25
 - 4.2.7.2 Test Method 4-25
 - 4.2.7.3 Test Configuration and Conditions 4-26
 - 4.2.8 Fungus Resistance Test 4-27
 - 4.2.8.1 Conformance Criteria 4-27
 - 4.2.9 Dust Test 4-28
 - 4.2.10 Groundwater Immersion Test 4-32
 - 4.2.11 Chemical Resistance Test – Material Degradation 4-33
 - 4.2.11.1 Material Degradation/Stress Cracking Test Method 4-33
 - 4.2.12 Chemical Resistance Test – Immersion 4-35
- 4.3 Mechanical Performance 4-37
 - 4.3.1 Cable Flex Test 4-37
 - 4.3.2 Cable Torsion Test 4-38
 - 4.3.3 Proof Test 4-39
 - 4.3.4 Transmission With Applied Tensile Load Test 4-41
 - 4.3.5 Durability Test 4-42
 - 4.3.6 Impact Drop Test 4-44
 - 4.3.7 Compression Test 4-48
 - 4.3.8 Seal Under Load Test 4-49
 - 4.3.9 Rodent Resistance 4-51

4.4 Extended Environmental Testing 4-52

 4.4.1 High Temperature Storage Test (Dry Heat) (Extended Heat Aging) . . . 4-52

 4.4.2 High Temperature Storage Test (Damp Heat) (Extended Humidity) . . . 4-53

 4.4.3 Temperature Cycling Test (Extended Thermal Cycling) 4-53

Appendix A: Intermateability Test

A.1 Conformance Criteria A-1

A.2 Test Method A-2

A.3 Test Configuration and Conditions A-5

Appendix B: References

B.1 Telcordia Documents B-1

B.2 Telcordia Document Sets (Family of Requirements [FRs]) B-1

B.3 Non-Telcordia Documents B-1

B.4 Telcordia Reference Notes B-3

 B.4.1 Contact Telcordia B-3

 B.4.2 Order Documents Online From the Telcordia Information SuperStore . . . B-3

 B.4.3 Telcordia Web Sites for Generic Requirements Information B-4

 B.4.4 Telcordia Licensing Agreements B-4

Appendix C: Acronyms

Requirement-Object Index

List of Figures

Figure 2-1	Transmission Measurement Facility	2-7
Figure 2-2	Cutback Measurement Location (Transmission)	2-9
Figure 2-3	OTDR Measurement Facility	2-11
Figure 2-4	OTDR Response to an HFOC	2-12
Figure 2-5	Cutback Measurement Location (OTDR)	2-13
Figure 4-1	Ferrule Endface Geometry	4-2
Figure 4-2	Maximum Allowed Fiber Undercut for a Ferrule Radius of Curvature Between 7 mm and 25 mm	4-2
Figure 4-3	Dome Offset for APC Connectors	4-4
Figure 4-4	Connector Endface Geometry Measurement Areas	4-5
Figure 4-5	Thermal Cycle Profile	4-8
Figure 4-6	Temperature/Humidity Profile for Humidity/Condensation Cycling Test	4-10
Figure 4-7	Sectional Side View of Freeze/Thaw Test Setup #1	4-14
Figure 4-8	Top View of Freeze/Thaw Test Setup #1	4-15
Figure 4-9	Section Side View of Freeze/Thaw Test Setup #2	4-16
Figure 4-10	Location of Thermocouples	4-17
Figure 4-11	Test Bar Samples	4-26
Figure 4-12	Dust Exposure Sample Groups	4-30
Figure 4-13	Dust Test Flow Chart	4-31
Figure 4-14	Three-Point Test Fixture	4-35
Figure 4-15	Cable Torsion Test	4-39
Figure 4-16	Impact Test Facility — Horizontal Drop	4-46
Figure 4-17	Impact Test Facility — Vertical Drop	4-47
Figure 4-18	Compression Test Setup	4-48
Figure 4-19	HFOC Adapter Assembly for Seal Under Load Test	4-50
Figure 4-20	HFOC Test Apparatus	4-51
Figure A-1	Configuration Setup	A-3
Figure A-2	Environmental Cycle for HFOC SC/APC Interchangeability Test	A-3
Figure A-3	Combination for the Durability Test	A-4

List of Tables

Table 2-1	Summary of Optical Performance Criteria: Loss	2-2
Table 2-2	Summary of Optical Performance Criteria: Reflectance	2-2
Table 2-3	Performance Test Sequence	2-15
Table 4-1	Test Conditions for the Thermal Age Test	4-6
Table 4-2	Test Conditions for the Thermal Cycle Test	4-7
Table 4-3	Test Conditions for the Humidity Aging Test	4-9
Table 4-4	Test Conditions for the Humidity/Condensation Cycling Test	4-9
Table 4-5	Freeze/Thaw Criteria	4-13
Table 4-6	Operating Parameters for the Salt Spray Test	4-20
Table 4-7	Airborne Contaminants Test Gases	4-23
Table 4-8	UV Resistance Sources	4-25
Table 4-9	Compression Criteria Levels	4-49
Table 4-10	Test Conditions for the High Temperature Storage Test (Dry Heat) (Extended Heat Aging)	4-52
Table 4-11	Test Conditions for the High Temperature Storage Test (Damp Heat) (Extended Humidity)	4-53
Table 4-12	Test Conditions for the Temperature Cycling Test (Extended Thermal Cycling)	4-54
Table A-1	Intermateability Sample Requirement	A-6