

Table of Contents

1 Introduction

1.1 Purpose and Scope	1-1
1.2 Target Audience	1-2
1.3 History of Changes	1-2
1.3.1 Issue 2	1-2
1.4 Background	1-3
1.4.1 i2 Solution Overview	1-3
1.4.1.1 i2 Solution Architecture Overview	1-5
1.4.1.2 Description of i2 Solution Functional Elements	1-6
1.4.1.3 VoIP i2 Solution Data Elements	1-7
1.4.2 ESGW Functional Overview	1-9
1.4.2.1 Call Routing Support	1-9
1.4.2.2 Signaling Protocol Interworking	1-9
1.4.2.3 Media Interworking	1-10
1.4.3 ESGW Interfaces	1-10
1.5 i2 Solution Assumptions	1-11
1.6 Requirements Terminology	1-12
1.7 Requirement Labeling Conventions	1-13
1.6.1 Numbering of Requirement and Related Objects	1-13
1.6.2 Requirement, Conditional Requirement, and Objective Identification	1-13
1.8 Document Organization	1-13
1.9 Related Documents	1-14

2 User Perspective

3 VoIP Service Provider Perspective

4 E9-1-1 System Service Provider Perspective

5 Functional Requirements

5.1 Requirements in Support of Signaling Gateway Functionality	5-1
5.1.1 Support of SS7 Interworking Functionality	5-1
5.1.1.1 Signaling Protocols	5-2
5.1.1.2 Emergency Services Gateway SS7 Interface Functional Requirements	5-6
5.1.1.3 Emergency Services Gateway SIP Signaling Interface Requirements	5-51
5.1.1.4 Additional Emergency Services Gateway Interworking Functional Requirements	5-54
5.1.2 Support of MF Interworking Functionality	5-55
5.2 Requirements in Support of Trunk Media Gateway Functionality	5-56
5.2.1 Trunk/Media Gateway Functional Architecture	5-56
5.2.2 Connection Control and Resource Management	5-56
5.2.3 VoIP Bearer Setup	5-57
5.2.4 Routing Analysis	5-57
5.2.5 Interface Requirements	5-58

5.2.5.1	IP Bearer Transport Interface	5-58
5.2.5.2	Trunk Interface	5-59
5.2.6	Media Processing	5-60
5.2.6.1	Continuity Tone Generation, Detection and Loopback	5-60
5.2.6.2	Echo Cancellation	5-60
5.2.6.3	Encoding and Transcoding Function	5-60
5.3	Management and Operations Requirements	5-61
5.3.1	Overview of a VoP Network Management Strategy	5-62
5.3.1.1	TMN Overview	5-63
5.3.1.2	Functional Management Strategy Overview	5-64
5.3.1.3	Description of Management Interfaces	5-66
5.3.2	Configuration Management Requirements	5-68
5.3.2.1	General Configuration Management	5-68
5.3.2.2	Capacity Installation	5-71
5.3.2.3	Service Provisioning	5-74
5.3.3	Status Management	5-91
5.3.3.1	Status Monitoring	5-91
5.3.3.2	Status Management and Control	5-106
5.3.4	Fault Management Requirements	5-112
5.3.4.1	Alarm/Event Surveillance	5-112
5.3.4.2	Fault Localization	5-145
5.3.4.3	Testing	5-146
5.3.5	Performance Management Requirements	5-149
5.3.5.1	General Monitoring Requirements	5-150
5.3.5.2	ESGW Performance Monitoring Requirements	5-153
5.3.6	Call Detail Recording	5-171
5.3.7	Security	5-174
5.3.7.1	General Security Requirements	5-174
5.3.7.2	Identification	5-174
5.3.7.3	Security Audit (Log)	5-174
5.3.7.4	Data and System Integrity	5-176
5.3.7.5	Interface Security	5-176
5.4	Reliability and Performance	5-177

Appendix A: References

Appendix B: Acronyms

Requirement-Object Index

List of Figures

Figure 1-1	i2 Solution Architecture	1-5
Figure 5-1	SS7 Network Access Architecture	5-2
Figure 5-2	Protocol Stacks at ESGW	5-3
Figure 5-3	Relative Positioning of Congestion Thresholds	5-32
Figure 5-4	RTP Protocol Stack	5-59
Figure 5-5	TMN Logical Layers	5-63
Figure 5-6	Example of ESGW in Functional Management Architecture	5-65

List of Tables

Table 5-1	Provisional Values for Level 2 Timers	5-11
Table 5-2	Provisional Values for Signaling Link Test Timers	5-46
Table 5-3	Provisional Values for MTP Level 3 Timers	5-47
Table 5-4	Mapping of SS7 Signaling Point Status to X.731 Operational State	5-95