

Table of Contents

1 Introduction

1.1 Purpose and Scope	1-1
1.2 How to Use These Generic Requirements	1-2
1.2.1 Environmental Conditions	1-2
1.2.2 Accelerated Temperature and Pretreatment Stresses for Modular Jacks and Plugs	1-2
1.3 Target Audience	1-3
1.4 Structure and Use of This Document	1-3
1.5 Requirements Terminology	1-4
1.6 Requirement Labeling Conventions	1-4
1.6.1 Numbering of Requirement and Related Objects	1-4
1.6.2 Requirement, Conditional Requirement, and Objective Identification	1-5

2 General Information and Testing Considerations

2.1 General Description	2-1
2.2 Operating Environment	2-1
2.3 Telecommunications Equipment	2-1
2.4 Test Environmental Conditions	2-2
2.4.1 Ambient Laboratory Conditions	2-2
2.4.2 Environmental Tests	2-2
2.4.3 Thermal Soak Time	2-2
2.5 Safety Precautions	2-2
2.6 Sample Preparation	2-3
2.6.1 Test Sample Selection and Retest	2-3
2.7 Calibration and Test Equipment Use	2-3

3 General iNID Design Requirements

3.1 Features	3-1
3.1.1 Insect Resistance	3-2
3.1.2 Components	3-2
3.1.3 Tools	3-2
3.1.4 Security	3-2
3.2 Listing	3-3
3.3 Materials	3-4
3.3.1 iNID	3-4
3.3.2 Coaxial F-Ports	3-5
3.4 Construction Safety	3-5
3.5 Instructions	3-5
3.6 Marking	3-6
3.7 Packing and Shipping	3-6
3.8 Product Design Change	3-6
3.9 Prohibited Materials	3-7
3.10 Safety and Reliability Considerations	3-7
3.11 Fire Resistance of Polymeric and Other Non-Metallic Materials	3-8
3.12 Finish	3-8
3.12.1 Color	3-8

- 3.12.2 Appearance 3-9
- 3.12.3 Paint Adhesion 3-9
- 3.12.4 Flexibility 3-9
- 3.12.5 Paint Adhesion After Exposure 3-10
- 3.12.6 Ultraviolet Resistance 3-10
- 3.13 Screens and Filters 3-10
- 3.14 Condensation 3-11
- 3.15 Fans 3-11
- 3.16 Bonding and Grounding 3-12
- 3.17 Quality 3-12

4 Mechanical Requirements of Conductors

- 4.1 Conductor Pull-Out 4-1
- 4.2 Inside Wire Installation Spacings 4-1
- 4.3 Wiring 4-1
- 4.4 Bonding and Grounding 4-1

5 Environmental Requirements

- 5.1 High-Temperature Storage/Mold Stress 5-2
- 5.2 Temperature and Humidity Shock During Transportation and Storage 5-2
- 5.3 Temperature and Humidity Cycling Test 5-3
 - 5.3.1 Test Procedure (6-Day Cycle Test) 5-3
 - 5.3.2 Functional Testing for Temperature and Humidity Cycle Test 5-5
 - 5.3.2.1 Insulation Resistance 5-5
 - 5.3.2.2 Series Resistance 5-5
 - 5.3.2.3 Dielectric Withstand 5-6
 - 5.3.2.4 Dielectric Withstand to Mounting Surfaces 5-6
 - 5.3.2.5 Loosening Torque 5-6
- 5.4 Cold and Hot Temperature Start 5-8
- 5.5 Operating Altitude 5-8
- 5.6 Operation Life 5-8
- 5.7 Impact 5-9
- 5.8 Salt Fog 5-9
- 5.9 Fungus Resistance 5-10
- 5.10 Ultraviolet (UV) Resistance (Outdoor Polymeric Closures) 5-11
 - 5.10.1 UV Resistance Test Method 5-11
- 5.11 Chemical Resistance 5-12
- 5.12 Immersion (Flooded Environment) 5-14
- 5.13 Water and Dust Intrusion 5-14
 - 5.13.1 Wind-Driven Rain 5-14
 - 5.13.2 Rain Intrusion 5-15
 - 5.13.3 Weathertightness 5-15
- 5.14 Acoustical Noise Suppression 5-16
- 5.15 Corrosive Gas Resistance 5-17

6 Modular Jacks and Plugs

- 6.1 Mechanical Requirements 6-1
 - 6.1.1 Contact Construction 6-1
 - 6.1.2 Contacts 6-2

6.1.3	Insertion Criteria	6-3
6.1.4	Go/No Go	6-3
6.2	Environmental	6-4
6.2.1	Rationale	6-4
6.2.2	Criteria	6-4
6.2.3	Aging Pretreatment	6-4
6.2.4	Operational Life	6-5
6.2.5	Dipping (Severe Climatic Conditions)	6-5
6.2.6	Immersion (Flooded Conditions)	6-5
6.2.7	Mounting	6-5
6.2.8	Temperature Cycling With Humidity	6-6
7	Physical Protection	
7.1	Low-Level Vibration	7-1
7.1.1	Low-Level Vibration Resistance	7-1
7.1.2	F-Port Vibration	7-2
7.2	Equipment Handling Criteria	7-2
7.2.1	Packaged Equipment Shock	7-2
7.2.1.1	Category A Containers	7-3
7.2.1.2	Category B Containers	7-3
7.2.2	Unpackaged Equipment Shock	7-3
8	Electromagnetic Compatibility and Electrical Safety	
8.1	Electromagnetic Compatibility (EMC) and Electrical Safety Criteria	8-1
8.2	EMC and Electrical Safety Criteria Applicable to Network Equipment	8-3
8.2.1	Electrostatic Discharge (ESD)	8-4
8.2.2	Electrical Fast Transients (EFTs)	8-4
8.2.3	Electromagnetic Interference (EMI)	8-4
8.2.4	Lightning and AC Power Faults	8-5
8.2.5	Steady-State Power Induction	8-5
8.2.6	DC Potential Difference	8-6
8.2.7	Electrical Safety Criteria	8-6
8.2.8	Corrosion	8-6
8.2.9	Bonding and Grounding	8-6
8.3	Power Interface Requirements	8-6
8.3.1	DC Power Interface	8-7
8.3.2	AC Power Interface	8-8
9	Insulation Displacement Connector (IDC) Cross-Connect Terminal Blocks	
9.1	Physical	9-1
9.1.1	Capacity	9-1
9.1.2	Wire Compatibility	9-1
9.1.3	Wire Termination	9-1
9.1.4	Terminal Density	9-1
9.1.5	Wire Pair Identification	9-2
9.1.6	Test Points	9-2
9.1.7	Termination Tool	9-2
9.1.8	Dimensions	9-2
9.1.9	Wiring Harness	9-2

- 9.2 Mechanical Requirements for Connectors 9-3
 - 9.2.1 Materials and Finishes 9-3
 - 9.2.2 Terminated Wire Torsion 9-3
 - 9.2.3 Terminated Wire Bending 9-3
 - 9.2.4 Reuse 9-4
 - 9.2.5 Dimensional Stability 9-4
 - 9.2.6 Durability of Terminals 9-4
- 9.3 Electrical 9-4
 - 9.3.1 Insulation Resistance 9-4
 - 9.3.2 Dielectric Strength 9-5
 - 9.3.3 High Voltage Surge 9-5
- 9.4 Environmental 9-5
 - 9.4.1 Temperature Cycling 9-5
 - 9.4.2 Temperature Cycling with Humidity/Contact Resistance 9-6
 - 9.4.3 Temperature Cycling with Humidity/Insulation Resistance 9-6
 - 9.4.4 Stress Relaxation 9-7

Appendix A: Observational Standard

Appendix B: References

Appendix C: Glossary

Requirement-Object Index (ROI)

List of Figures

Figure 5-1	Environmental Test Cycle Requirements	5-4
Figure 5-2	General Circuit for Environmental Tests	5-7
Figure 5-3	Test Bar Samples	5-12
Figure 6-1	Schematic Diagram – Flooding Pretreatment	6-6
Figure 6-2	iNID Mounting Arrangement	6-7
Figure 6-3	Schematic Diagram – Leakage Current	6-8
Figure 6-4	Temperature/Humidity Cycling with Relative Humidity at 95%	6-9
Figure A-1	Observational Standard	A-1

List of Tables

Table 5-1	Outdoor Contaminant Levels	5-17
Table 5-2	Target Air Composition and Duration of MFG Testing	5-18
Table 7-1	Vibrational Stress Test Conditions from ETSI EN 300 019	7-1
Table 7-2	Category A Container Packaged Equipment Shock Criteria	7-3
Table 7-3	Category B Container Packaged Equipment Shock Criteria	7-3
Table 7-4	Unpackaged Equipment Shock Criteria	7-4
Table 8-1	Applicable Criteria for Network Equipment Ports	8-3