

Table of Contents

Preface	xi
1 Introduction	
1.1 Purpose and Scope of Document	1-1
1.2 Requirements Terminology	1-1
1.3 Reasons for Reissue	1-2
1.4 Requirement Labeling Conventions	1-3
1.4.1 Numbering of Requirement and Related Objects	1-3
1.4.2 Requirement, Conditional Requirement, and Objective Identification	1-3
1.5 Document Organization	1-3
1.6 Related Telcordia Documents	1-4
2 High-Level Description	
2.1 Location Overview	2-1
2.1.1 Use of Location Information in E9-1-1	2-1
2.1.2 Protocols Used for Location Acquisition and Location Determination	2-2
2.1.2.1 HELD	2-3
2.1.2.2 FLAP	2-3
2.1.3 Location Terminology	2-3
2.1.4 Location Issues	2-4
2.2 Introduction to the NENA i2 Solution	2-5
2.2.1 i2 Solution Elements and Interfaces	2-6
2.2.1.1 i2 Solution Elements	2-6
2.2.1.2 i2 Solution Interfaces	2-8
2.3 DSL Architecture Overview	2-9
2.4 LIS Overview and Location Determination and Acquisition Example	2-11
2.4.1 Network Functional Layers and LIS Capabilities	2-11
2.4.1.1 Network Layers for VoIP	2-11
2.4.1.2 LIS Capabilities by Network Layer	2-12
2.4.2 Location Determination and Acquisition Example	2-13
2.4.2.1 Sequence of Location Events	2-13
2.4.3 Location Determination and Acquisition Example	2-14
2.4.3.1 Information Flow for Location Determination	2-15
2.4.3.2 Location Determination and Acquisition for a Location-Capable Endpoint	2-16
2.4.3.3 Other DSL Implementations	2-17
2.4.4 Other LIS Capabilities	2-20
2.4.4.1 LIS Discovery	2-20
2.4.4.2 Civic Address Validation	2-20
3 Functional Requirements	
3.1 Requirements Overview	3-1
3.2 Location Determination	3-3
3.2.1 LIS Database	3-4
3.2.1.1 Location Parameter Conveyance	3-5
3.2.2 LIS-to-LIS Location Request	3-8

- 3.3 Location Acquisition 3-10
 - 3.3.1 Processing Location Requests 3-11
 - 3.3.2 Responding to Location Requests 3-16
 - 3.3.2.1 Response from a LIS that Can Determine Location 3-16
 - 3.3.2.2 Using Information from Another LIS to Create a Response 3-18
- 3.4 LIS Support for Location by Reference 3-19
 - 3.4.1 LIS Capabilities to Support Location-by-Reference 3-19
 - 3.4.1.1 Creating and Maintaining References 3-19
 - 3.4.1.2 De-Referencing 3-20
 - 3.4.1.2.1 De-Reference Request 3-20
 - 3.4.1.2.2 De-Reference Response 3-20
- 3.5 Location Information Formats 3-21
 - 3.5.1 Civic Location Information and Address Validation 3-21
 - 3.5.1.1 VDB Discovery 3-21
 - 3.5.1.2 Civic Location Validation Request 3-23
 - 3.5.1.3 Civic Location Validation - Successful Response 3-24
 - 3.5.1.4 Civic Location Validation - Error Responses 3-27
 - 3.5.2 Geodetic Location Information 3-30
- 3.6 Error Conditions 3-30
 - 3.6.1 Location Determination and Acquisition Errors 3-31
 - 3.6.2 De-Referencing Errors 3-34
 - 3.6.3 Validation Errors 3-34
- 3.7 LIS Discovery 3-35

4 Signaling Interface Requirements

- 4.1 Location Acquisition 4-1
 - 4.1.1 HELD locationRequest 4-2
 - 4.1.2 HELD locationResponse 4-2
 - 4.1.3 HELD Error 4-3
- 4.2 Location Determination 4-4
 - 4.2.1 FLAP Messages and Responses 4-6
- 4.3 De-Referencing 4-8
- 4.4 Address Validation 4-8
 - 4.4.1 VDB Discovery 4-11

5 Operations, Administration, and Maintenance

- 5.1 Data Administration 5-1
 - 5.1.1 Provisioning 5-1
 - 5.1.1.1 Configuration Options 5-1
 - 5.1.1.2 Provisioned Data 5-3
 - 5.1.2 Data Updates and Audits 5-6
- 5.2 Maintenance and Testing 5-6
 - 5.2.1 Trouble Detection 5-7
 - 5.2.2 Trouble Notification 5-8
 - 5.2.3 Trouble Verification 5-9
 - 5.2.4 Maintenance Measurements 5-9
 - 5.2.5 Testing 5-11

6 Performance and Security

6.1 Performance and Security 6-1

 6.1.1 Availability 6-1

 6.1.2 Processing Time 6-1

6.2 LIS Security Considerations 6-2

 6.2.1 General Security Requirements 6-2

 6.2.1.1 User Identification 6-2

 6.2.1.2 Security Audit 6-3

 6.2.1.3 Data and System Integrity 6-5

 6.2.2 Interface Security 6-5

 6.2.2.1 HELD Interface 6-5

 6.2.2.2 FLAP Interface 6-6

 6.2.2.3 NENA v3 Interface 6-6

 6.2.3 NENA v7 and v9 Interface 6-6

6.3 Capacity 6-7

 6.3.1 Processing Capacity 6-7

 6.3.2 Data Storage Capacity 6-7

Appendix A: LIS Processing Flowchart

Appendix B: Acronyms

Appendix C: References

C.1 Telcordia Documents C-1

C.2 National Emergency Number Association Documents C-1

C.3 Internet Engineering Task Force Documents C-1

C.4 Other Industry Standards and Documents C-2

C.5 Reference Note C-2

C.6 Contact Telcordia C-2

C.7 Order Documents Online From the Telcordia Information SuperStore C-3

C.8 Telcordia Web Sites for Generic Requirements Information C-4

C.9 Telcordia Licensing Agreements C-4

Requirement-Object Index

List of Figures

Figure 2-1	NENA i2 Architecture	2-5
Figure 2-2	DSL Reference Architecture	2-10
Figure 2-3	Information Flow for Location Determination in DSL Implementation that uses IP Routing	2-15
Figure 2-4	Location Request from a Location-Capable Endpoint	2-16
Figure A-1	LIS Processing of a Location Request	A-1

List of Tables

Table 3-1	Potential LIS Database Mappings Based on Service Provider Segment Implementation	3-2
Table 3-2	Location Type to Be Returned in Response to “Non-Specific” Location-by-Value Location Requests	3-13
Table 3-3	Processing of Location-by-Value Requests with Exact = “True” and Location-by-Reference Requests	3-15
Table 3-4	Validated Address to PIDF-LO Mapping	3-27
Table 4-1	HELD locationRequest (all parameters are optional)	4-2
Table 4-2	HELDResponse Message	4-3
Table 4-3	HELD Error Message	4-3
Table 4-4	Code Parameter Values	4-4
Table 4-5	Measurement Channel Operating Modes	4-5
Table 4-6	FLAP Elements	4-7
Table 4-7	validateAddressRequest	4-9
Table 4-8	validateAddressResponse	4-9
Table 4-9	Return Codes	4-10
Table 4-10	identityRequest	4-12
Table 4-11	identityResponse	4-12