

Table of Contents

Preface	xiii
1 Introduction	
1.1 Purpose and Scope	1-1
1.2 Target Audience	1-2
1.3 Reasons for Reissue	1-2
1.3.1 Issue 4	1-2
1.3.2 Issue 3	1-2
1.3.3 Issue 2	1-3
1.4 Document Organization	1-3
1.5 Related Telcordia Documents	1-3
1.6 Requirements Terminology	1-4
1.7 Requirement Labeling Conventions	1-5
1.7.1 Numbering of Requirement and Related Objects	1-5
1.7.2 Requirement, Conditional Requirement, and Objective Identification	1-6
2 High Level Description	
2.1 Background	2-1
2.1.1 i3 Solution Overview	2-1
2.1.1.1 i3 Solution Assumptions	2-1
2.1.1.2 i3 Solution Architecture Overview	2-2
2.1.1.3 Description of i3 Solution Functional Elements	2-3
2.1.1.4 i3 Solution Functional Interfaces	2-6
2.1.2 Network Interconnection Architecture Overview	2-7
2.1.2.1 Interconnection of Legacy Wireline Originating Networks and i3 ESInets	2-8
2.1.2.2 Interconnection of Legacy Wireless Originating Networks and i3 ESInets	2-9
2.1.3 Legacy Network Gateway Functional Architecture	2-12
2.1.3.1 Protocol Interworking Function (PIF)	2-13
2.1.3.2 NG9-1-1-specific Interwork Function (NIF)	2-14
2.1.3.3 Location Interwork Function (LIF)	2-16
2.1.4 Legacy Network Gateway Functional Overview	2-18
2.1.4.1 Location Retrieval	2-18
2.1.4.2 Call Routing Support	2-19
2.1.4.2.1 Routing Database Discovery	2-19
2.1.4.2.2 Queries for Routing Information Based on Location	2-19
2.1.4.2.3 Call Delivery to the ESInet	2-20
2.1.4.3 Call Signaling Protocol Interworking	2-20
2.1.4.4 Media Interworking	2-21
2.1.5 Legacy Network Gateway Interfaces	2-21
2.1.5.1 Interfaces to the Legacy Network	2-21
2.1.5.1.1 MF Trunk Interface	2-21
2.1.5.1.2 SS7 Interface	2-22
2.1.5.2 Location Retrieval Interface	2-22
2.1.5.3 De-Referencing Interface	2-22

2.1.5.4 Interfaces to the i3 ESInet	2-23
2.1.5.4.1 Routing Query Interface	2-23
2.1.5.4.2 Call Signaling Interface	2-23
2.1.5.5 Interfaces for Database Discovery	2-24
2.2 Legacy Originating Network Provider Perspective	2-25
2.3 Emergency Services IP Network Provider Perspective	2-26

3 Functional Requirements

3.1 Requirements in Support of the MF/SS7-to-SIP Protocol Interworking Function (PIF) Component of the Legacy Network Gateway	3-1
3.1.1 Support of SS7 Interworking Functionality	3-1
3.1.1.1 Signaling Protocols	3-2
3.1.1.2 Legacy Network Gateway SS7 Interface Functional Requirements	3-3
3.1.1.2.1 Signaling Data Link Functions (MTP Level 1)	3-3
3.1.1.2.2 Signaling Link Functions (MTP Level 2)	3-3
3.1.1.2.3 Signaling Network Functions and Messages (MTP Level 3)	3-10
3.1.1.2.3.1 ISUP	3-48
3.1.2 Support of MF Interworking Functionality	3-50
3.1.3 Interface From the PIF Component to the NIF Component	3-51
3.2 Requirements in Support of the NG9-1-1-specific Interwork Function (NIF) Component of the Legacy Network Gateway	3-53
3.2.1 Call Signaling to the i3 ESInet	3-58
3.3 Requirements in Support of the Location Interwork Function (LIF) Component of the Legacy Network Gateway	3-64
3.4 Requirements in Support of Trunk Media Gateway Functionality	3-69
3.4.1 Trunk/Media Gateway Functional Architecture	3-69
3.4.2 Connection Control and Resource Management	3-69
3.4.3 VoIP Bearer Setup	3-70
3.4.4 Interface Requirements	3-70
3.4.4.1 IP Bearer Transport Interface	3-71
3.4.4.2 Trunk Interface	3-72
3.4.5 Media Processing	3-72
3.4.5.1 Continuity Tone Detection and Loopback	3-72
3.4.5.2 Echo Cancellation	3-73
3.4.5.3 Encoding and Transcoding Function	3-73

4 Signaling Interface Requirements

4.1 Interfaces to the Legacy Originating Network	4-1
4.1.1 MF Trunk Interface	4-1
4.1.2 SS7 Interface	4-2
4.1.2.1 SS7 Message Transfer Part (MTP) Signaling for 9-1-1 Call Setup	4-2
4.1.2.2 SS7 ISUP Signaling for 9-1-1 Call Setup	4-3
4.2 Interface Between the PIF and NIF Components of the Legacy Network Gateway	4-3
4.3 Interfaces in Support of Location Retrieval	4-4
4.3.1 Interface Between the LIF Component and the Associated Location Database/Server	4-5
4.3.2 Interface Between the Location Database/Server and an MPC/GMLC	4-5
4.3.2.1 Support for a PAM Interface	4-5
4.3.2.2 Support for an E2+ Interface	4-6

4.3.2.2.1 Messages	4-6
4.4 Routing Query Interface	4-10
4.4.1 LoST Interface Messaging Requirements	4-11
4.4.1.1 Generating a LoST Routing Query	4-11
4.4.1.2 Processing a LoST Response	4-14
4.5 SIP Signaling Interface from the NIF Component to the ESRP	4-18
4.6 De-Referencing Interface	4-22
4.7 Interface in Support of Requests for Additional Data	4-22

5 Operations, Administration, and Maintenance

5.1 Management Interfaces	5-1
5.2 Configuration Management Requirements	5-2
5.2.1 Configuration Management and Data Administration	5-2
5.2.1.1 Configuration for Processing of Emergency Service Requests	5-3
5.2.1.2 Configuration for Processing Routing Responses	5-4
5.2.1.3 Configuration Related to Support for Additional Data Associated with a Call	5-5
5.2.1.4 Configuration Related to Conversion of Location from MSAG-valid Format to PIDF-LO	5-5
5.2.1.5 Management of Legacy Network Gateway Configuration Information	5-6
5.2.1.5.1 Configuration Database Backup and Recovery	5-6
5.2.1.5.2 EMS Notification of Local CM Activity and Resource State Changes	5-7
5.2.2 Service Provisioning	5-7
5.2.2.1 Self Identification	5-8
5.2.2.2 SS7 Interfaces and Resources	5-8
5.2.2.2.1 Self-Identity Signaling Point Code	5-9
5.2.2.2.2 SS7 Destinations	5-9
5.2.2.2.3 SS7 Link Interface Equipment Ports	5-10
5.2.2.2.4 SS7 Link Sets	5-10
5.2.2.2.5 SS7 Signaling Routes	5-11
5.2.2.2.6 SS7 Links	5-11
5.2.2.2.7 SS7 MTP Level 2 Timer Profiles	5-12
5.2.2.2.8 SS7 MTP Link Transmit Congestion Threshold Profiles	5-13
5.2.2.2.9 SS7 MTP Level 3 Timer Profile	5-14
5.2.2.2.10 MTP3 Control Indicators	5-15
5.2.2.2.11 SS7 Provisioning Operations	5-17
5.2.2.3 SIP Server Signaling Application Interface and Resources	5-18
5.2.2.3.1 ESRP Identification	5-18
5.2.2.3.2 Provisioning Operations for ESRP Interface Resources	5-19
5.2.2.3.3 Core Network Interfaces	5-20
5.2.2.3.4 Trunk Interfaces	5-21
5.2.2.4 Legacy Network Gateway Application Specific Provisioning	5-23
5.2.2.4.1 Data in Support of Processing Emergency Service Requests	5-23
5.2.2.4.2 Data in Support of Root Discovery	5-24
5.2.2.4.3 Data in Support of the Generation of Location Queries	5-24
5.2.2.4.4 Data in Support of the Generation of Routing Queries	5-24
5.2.2.4.5 Location Data	5-25
5.2.3 Status Management	5-25

5.2.3.1	Status Monitoring	5-26
5.2.3.1.1	General State Variables	5-26
5.2.3.1.2	Overview of Legacy Network Gateway Monitored Resources and States	5-28
5.2.3.1.3	Legacy Network Gateway SS7 States	5-29
5.2.3.1.4	SIP Interface Status	5-40
5.2.3.1.5	Core Network Interface Resources	5-41
5.2.3.2	Status Management and Control	5-41
5.2.3.2.1	Status Retrieval - General	5-41
5.2.3.2.2	Autonomous Notification of State Changes	5-43
5.2.3.2.3	Legacy Network Gateway Status Change Log	5-44
5.2.3.2.4	Status Management Actions	5-44
5.2.4	Fault Management Requirements	5-47
5.2.4.1	Alarm/Event Surveillance	5-48
5.2.4.1.1	General	5-48
5.2.4.1.2	For SS7 Interfaces	5-53
5.2.4.1.3	SIP Signaling	5-78
5.2.4.1.4	LoST Signaling	5-79
5.2.4.1.5	Location Retrieval Signaling	5-79
5.2.4.1.6	For Core Network Interfaces	5-81
5.2.4.1.7	Data Errors	5-82
5.2.4.2	Fault Localization	5-83
5.2.4.2.1	General	5-83
5.2.4.2.2	For SS7 Interfaces	5-83
5.2.4.3	Testing	5-84
5.2.4.3.1	General	5-84
5.2.4.3.2	For SS7 Interfaces	5-85
5.2.4.3.3	For IP Core Network Interfaces	5-85
5.2.4.3.4	Testing of TDM Trunks	5-86
5.2.5	Performance Management Requirements	5-86
5.2.5.1	General Monitoring Requirements	5-87
5.2.5.1.1	Counters and Monitoring Intervals	5-87
5.2.5.1.2	Generation of Threshold Crossing Alerts (TCAs)	5-89
5.2.5.2	Legacy Network Gateway Performance Monitoring Requirements	5-90
5.2.5.2.1	Physical Layer Protocol Monitoring	5-92
5.2.5.2.2	IP Layer Protocol and Traffic Monitoring	5-95
5.2.5.2.3	UDP Layer Protocol Monitoring	5-96
5.2.5.2.4	TCP Layer Protocol Monitoring	5-97
5.2.5.2.5	RTP Layer Protocol Monitoring	5-97
5.2.5.2.6	SIP and Traffic Monitoring	5-98
5.2.5.2.7	Legacy Network Gateway System Totals	5-101
5.2.5.2.8	SS7 Interface Measurements	5-102
5.2.5.2.9	Trunk Utilization and Performance Measurements	5-107
5.2.5.2.10	Measurements for Other Legacy Network Gateway Components or Modules	5-107
5.2.6	Logging	5-108
5.2.7	Security	5-110
5.2.7.1	General Security Requirements	5-110
5.2.7.2	Identification	5-110
5.2.7.3	Security Audit (Log)	5-110

5.2.7.4 Data and System Integrity	5-112
5.2.7.5 Interface Security	5-113
5.2.7.5.1 SIP Signaling Interface	5-113
5.2.7.5.2 LoST Interface	5-113
5.2.7.5.3 Location Retrieval Interface	5-114
5.2.7.5.4 De-Referencing Interface	5-114
5.2.7.5.5 Interface in Support of Requests for Additional Data	5-115
5.3 Reliability and Performance	5-115

Appendix A: References

Appendix B: Acronyms

Requirement-Object Index