

Table of Contents

Preface	xv
1 Introduction	
1.1 Scope	1-1
1.2 Purpose of This Document	1-1
1.2.1 Document Conflicts	1-2
1.3 Reason for Reissue of GR-3171	1-4
1.4 Target Audience	1-5
1.5 GR-3171 Framework	1-5
1.6 Demarcation and Segmentation	1-6
1.6.1 Premises Equipment and Facilities	1-7
1.6.2 Equipment and Facilities Located on the Outside Wall or Roof of a Customer Premises	1-8
1.6.3 Outside Plant (OSP) Equipment and Facilities	1-8
1.6.4 Network Facilities	1-9
1.7 Wireless Facilities and the NEC	1-10
1.8 Organization of This Document	1-12
1.9 Definitions	1-13
1.10 Requirements Terminology	1-15
1.11 Requirement Labeling Conventions	1-16
1.11.1 Numbering of Requirement and Related Objects	1-16
1.11.2 Requirement, Conditional Requirement, and Objective Identification	1-16
2 Facility Type and Location	
2.1 Transmitting/Receiving Point to Base Station (BS)	2-1
2.1.1 Supporting Structures: Towers, Poles, and Buildings	2-1
2.1.1.1 Towers	2-2
2.1.1.2 Utility Poles and Attachment Hardware	2-2
2.1.1.3 Buildings	2-2
2.1.2 Antennas - Transmitters/Receivers	2-3
2.1.2.1 Antenna Attachment Hardware - General Design Criteria	2-4
2.1.2.2 Antenna Attachment Hardware - Functional Performance Criteria	2-6
2.1.3 Cables and Connections	2-6
2.1.3.1 Antenna to Tower Equipment	2-7
2.1.3.2 Tower Equipment Closure to Base Station	2-7
2.1.3.3 Hardware for Cable Protection	2-11
2.1.4 Tower-Mounted Equipment	2-11
2.1.4.1 Electronic Equipment	2-11
2.1.4.2 Opto-Electronic	2-12
2.1.4.3 Cabinets and Closures	2-13
2.1.4.4 Power Closure/Equipment	2-14
2.1.4.5 RF Components	2-15
2.1.5 Attachment Hardware	2-15
2.1.5.1 Pole/Tower-Mounted Installations	2-16
2.1.6 Lifting and Attachment	2-19
2.2 Base Station	2-19

2.2.1	Location Relative to Tower	2-19
2.2.2	Physical Location and Design Concerns	2-19
2.2.3	Power and EMC/EMI Issues – General	2-21
2.2.3.1	Emissions	2-26
2.2.3.2	Interference	2-26
2.2.4	Environmental and Structural Requirements	2-29
2.2.5	Remote Access Control, Alarm/Security for Structure	2-30
2.2.6	Backhaul Cabling between the Base Station and Mobile Switching Center	2-31
2.2.7	Wireless Backhaul	2-32
2.3	Mobile Switching Center (MSC)	2-33
2.3.1	Functional Performance Issues	2-34
2.3.2	Co-Location Considerations	2-34
2.4	PSTN Interface at Network CO	2-35
2.5	Customer Premises	2-35
2.6	Data Centers	2-36
2.7	Mobile Equipment Used in Telephone Switching Office	2-36
3	Equipment – Functional Performance Requirements	
3.1	Passive Elements	3-1
3.1.1	Antenna	3-1
3.1.2	Antenna Wire and Cables	3-3
3.1.3	Intra-Building and Inter-Facility Wire and Cables	3-5
3.1.3.1	Building Cable within the BS and MSC Facilities	3-5
3.1.3.2	Inter-Facility Backhaul Cabling Between BS and MSC and Co-Location (PSTN/CO) Facilities	3-6
3.1.4	Connectors and Splices	3-8
3.1.5	Attachment Hardware	3-9
3.2	Active Transmission and Distribution Equipment	3-9
3.3	Support Equipment	3-11
3.4	NRTL Listing Requirements	3-11
4	Power Infrastructure	
4.1	Utility (Grid) Powered	4-1
4.1.1	Power Interfaces and Connections	4-1
4.1.2	Rectifiers	4-2
4.1.3	Inverters and Converters	4-3
4.2	Backup Power	4-3
4.2.1	Batteries	4-3
4.2.2	Backup Power Capacity	4-5
4.3	Hybrid Systems - Non-Utility Power Supplies	4-6
4.4	Energy Efficiency and Reporting Requirements	4-11
4.5	Power Systems	4-12
5	Physical Infrastructure Hardware	
5.1	Buildings and Structures	5-1
5.1.1	Poles and Towers	5-1
5.1.2	Other Structures	5-2
5.2	Attachment Hardware	5-2

5.3 Cables and Connectors 5-3

 5.3.1 Intra-Building Wire and Cables 5-3

 5.3.2 Inter-Facility Wire and Cables 5-3

 5.3.3 Interconnections 5-4

5.4 Splices, Terminals, Cabinets, and Closures 5-4

5.5 Installation Location and Code Compliance 5-5

6 Wireless Systems - Distributed Antenna Systems (DASs), Wi-Fi, Femto Cells, and Free Space Optics

6.1 Distributed Antenna Systems (DASs) 6-1

 6.1.1 DAS Network Elements 6-2

 6.1.2 FCC Issues - Unlicensed Versus Licensed 6-3

 6.1.3 Antenna Requirements 6-3

 6.1.4 Installation 6-4

6.2 Intra-Building DAS Network Elements 6-4

 6.2.1 Main Building Antenna 6-6

 6.2.1.1 Donor Antenna 6-6

 6.2.1.2 Active DAS Antenna 6-6

 6.2.2 DAS Head End Equipment - Telecom Room 6-7

 6.2.3 Intra-Building Cabling 6-8

 6.2.4 Intra-Building Distribution Equipment 6-10

 6.2.5 DAS Antenna 6-11

6.3 DAS Network Elements – Outside 6-12

 6.3.1 Antennas 6-14

 6.3.2 DAS Head End Equipment and Facilities 6-15

 6.3.2.1 Building Type Enclosures - Huts and CEVs 6-16

 6.3.2.2 Cabinet Type Enclosures 6-16

 6.3.2.3 Other Enclosures 6-17

 6.3.2.4 Enclosure Reference Documents 6-18

 6.3.2.5 Cabling 6-20

6.4 Femto-Cells 6-20

6.5 Wi-Fi 6-21

6.6 Free-Space Optics 6-22

 6.6.1 Operation Under Various Weather Conditions 6-22

 6.6.2 Installation 6-22

 6.6.3 Building FSO Network Elements 6-23

 6.6.4 Building FSO Multi-Beam Laser Link 6-23

 6.6.5 FSO Cabinet Type Enclosures 6-24

7 Network Performance Criteria

7.1 Reliability Background 7-1

 7.1.1 Service Availability and System Reliability 7-1

 7.1.2 Reliability Program Procedures 7-2

7.2 Reliability Criteria for Wireless Network Elements 7-3

 7.2.1 Infant Mortality Factor 7-3

 7.2.2 Steady-State Failure Rates - Sub-Assembly Level 7-4

 7.2.3 Steady-State Failure Rate - System Level 7-5

 7.2.4 Steady State Failure Rate - Network Level 7-5

7.3 Sub-Assembly and Environmental Criteria 7-5

7.3.1 Component Reliability Assurance	7-6
7.3.2 Physical Design Criteria	7-6
7.3.3 Environmental Criteria	7-7
7.3.4 Third-Party Equipment	7-8
7.4 Reconfiguration Capacity of the Network and Backup Power	7-9
7.5 Network Availability and Weather	7-10

8 Quality and Product Testing Details

8.1 Laboratory Requirements	8-1
8.1.1 Safety Precautions	8-1
8.1.2 Measurements	8-1
8.1.3 Laboratory Conditions	8-1
8.1.4 Calibration and Use of Test Equipment	8-2
8.1.5 Test Equipment and Applied Test Stress Levels	8-2
8.1.6 Test Temperatures and Humidity	8-2
8.2 Supplier Quality Requirements	8-3
8.2.1 Quality	8-3
8.2.2 Product Change Notices (PCNs)	8-4
8.3 Instructions and Documentation	8-4

9 Surge Protection

9.1 Purpose	9-1
9.2 General Information	9-1
9.2.1 Applications	9-1
9.2.2 Markings	9-2
9.2.3 Listing	9-2
9.3 Mechanical Requirements	9-2
9.3.1 Materials	9-2
9.3.2 Assembly	9-4
9.3.2.1 Assembly of Plug-In Type Telecommunications Line Protector Unit (TLPU)	9-4
9.3.3 Internal Clearance	9-4
9.3.4 Fire Retardancy	9-4
9.3.5 Radioactive Content	9-4
9.3.6 Hazardous Contents	9-4
9.3.7 Bonding and Grounding	9-5
9.3.8 Personnel Safety	9-5
9.3.9 Electrical Interface	9-5
9.3.10 Mechanical Durability	9-6
9.4 Electrical Requirements	9-6
9.4.1 AC and DC Surge Protective Device (SPD)	9-6
9.4.2 Telecommunication Surge Protection	9-10
9.4.3 Telecommunication Isolation Surge Protection	9-11
9.4.3.1 Optical Isolation Surge Protection	9-11
9.4.3.2 Wire-Line Isolation Surge Protection	9-11
9.4.4 Equipment Protection	9-14
9.4.5 RF Surge Protection	9-14
9.5 Environmental Requirements	9-17
9.6 Primary Communication Protection	9-17
9.6.1 Introduction	9-17

9.6.2 Definition 9-17

9.6.3 Regulatory References 9-18

 9.6.3.1 NEC Article 800 9-18

 9.6.3.2 Telcordia GR-974 9-18

9.6.4 Application 9-19

 9.6.4.1 Background 9-19

 9.6.4.2 Cell Site Environment 9-20

 9.6.4.3 Deployment 9-20

9.6.5 Electrical Coordination of Primary and Secondary Surge Protection . . 9-20

10 Bonding and Grounding for Wireless Equipment

10.1 Individual Wireless Network Elements 10-1

 10.1.1 Grounding and Bonding 10-2

10.2 Tower Grounding 10-3

 10.2.1 Air Terminal 10-3

 10.2.2 Top Ground Bar 10-3

 10.2.3 Vertical Ground 10-4

 10.2.4 Bottom Ground Bar 10-4

 10.2.5 Ground Ring or Grid 10-5

 10.2.6 Ground Rods 10-5

10.3 Grounding and Bonding for Base Stations (BSs) and Mobility Sites and
Equipment 10-5

 10.3.1 Scope 10-5

 10.3.2 General 10-6

 10.3.2.1 Voltage 10-6

 10.3.2.2 Current 10-7

 10.3.2.3 Ground Electrode System 10-7

10.4 Exterior Cabinet Grounding Standard - General Requirements 10-9

10.5 Co-location Grounding Standard - General Requirements 10-10

 10.5.1 Driven Ground System for Mobility Cell Sites (BSs) 10-12

 10.5.1.1 Bonds to Buried Ground Ring 10-12

 10.5.2 Tower Guy Wire (If Applicable) 10-17

10.6 Exterior Ring Ground System 10-18

 10.6.1 Earth Electrode System (Ground Rings) 10-18

 10.6.2 Primary Bonding Connections 10-19

 10.6.3 Roof Ring Ground System 10-20

 10.6.4 Primary Interior-Exterior Bonds 10-21

 10.6.5 Bonds to Antenna Towers 10-21

10.7 Interior Ring Ground Systems 10-22

 10.7.1 Ring Ground System 10-22

 10.7.2 Installation of Interior Ground Ring 10-23

 10.7.3 Conduit for Enclosing Grounding/Bonding Conductors 10-26

 10.7.4 Connections to the Interior Ground Ring 10-26

 10.7.5 Cell Reference Ground Bar (CRGB) 10-28

 10.7.6 Identification Tags and Labels 10-32

 10.7.7 Connections to the Cell Reference Ground Bar 10-33

 10.7.8 Telecommunications Ground Bar (TGB) 10-39

 10.7.9 Cell Base Station Grounding for Cabinet Sites 10-40

10.8 Equipment Ground Wire 10-41

 10.8.1 Device Grounding and Bonding Wire 10-41

10.9	Frame Bonding Requirements	10-42
10.10	Miscellaneous Bonding Requirements	10-42
10.10.1	HVAC and Structural Components	10-42
10.10.2	Portable Components	10-43
10.10.3	Conduits, Pipes, and Ducts	10-43
10.10.4	Incidental Conduit and Pipe Path Grounding	10-44
10.11	Peripheral or Supplementary Conductor Systems	10-45
10.11.1	Peripheral Conductor Systems	10-45
10.11.2	Supplementary Conductors	10-46
10.11.3	Waveguide and Coaxial Cable Bonds	10-49
10.12	Equipment Unit Bonds	10-49
10.12.1	Exterior Unit Bonds	10-49
10.12.2	Interior Unit Bonds	10-50
10.12.3	Bonding of Units Beyond the Interior Ring Periphery	10-51
10.13	Bonds at Structure Entrances	10-52
10.13.1	Exterior Bonds	10-53
10.13.2	Interior Bonds	10-53
10.14	Bonding of Structural Members	10-54
10.15	Small Wireless Radio-Antenna Systems	10-55
10.15.1	Down Grounding Conductors	10-57
10.15.2	Pole-Mounted Antennas	10-57
10.15.3	Bonding Conductors	10-58
10.16	Material and Suppliers	10-58
10.16.1	Protective Devices	10-58
10.16.2	Conductors	10-59
10.16.3	Connections	10-59
10.16.4	Other Materials/Suppliers	10-59
10.17	Roof Top Sites	10-59
11	Environmental Requirements for Wireless Equipment	
11.1	Indoor Use	11-1
11.2	Outdoor Use	11-1
11.2.1	Exchange Protocol for Equipment Tested to GR-3108 Environmental Classes	11-2
11.2.2	Equipment in Outside Environments	11-3
11.2.2.1	Cold and Hot Start Performance	11-3
11.2.2.2	Fire Resistance	11-3
12	Installation and Maintenance Requirements for Wireless Equipment	
12.1	Additional Considerations for Pole-Mounted Antennas	12-1

Appendix A: Informative Appendix

A.1 The ABCs of Fiber A-1
 A.2 Fiber to the Antenna (FTTA) Solutions A-2
 A.3 Comparison of FTTA to Fiber to the Home (FTTH) A-3
 A.4 Fiber to the Antenna Solutions A-4
 A.5 Distributed Antenna System (DAS) A-5
 A.6 DAS Uses A-6
 A.7 DAS Advantages A-7
 A.8 Antennas – Top of Pole A-8

Appendix B: Background Material

Appendix C: NEBS Requirements for Wireless Equipment

C.1 Introduction C-1
 C.2 History of NEBS C-1
 C.3 NEBS Documents C-2
 C.4 GR-63-CORE C-3
 C.4.1 Temperature, Humidity, and Altitude Criteria C-3
 C.4.2 Fire Resistance C-4
 C.4.3 Equipment Handling Criteria C-4
 C.4.4 Earthquake, Office Vibration, and Transportation Vibration C-4
 C.4.5 Airborne Contaminants C-5
 C.4.6 Acoustic Noise C-5
 C.4.7 Illumination Criteria for Network Equipment C-5
 C.5 GR-1089-CORE C-5
 C.5.1 System-Level Electrostatic Discharge (ESD) and Electrical Fast Transient (EFT) C-7
 C.5.2 Electromagnetic Interference (EMI) C-7
 C.5.3 Lightning and Power Fault C-8
 C.5.4 Steady-State Power Induction C-8
 C.5.5 DC Potential Difference C-8
 C.5.6 Electrical and Optical Safety Criteria C-8
 C.5.7 Corrosion C-9
 C.5.8 Bonding and Grounding C-9
 C.5.9 Criteria for DC Power Port of Telecommunications Load Equipment C-9
 C.5.10 A Note on Port Types C-9
 C.6 SR-3580 C-12
 C.6.1 Level 1 C-12
 C.6.2 Level 2 C-13
 C.6.3 Level 3 C-13
 C.6.4 General C-13

Appendix D: Radio Frequency Exposure Limits

Appendix E: References

E.1 Telcordia Documents E-1
 E.2 Non-Telcordia Documents E-5
 E.3 Informative References E-9
 E.3.1 Underwriters Laboratories (UL) E-9

E.3.2 International Electrotechnical Commission (IEC)	E-10
E.3.3 Military Standards	E-11
E.4 Websites for Additional Reference Material	E-11
E.5 Telcordia Document Sets—Family of Requirements (FR) and Family of Documents (FD)	E-12
E.6 Telcordia Reference Notes	E-13
E.6.1 Contact Telcordia	E-13
E.6.2 Order Documents Online From the Telcordia Information SuperStore	E-13
E.6.3 Web Sites for Generic Requirements Information	E-14
E.6.4 Licensing Agreements for Telcordia Documents	E-14

Appendix F: Glossary

F.1 Acronyms	F-1
F.2 Definitions of Terms	F-6

Requirement-Object Index

List of Figures

Figure 1-1	Customer Premises Demarcation Example	1-3
Figure 1-2	Outside Plant Demarcation Example	1-3
Figure 1-3	Overall Network Example	1-3
Figure 1-4	DAS and Pole Mount Example	1-4
Figure 2-1	Application of Force to Pole-Mounted Cabinet	2-18
Figure 6-1	In-Building Connections	6-5
Figure 7-1	Link Margin of 1.1 mrad Optical Link	7-10
Figure 9-1	General Application and Location - Overhead Service	9-8
Figure 9-2	General Application and Location - Outside Service	9-9
Figure 9-3	General Application and Location - Underground/Overhead Service	9-10
Figure 9-4	Wire-Line Isolation Surge Protection Example	9-13
Figure 9-5	Cell Site - Antenna Tower and Facility Structure Separated	9-15
Figure 9-6	Cell Site - Antenna Tower and Facility Structure Combined	9-15
Figure 9-7	Cell Site - Network Demarcation at Outside Plant Facility	9-16
Figure 9-8	Cell Site - Network Demarcation at Customer Premise Cell Site	9-16
Figure 9-9	Primary Protection	9-19
Figure 10-1	Cell Site Grounding Scheme for Monopole Tower with Adjacent BS Building	10-8
Figure 10-2	Typical Exterior Cabinet Grounding Detail	10-10
Figure 10-3	Typical Co-Located Cell Site Grounding Detail	10-11
Figure 10-4	Monopole Grounding Detail	10-16
Figure 10-5	Buried Monopole Grounding Detail	10-17
Figure 10-6	Guy Wire Grounding Detail	10-18
Figure 10-7	Non-Directional Connection Detail	10-24
Figure 10-8	Ground Ring Splice Detail	10-25
Figure 10-9	Interior Ground Ring Wall Support Detail	10-25
Figure 10-10	Door Grounding Detail	10-28
Figure 10-11	Cell Reference Ground Bar (Stand Alone Cell Site) Detail	10-29
Figure 10-12	Cell Reference Ground Bar Co-Located at MSC Detail	10-30
Figure 10-13	Cell Reference Ground Bar Installation Detail	10-32
Figure 10-14	Cable Tray Insulation Detail	10-36
Figure 10-15	Monopole Cable Grounding Detail	10-37
Figure 10-16	Buried Monopole Cable Grounding Detail	10-37
Figure 10-17	Exterior Hatch Plate Grounding (Cable Entry Port) Detail	10-38
Figure 10-18	RF Surge Arrestor Detail	10-38
Figure 10-19	Typical Grounding of Cell Site Fiber Optic Cable Detail	10-40
Figure 10-20	Typical Multiple Conduit Grounding Detail	10-44
Figure 10-21	Method of Bonding Supplementary Conductor to a Framing Channel	10-48
Figure 10-22	Fence and Gate Grounding for Antenna Towers	10-61
Figure B-1	Equipment and Infrastructure	B-1
Figure B-2	FTTC Access Infrastructure	B-7
Figure B-3	FTTP Access Infrastructure	B-8
Figure B-4	Generic Intra-Building Cabling Schematic	B-9
Figure B-5	Family of Cable GRs	B-10
Figure B-6	Example of GR Hierarchy	B-10

List of Tables

Table 1-1	Frequency Bands for 36.4 V/m Radiated Immunity Tests	1–12
Table 6-1	GRs Pertinent to Closures Currently Used in Communications Networks	6–18
Table 6-2	Wi-Fi Standards	6–21
Table 7-1	Weather Attenuation	7–11
Table 9-1	IEEE C62.41	9–6
Table 9-2	Core-to-Shield Dielectric Withstand for Aircore and Filled PIC Cables	9–12
Table B-1	Resources for Information or Requirements for Network Elements	B–11
Table B-2	Cabinets and Closures Documents	B–12
Table B-3	Electrical Protection Documents	B–13
Table B-4	NEBS Documents	B–18
Table B-5	Facilities Documents	B–18
Table B-6	OSP Environmental Documents	B–19
Table B-7	Copper Component Transmission Document	B–19
Table B-8	Pole Hardware Documents	B–19
Table B-9	Optical Documents	B–20
Table B-10	Copper Cable Documents	B–21
Table B-11	Optical Cable Documents	B–21
Table B-12	Coaxial Cable Documents	B–22
Table B-13	Power Documents	B–23
Table B-14	Quality and Reliability Documents	B–24
Table B-15	OSP Facilities Documents	B–24
Table B-16	Reference Material	B–25