

Contents

1. Introduction	1-1
1.1 General	1-1
1.2 Purpose	1-1
1.3 Reasons for Reissue	1-1
1.4 Applicability of Technical Specifications	1-2
1.5 Document Organization	1-2
1.6 Requirements Terminology	1-3
1.7 Requirement Labeling Conventions	1-3
1.7.1 Numbering of Requirement and Related Objects	1-3
2. Service Description	2-1
2.1 Brief Description of Service	2-1
2.1.1 Service TV1	2-1
2.1.2 Service TV2	2-1
2.2 Optional Features	2-1
2.3 Availability	2-2
3. Network Channel (NC) Code and Network Channel Interface (NCI) Codes	3-1
3.1 General	3-1
3.2 Network Channel (NC) Code	3-1
3.3 Network Channel Interface (NCI) Code	3-2
3.3.1 NCI Code Example	3-6
3.4 Compatible Interface Combinations for Television Special Access and Local Channel Services	3-6
4. Technical Specifications	4-1
4.1 General	4-1
4.2 Technical Characteristics of Service	4-1
4.3 Audio Parameters	4-7
4.3.1 Audio Levels on Television Channels	4-7
4.3.2 Maximum Permitted Test-Tone Levels	4-7
4.4 Illustrative Applications	4-12
4.4.1 Service TV1	4-12
4.4.2 Service TV2	4-12
5. Electrical Interface Specifications	5-1
5.1 Video Signal Electrical Interface Specifications	5-1
5.1.1 Impedance	5-1
5.1.2 Standard Value	5-1
5.2 Video Signal Level	5-1
5.2.1 Input Signal Level	5-1
5.2.2 Output Signal Level	5-1
5.2.3 Nonuseful DC Component	5-2
5.3 Audio Signal Electrical Interface Specifications	5-2
5.3.1 Impedance	5-2
5.4 Audio Signal Level	5-2

5.4.1 Input Signal Level	5-2
5.4.2 Output Signal Level	5-2
5.4.3 Nonuseful DC Component	5-2
6. Interface Specifications	6-1
6.1 Interface Type 02TV6.0	6-1
6.2 Interface Type 02TV6.1	6-2
6.3 Interface Type 04TV6.15(A)/04TV6.20	6-3
6.4 Interface Type 02TV6.2	6-4
6.5 Interface Type 06TV6.15(A)/06TV6.20	6-5
6.6 Interface Type 02TV6.6	6-6
6.7 Interface Type 08TV6.15A/08TV6.20	6-7
6.8 Interface Type 02TV6.4	6-8
6.9 Interface Type 10TV6.15A/10TV6.20	6-9
6.10 Interface Type 12TV6.15B/12TV6.20B; 18TV6.15B/18TV6.20B; and 24TV6.15B/24TV6.20B	6-10
6.11 Interface Type 04TV6.5	6-11
6.12 Interface Type 06TV6.5	6-12
Appendix A: Conversion Tables - IRE Units and Decibels (Based on a Ref of 100 IRE units)	A-1
Appendix B: Conversion Tables - Voltage and IRE Units	B-1
Appendix C: References	C-1
Appendix D: Bibliography	D-1
Appendix E: Glossary	E-1
Requirement Object List	ROL-1
Requirement Object Index	ROI-1

List of Figures

Figure 4-1.	≤ 20 <u>Route Miles</u> (No Active Devices): Amplitude Response versus Frequency Characteristic - Video	4-4
Figure 4-2.	$>20 \leq 150$ <u>Route Miles</u> (1-4 Active Devices): Amplitude Response versus Frequency Characteristic - Video	4-5
Figure 4-3.	>150 <u>Route Miles</u> (5-15 Active Devices): Amplitude Response versus Frequency Characteristic - Video	4-6
Figure 4-4.	Amplitude Response vs. Frequency Characteristic - TV1 Audio Channel	4-10
Figure 4-5.	Audio Pre/De-emphasis Curves	4-11
Figure 4-6.	TV1 Service Configuration	4-13
Figure 4-7.	TV2 Service Configuration	4-14

List of Tables

Table 3-1.	Network Channel Code Format	3-1
Table 3-2.	Allowable NC Codes and Combinations	3-2
Table 3-3.	Network Channel Interface Code Format	3-3
Table 3-4.	Total Conductor	3-4
Table 3-5.	Protocol Codes and Selected Options	3-5
Table 3-6.	Impedance	3-5
Table 3-7.	Transmission Level Point (Directionality)	3-5
Table 3-8.	Some Common Compatible Interface Combinations	3-7
Table 4-1.	TV1/TV2 Parameters and Limits	4-2
Table 4-2.	TV1 Audio Parameters and Limits ¹	4-8
Table 4-3.	TV2 Audio Parameters and Limits	4-9