

Table of Contents

Preface	xi
1 Introduction	
1.1 General Product Description	1-2
1.1.1 Coaxial F-Ports	1-2
1.2 Network Plan	1-2
1.3 Application of This Document	1-3
1.4 Reasons for GR-49-CORE, Issue 3	1-4
1.5 Structure and Use of This Document	1-4
1.6 How to Use These Generic Requirements	1-5
1.6.1 Environmental Conditions	1-5
1.6.2 Accelerated Temperature and Pretreatment Stresses for Modular Jacks and Plugs	1-6
1.7 Test Conditions	1-6
1.8 Test Equipment and Ambient Conditions	1-7
1.9 Sample Selection and Retest	1-7
1.10 Applied Test Stress Levels	1-7
1.11 Soak Times	1-7
1.12 Re-Testing Matrix	1-8
1.13 Safety Precautions	1-8
1.14 Requirements Terminology	1-8
1.15 Requirement Labeling Conventions	1-9
1.15.1 Numbering of Requirement and Related Objects	1-9
1.15.2 Requirement, Conditional Requirement, and Objective Identification	1-10
2 General Requirements	
2.1 Features	2-1
2.2 Listing	2-2
2.3 Materials	2-2
2.3.1 Outdoor NID	2-2
2.3.2 Coaxial F-Ports	2-3
2.3.3 Mounting Boards	2-4
2.4 Construction Safety	2-4
2.5 Instructions	2-4
2.6 Marking	2-4
2.7 Packing and Shipping	2-5
2.8 Quality Assurance and Reliability Requirements	2-5
2.8.1 Quality Program Analysis	2-5
2.8.2 Product Quality Surveillance	2-5
2.8.3 Reliability Predictions	2-6
2.9 Additional Components	2-6
2.10 Product Design Change	2-6
2.11 Toxic Materials	2-6

3 Electrical Requirements

3.1 Insulation Resistance	3-1
3.2 Series Resistance	3-1
3.3 Dielectric Withstand	3-1
3.4 Dielectric Withstand to Mounting Surfaces	3-2
3.5 High-Current Capacity	3-2
3.6 Lightning Surge	3-3
3.7 Coaxial F-Port Electrical Performance	3-4
3.7.1 Insertion Loss	3-4
3.7.2 Return Loss	3-4
3.7.3 Shielding Effectiveness	3-5
3.7.4 Fused Coaxial NID	3-6
3.7.4.1 General Fusing Requirements	3-6
3.7.4.2 Electrical Performance Requirements	3-6
3.7.4.2.1 Steady-State Current	3-8
3.7.4.2.2 Surge Resistibility	3-8

4 Mechanical Requirements of Conductors

4.1 Conductor Pull-Out	4-1
4.2 Inside Wire Installation Spacings	4-1
4.3 Wiring	4-1
4.4 Bonding and Grounding	4-1

5 Environmental Requirements

5.1 High-Temperature Storage/Mold Stress	5-1
5.2 Temperature Cycling	5-2
5.3 Temperature Cycling With Humidity	5-5
5.4 Operation Life	5-7
5.5 Impact	5-7
5.6 Drop Test	5-8
5.7 Vibration	5-8
5.8 Torque	5-8
5.9 Sand and Dust	5-8
5.10 Rain Intrusion	5-9
5.11 Wind-Driven Rain	5-10
5.12 Salt Fog	5-11
5.13 Salt-Fog Exposure With Open Covers	5-12
5.14 Ultraviolet Resistance	5-12
5.14.1 UV Resistance Test Method	5-13
5.15 Fungus Resistance	5-13
5.16 Flammability	5-14
5.17 Chemical Resistance	5-14
5.17.1 Material Degradation	5-14
5.17.2 Material Degradation/Stress Cracking Test Method - Test Bars	5-14
5.17.3 Material Degradation/Stress Cracking Test Method - Final Molded Parts	5-16
5.18 Longitudinal Balance Following Salt Fog	5-16
5.19 Immersion (Flooded Environment)	5-17
5.20 Loosening Torque	5-18

5.21 F-Port Vibration	5-18
---------------------------------	------

6 Modular Jacks and Plugs

6.1 Mechanical Requirements	6-1
6.1.1 Contact Construction	6-1
6.1.2 Contacts	6-2
6.1.3 Insertion Criteria	6-3
6.1.4 Go/No Go	6-3
6.2 Environmental	6-4
6.2.1 Rationale	6-4
6.2.2 Criteria	6-4
6.2.3 Aging Pretreatment	6-5
6.2.4 Operational Life	6-5
6.2.5 Dipping (Severe Climatic Conditions)	6-5
6.2.6 Immersion (Flooded Conditions)	6-5
6.2.7 Mounting	6-6
6.2.8 Temperature Cycling With Humidity	6-6

7 High-Speed Data Services

Appendix A: Core Station Bonding and Grounding Practices

A.1 Definitions	A-1
A.2 Grounding Safety Considerations	A-2
A.3 Technician Requirements	A-2
A.4 Grounding Reasons	A-2
A.5 Grounding Basics	A-3
A.6 Grounding Requirements	A-4
A.7 Use of Water Pipes	A-5
A.8 Grounding NIDs in Detached Structures – Same Premises	A-5
A.9 Grounding NIDs in Mobile Home/Trailers: Overview	A-6
A.9.1 Grounding NIDs in Mobile Home/Trailers: NID Placement Considerations	A-6
A.9.2 Grounding NIDs in Mobile Home/Trailers: Grounding Options	A-7
A.10 Approved Ground Wires	A-8
A.11 Ground Tags	A-8
A.12 Grounding Clamps	A-9
A.13 Wired Ground Verification	A-11
A.14 Example Grounding Configurations	A-14
A.15 NID Grounding Frequently Asked Questions	A-17

Appendix B: Alternate NID Housing

Appendix C: Evaluating Dust Accumulation and Wind-Driven Rain Test Calibration Procedure

C.1 Observational Standard for Dust Accumulation	C-1
C.2 Wind-Driven Rain Test Set-Up Calibration Suggested Procedure	C-2
C.2.1 Purpose	C-2
C.2.2 Test Set Calibration	C-2

Appendix D: Mounting Boards

Appendix E: References

E.1 Telcordia Documents	E-1
E.2 Other Referenced Documents or Material	E-2
E.3 Web Sites for Additional Reference Material	E-3
E.4 Telcordia Document Sets—Family of Requirements (FR) and Family of Documents (FD)	E-4
E.5 Telcordia Reference Notes	E-5
E.5.1 Contact Telcordia Customer Service	E-5
E.5.2 Order Documents Online From the Telcordia Information SuperStore	E-5
E.5.3 Web Sites for Generic Requirements Information	E-6
E.5.4 Licensing Agreements for Telcordia Documents	E-6

Appendix F: Acronyms

Requirement-Object Index

List of Figures

Figure 3-1	A NID With a Mated Modular Jack and Plug	3-5
Figure 3-2	Test Circuit for Current-Interrupting Test – Coaxial Conductors . . .	3-7
Figure 3-3	Test Circuit for the Steady-State Current Test	3-8
Figure 3-4	Test Circuit for the Surge-Resistibility Test	3-9
Figure 5-1	Circuit for Environmental Tests	5-3
Figure 5-2	Temperature Cycling	5-4
Figure 5-3	Temperature/Humidity Cycle With the Relative Humidity at 90 to 95%	5-6
Figure 5-4	Three-Point Test Fixture	5-16
Figure 5-5	Longitudinal-to-Metallic Balance (Performance)	5-17
Figure 6-1	Schematic Diagram – Flooding Pretreatment	6-7
Figure 6-2	NID Mounting Arrangement	6-8
Figure 6-3	Schematic Diagram – Leakage Current	6-9
Figure 6-4	Temperature/Humidity Cycle With Relative Humidity at 95%	6-9
Figure A-1	NID Bond and Grounding	A-4
Figure A-2	Grounding Wire	A-8
Figure A-3	Ground Tags	A-8
Figure A-4	Ground Rod Clamps	A-9
Figure A-5	Grounding Wire Clamps	A-9
Figure A-6	Threaded Metallic Conduit Clamps - Strap Clamps	A-10
Figure A-7	Meter Box Clamps	A-10
Figure A-8	NID Installation	A-11
Figure A-9	Test Method 1 for Grounding Continuity Check	A-12
Figure A-10	Test Method 1 for Meter Box Connection	A-13
Figure A-11	Example 1 - Aerial Service to AC Power Disconnect/Meter	A-14
Figure A-12	Example 2 - Buried Service to AC Power Disconnect/Meter	A-14
Figure A-13	Example 3 - Aerial Service within 20 Feet of AC Power Primary Grounding Electrode	A-15
Figure A-14	Example 4 - Aerial Service in Excess of 20 Feet of AC Power Primary Grounding Electrode	A-15
Figure A-15	Example 5 - Buried Service to a Mobile Home Stake - Power Service Primary Grounding Electrode within 20 Feet	A-16
Figure A-16	Example 6 - Buried Service to a Mobile Home Stake - Power Service Primary Grounding Electrode in Excess of 20 Feet	A-16
Figure C-1	Observational Standard for Evaluating Dust Accumulation	C-1
Figure C-2	Wind Speed and Rainfall Verification Fixture	C-3
Figure C-3	Reduction of Water Collection Aperture With an Inclined Rain Gauge During Wind-Driven Rain Testing	C-4

List of Tables

Table 3-1	First-Level Surge	3-3
Table 3-2	Second-Level Surge	3-3
Table 3-3	VSWR and Return Loss	3-4
Table 3-4	Current Levels and Minimum Test Time	3-7
Table 3-5	Surge Levels - A	3-9
Table 3-6	Surge Levels - B	3-9
Table 5-1	Ultraviolet Resistance Sources	5-13
Table A-1	NID Grounding Questions	A-17
Table B-1	Program Used to Review Alternate NID Housing Material	B-1