

Table of Contents

- Preface** xiii
- 1 Introduction**
 - 1.1 Reason for Reissue 1-2
 - 1.2 Deleted Interfaces and Features 1-2
 - 1.3 Expanded Requirements 1-2
 - 1.4 Document Organization 1-3
 - 1.5 Requirements Terminology 1-3
 - 1.6 Requirement Labeling Conventions 1-4
 - 1.6.1 Numbering of Requirement and Related Objects 1-4
 - 1.6.2 Requirement, Conditional Requirement, and Objective Identification . . . 1-5
- 2 Call Attributes**
 - 2.1 Interface Definitions 2-1
 - 2.1.1 Line Interfaces 2-1
 - 2.1.2 Trunk Interfaces 2-2
 - 2.2 Class of Service 2-3
 - 2.2.1 Subscriber Classes of Service 2-3
 - 2.2.2 Trunk Classes of Service 2-4
 - 2.2.2.1 Intersystem Trunks 2-5
 - 2.2.2.2 Operator System Trunks 2-5
 - 2.2.2.3 IC/INC Trunks 2-6
 - 2.3 Connections 2-7
 - 2.3.1 Types of Connections 2-7
 - 2.3.1.1 Two-Terminal Connections 2-8
 - 2.3.1.2 Reverting Connections 2-8
 - 2.3.1.3 Multiterminal Connections 2-8
 - 2.3.1.4 Test Connections 2-8
 - 2.3.2 Verification of Connections 2-9
 - 2.4 Open Switch Intervals (OSIs) 2-9
- 3 Origination Treatment**
 - 3.1 Seizure 3-1
 - 3.1.1 Excessive Origination Protection 3-1
 - 3.1.2 Power-Cross Protection 3-2
 - 3.2 Start 3-3
 - 3.2.1 Start - Analog Lines 3-3
 - 3.2.2 Start - ISDN Lines 3-3
 - 3.2.3 Start - Inband Trunks 3-4
 - 3.2.4 Start - SS7 Trunks 3-4
 - 3.3 Code Registration 3-4
 - 3.3.1 Code Registration - Analog Lines 3-4
 - 3.3.2 Code Registration - ISDN Lines 3-5
 - 3.3.3 Code Registration - Inband Trunks 3-5
 - 3.3.4 Code Registration - SS7 Trunks 3-6
 - 3.4 Permanent Signal Timing 3-6

- 3.4.1 Permanent Signal Timing - Analog Lines 3-6
- 3.4.2 Permanent Signal Timing - ISDN Lines 3-6
- 3.4.3 Permanent Signal Timing - Inband Trunks 3-7
- 3.5 Removal of Dial Tone from Lines 3-7
- 3.6 Partial Dial Timing 3-7
 - 3.6.1 Partial Dial Timing - Analog Lines and ISDN Lines 3-7
 - 3.6.2 Partial Dial Timing - Inband Trunks 3-8
- 3.7 End of Code Registration 3-8

4 Termination Treatment

- 4.1 Terminations to Lines 4-1
 - 4.1.1 Termination to Analog Lines 4-1
 - 4.1.1.1 Called Line Status 4-1
 - 4.1.1.1.1 Busy/Idle Status 4-1
 - 4.1.1.1.2 Ringing Pre-Trip Protection 4-2
 - 4.1.1.2 Alerting - Analog Lines 4-3
 - 4.1.1.3 Audible Ring Tone 4-3
 - 4.1.1.4 Alerting Signal Removal 4-4
 - 4.1.2 Termination to ISDN Lines 4-5
 - 4.1.2.1 Called Line Status 4-5
 - 4.1.2.2 Audible Ring Tone 4-5
 - 4.1.2.3 Transmission Path 4-6
- 4.2 Terminations to Trunks 4-6
 - 4.2.1 Trunk Selection 4-6
 - 4.2.2 Call Termination to Inband Trunks 4-7
 - 4.2.2.1 Seizure - Inband Trunks 4-7
 - 4.2.2.2 Start 4-7
 - 4.2.2.3 Glare Resolution - Inband Trunks 4-8
 - 4.2.2.4 Outpulsing - Inband Trunks 4-8
 - 4.2.2.5 Overlap Outpulsing - Inband Trunks 4-9
 - 4.2.2.6 Unexpected Stop - Inband Trunks 4-9
 - 4.2.3 Call Termination to SS7 Trunks 4-10
 - 4.2.3.1 Glare Resolution - SS7 Trunks 4-10
 - 4.2.3.2 Continuity Test - SS7 Trunks 4-10
 - 4.2.4 Pre-Answer Processing - Trunks 4-11
 - 4.2.4.1 Pre-Answer Processing - Non-Operator Inband Trunks 4-11
 - 4.2.4.2 Pre-Answer Processing - Operator Inband Trunks 4-11
 - 4.2.4.3 Pre-Answer Processing - SS7 Trunks 4-12
- 4.3 Answer 4-13
 - 4.3.1 Answer - Analog Lines 4-13
 - 4.3.2 Answer - ISDN Lines 4-13
 - 4.3.3 Answer - Inband Trunks 4-14
 - 4.3.4 Answer - SS7 Trunks 4-14
- 4.4 Transmission Path 4-14
 - 4.4.1 Transmission Path - Terminating to Lines 4-14
 - 4.4.2 Transmission Path - Terminating to Trunks 4-15
- 4.5 Termination of Calls that Cannot be Completed 4-15
 - 4.5.1 Abandoned Calls 4-15
 - 4.5.2 Permanent Signal and Partial Dial Treatments 4-16
 - 4.5.2.1 Permanent-Signal/Partial-Dial Treatment - Analog Lines 4-16



- 4.5.2.2 Permanent-Signal/Partial-Dial Treatment - ISDN Lines 4-17
- 4.5.2.3 Permanent Signal Treatment - Inband Trunks 4-18
- 4.5.3 Other Misdialing Treatments 4-19
- 4.5.4 Busy Line Treatment 4-19
 - 4.5.4.1 Busy Line Treatment - Analog Originating Lines 4-20
 - 4.5.4.1.1 Busy Treatment - Calls from Analog Lines to Other Lines . . 4-20
 - 4.5.4.1.2 Busy Treatment - Calls from Analog Lines to SS7 Trunks . . 4-21
 - 4.5.4.2 Busy Line Treatment - ISDN Originating Lines 4-21
 - 4.5.4.2.1 Busy Treatment - Calls from ISDN Lines to Other Lines . . . 4-21
 - 4.5.4.2.2 Busy Treatment - Calls from ISDN Lines to SS7 Trunks . . . 4-22
 - 4.5.4.3 Busy Line Treatment - Inband Incoming Trunks 4-22
 - 4.5.4.3.1 Busy Treatment - Calls from Inband Trunks to Lines 4-22
 - 4.5.4.3.2 Busy Treatment - Calls from Inband Trunks to SS7 Trunks . . 4-23
 - 4.5.4.4 Busy Line Treatment - SS7 Incoming Trunks 4-23
 - 4.5.4.4.1 Busy Treatment - Calls from SS7 Trunks to Lines 4-23
 - 4.5.4.4.2 Busy Treatment - Calls from SS7 Trunks to SS7 Trunks . . . 4-24
- 4.5.5 Intercept Treatments 4-24
- 4.5.6 Unavailable Equipment or Facilities, or Internal Failures 4-25
- 4.5.7 Alternate Treatments 4-25
- 4.6 Terminations to Tones and Announcements 4-26
 - 4.6.1 Terminations to Tones 4-26
 - 4.6.2 Terminations to Announcements 4-26

5 Release Treatment

- 5.1 Disconnect During the Service-Request or Seizure Call State 5-2
- 5.2 Disconnect During the Addressing Call State 5-3
- 5.3 Disconnect During the Call-Processing Call State 5-4
 - 5.3.1 Disconnect in Call-Processing State - Analog Terminating Line 5-4
 - 5.3.2 Disconnect in Call-Processing State - ISDN Terminating Line 5-4
 - 5.3.3 Disconnect in Call-Processing State - Outgoing Inband Trunk 5-4
 - 5.3.3.1 Disconnect in Call-Processing State - Outgoing Operator Trunk . . 5-5
 - 5.3.4 Disconnect in Call-Processing State - Outgoing SS7 Trunk 5-5
 - 5.3.5 Disconnect in Call-Processing State - Analog Originating Line 5-5
 - 5.3.6 Disconnect in Call-Processing State - Inband Incoming Trunk 5-6
- 5.4 Disconnect During the Communication Call State 5-6
 - 5.4.1 Timed-Release Interval 5-6
 - 5.4.1.1 Timed-Release Interval for Originating Analog Lines 5-6
 - 5.4.1.2 Timed-Release Interval for Terminating Analog Lines 5-7
 - 5.4.1.3 Timed-Release Interval for Outgoing Trunks 5-7
 - 5.4.1.4 Timed-Release Interval for Incoming Trunks 5-8
 - 5.4.2 Call-Originating Interface Disconnects First (Calling Party Hold) 5-8
 - 5.4.2.1 Originator Disconnects First - Analog Originating Line 5-9
 - 5.4.2.2 Originator Disconnects First - Inband Incoming Trunk 5-9
 - 5.4.2.3 Originator Disconnects First - Analog Terminating Line 5-9
 - 5.4.2.4 Originator Disconnects First - ISDN Terminating Line 5-10
 - 5.4.2.5 Originator Disconnects First - Inband Outgoing Trunk 5-10
 - 5.4.2.6 Originator Disconnects First - SS7 Outgoing Trunk 5-10
 - 5.4.3 Call-Originating Interface Disconnects First (Operator Service Hold) . . 5-10
 - 5.4.4 Call-Terminating Interface Disconnects First (Calling Party Hold) . . . 5-11
 - 5.4.4.1 Terminating Disconnects First - Analog Terminating Line 5-11

- 5.4.4.1.1 Terminating Immediate-Release Option for Analog Lines . . . 5-12
- 5.4.4.2 Terminating Disconnects First - ISDN Terminating Line 5-13
- 5.4.4.3 Terminating Disconnects First - Inband Outgoing Trunk 5-13
- 5.4.4.4 Terminating Disconnects First - SS7 Outgoing Trunk 5-14
- 5.4.4.5 Terminating Disconnects First - Analog Originating Line 5-15
- 5.4.4.6 Terminating Disconnects First - ISDN Originating Line 5-16
- 5.4.4.7 Terminating Disconnects First - Inband Incoming Trunk 5-16
- 5.4.4.8 Terminating Disconnects First - SS7 Incoming Trunk 5-17
- 5.5 Line Treatments Upon the Expiration of the Timed-Release Interval 5-18
 - 5.5.1 Loop-Start Analog Line Interfaces 5-18
 - 5.5.2 Ground-Start Analog Line Interfaces 5-19

6 Interruption Treatment

- 6.1 Analog Subscriber Flash Signals 6-1
- 6.2 Operator Recall 6-2
- 6.3 Ringback 6-2
 - 6.3.1 Individual and Coin Lines 6-3
 - 6.3.2 Party Lines 6-3
 - 6.3.3 PBX 6-3

7 Code Interpretation

- 7.1 North American Numbering Plan (NANP) Number Structure 7-1
 - 7.1.1 Interchangeability of NPA and NXX Codes 7-2
- 7.2 Digit Reception Requirements 7-2
- 7.3 Digit Registration Capacity 7-3
 - 7.3.1 Critical Timing 7-4
- 7.4 Digit Interpretation - Destination Codes 7-4
 - 7.4.1 Service Codes N11 7-6
- 7.5 Digit Interpretation - Prefixes 7-7
 - 7.5.1 "0" Prefix 7-7
 - 7.5.2 "1" - Station Call Prefix 7-8
 - 7.5.2.1 Extra Charge Alerting 7-9
 - 7.5.2.2 Permissive Dialing of "1" Prefix 7-10
- 7.6 Digit Interpretation - Segment Identification 7-10
 - 7.6.1 Carrier Identification Code 7-11
 - 7.6.2 Vertical Service Codes 7-14
- 7.7 Modification of Destination Codes for Trunks 7-15
 - 7.7.1 Intersystem Outgoing Call Destination Codes 7-15
 - 7.7.2 Intersystem Incoming Call Destination Codes 7-16
- 7.8 Digit Translation Capabilities 7-16

8 Screening

9 Routing

- 9.1 Locally Terminated Calls 9-1
- 9.2 Outgoing Calls 9-2
 - 9.2.1 IC/INC Calls 9-3
- 9.3 Calls to Invalid Codes 9-4

Appendix A: Voice over Internet Protocol (VoIP)

A.1 Introduction A-1
A.2 Access Gateway Model A-1
A.3 IP Phone Model A-2
A.4 Outlook for Call Processing Conformance A-4

Appendix B: References

Appendix C: Acronyms

Requirement-Object Index

List of Figures

Figure A-1	Access Gateway Architecture	A-2
Figure A-2	IP Phone Access Architecture	A-3

List of Tables

Table 7-1 NANP Telephone Number Format 7-1