

# LSSGR: Traffic Capacity and Environment

## Contents

Preface .....	Preface-1
1. Introduction.....	1-1
1.1 Changes from TR-TSY-000517 .....	1-2
1.2 Requirements Terminology .....	1-2
1.3 Requirement Labeling Conventions .....	1-3
1.3.1 Numbering of Requirement and Related Objects.....	1-3
1.3.2 Requirement, Conditional Requirement, and Objective Object Identification .....	1-3
2. Major Capacity Limits .....	2-1
2.1 Termination Capacity: Lines and Trunks.....	2-1
2.2 Call Capacity.....	2-2
2.3 Traffic Usage Capacity .....	2-3
3. Other Capacity Limits .....	3-1
4. Subsystem Capacity Considerations.....	4-1
4.1 Interface Subsystem Call Capacity .....	4-1
4.2 Interface Subsystem Concentration Ratios.....	4-1
5. Call Capacity Estimation .....	5-1
5.1 Definition of Call Capacity .....	5-1
5.2 Precutover Call Capacity Estimation for Processors.....	5-3
5.2.1 Limiting Call Processing Occupancy.....	5-5
5.2.2 Average Real Time Per Call.....	5-6
5.2.3 Vendor Real-Time Information Requirements .....	5-8
5.2.4 Call Mix Data for Engineering.....	5-10
5.3 Processor Call Capacity Benchmarks .....	5-10
5.4 Postcutover Call Capacity Estimation for Processors .....	5-15
5.5 System Capacity.....	5-16
5.5.1 Processor Capacity Comparisons.....	5-17
5.5.2 Processor vs. Network Capacity.....	5-17
5.5.3 Processor vs. Line Capacity .....	5-19
6. LEC Traffic Environment Characteristics.....	6-1
6.1 Calling Rate and Usage — Collective LEC Statistics .....	6-1
6.2 ABS Customer Line Calling Rate and Usage .....	6-5
6.2.1 ABS Calling Rate and Usage Formulas .....	6-6
6.2.2 ABS Calling Rate and Usage Charts .....	6-7
6.3 High Day Customer Line Calling Rate and Usage.....	6-8
6.4 Line Group Traffic Estimation .....	6-10
7. Impact of Long Holding Time Calls.....	7-1

7.1	Long Holding Time Calls.....	7-1
7.1.1	Impact on Network Call Capacity .....	7-1
7.1.2	Observable Network Effects .....	7-2
7.1.3	An Evolving Environment.....	7-4
7.2	Line Traffic Analysis.....	7-4
7.2.1	Internet Access Traffic.....	7-4
7.2.2	Work-at-Home/Telecommuting Traffic.....	7-7
7.3	Call Mixes Analysis.....	7-11
	References.....	References-1
	Acronyms .....	Acronyms-1

## List of Figures

Figure 5-1.	Precutover Estimation of Call Capacity .....	5-4
Figure 5-2.	Postcutover Estimation of Call Capacity .....	5-16
Figure 5-3.	Relationship between Capacities Processor and Network.....	5-19
Figure 6-1.	Customer Call Flow .....	6-3
Figure 6-2.	Dial Pulse Digit Receiver Holding Time – High Day Busy Hour .....	6-4
Figure 6-3.	DTMF Digit Receiver Holding Time – High Day Busy Hour .....	6-4
Figure 6-4.	Ringing Circuit Holding Time – High Day Busy Hour.....	6-5
Figure 6-5.	Customer Calling Rate and Usage Versus Class of Service Mix.....	6-8
Figure 6-6.	ABS-HD Increment and HD/ABS Ratio.....	6-10
Figure 7-1.	Incomplete Calls Due to Busy Modems On a Direct Final Trunk Group .....	7-3
Figure 7-2.	Number of Retrials without Success by Individual Customers.....	7-4
Figure 7-3.	Distributions of Average CHTs from Three Geographical Area EOs ....	7-5
Figure 7-4.	ISP_x Incremental Increase of Average CHTs from 1997 to 1998 ...	7-6
Figure 7-5.	Typical ISP Loads Observed during a 24-Hour Period .....	7-7
Figure 7-6.	Cumulative Probability Distributions of WAH Traffic CHT.....	7-9
Figure 7-7.	Daily Usage Profile of WAH Traffic Over a 24-Hour Period .....	7-9
Figure 7-8.	WAH/Telecommuting Usage Intensity Characteristics .....	7-10
Figure 7-9.	WAH/Telecommuting Usage Intensity Characteristics .....	7-10

## List of Tables

Table 5-1.	Standard Reference Call Mixes: Basic Call Mixes .....	5-11
Table 5-2.	Standard Reference Call Mixes for Peripheral Processors Controlling Subscriber Lines .....	5-12
Table 5-3.	Standard Reference Call Mixes: Features with High Penetration..	5-13
Table 5-4.	Standard Reference Call Mixes: Custom Calling.....	5-13
Table 5-5.	Standard Reference Call Mixes: CLASS Usage.....	5-14
Table 5-6.	Standard Reference Call Mixes: BBG Feature Usage.....	5-14
Table 5-7.	Standard Reference Call Mixes: ISDN Feature Usage.....	5-14
Table 6-1.	Traffic Variable Distributions among LEC Switches — LEC Survey Results .....	6-2
Table 6-2.	Traffic Variable Distributions among LEC Switches — SPCS Statistics .....	6-2
Table 6-3.	ABS Morning Customer Line Traffic.....	6-7
Table 6-4.	ABS Afternoon Customer Line Traffic .....	6-7
Table 6-5.	ABS Evening Customer Line Traffic .....	6-7
Table 6-6.	ABS-HD Calling Rate Increment Coefficients .....	6-9
Table 6-7.	ABS-HD Usage Increment Coefficients .....	6-9
Table 7-1.	Example Trunk Group Statistics Over 20 Business Days .....	7-2
Table 7-2.	Call Volume and CHT Statistics for WAH Traffic.....	7-8
Table 7-3.	Impact of ISP lines On Intra- versus Inter-Switch Call Mixes .....	7-11