

Contents

Service Codes N11.	FSD 30-16-0000
Interface to Directory Assistance System.	FSD 30-17-0000
Interface to Intercept System	FSD 30-21-0300
Remote Switching Units	FSD 30-23-0000



Performance from Experience

LSSGR: Service Codes N11 (FSD 30-16-0000)

A Module of LSSGR, FR-64

Telcordia Technologies Generic Requirements
GR-532-CORE
Issue 1
June 2000
(Formerly TR-TSY-000532, Issue 2, July 1987)

Comments Requested (See Preface)

Contents

1.	Introduction	1-1
1.1	Definition	1-1
1.2	Background	1-1
1.3	High Level Feature Description	1-1
2.	User Perspective	2-1
3.	Feature Requirements	3-1
3.1	Feature Operations	3-1
3.1.1	Main Feature Operations	3-1
3.1.2	Other Feature Operations	3-1
3.1.3	Release Treatment	3-1
3.1.4	Interrupt Treatment	3-1
3.1.5	Error Treatment and Abnormal Events	3-1
3.2	Internal Call Processing Controls	3-2
3.2.1	Connections	3-2
3.2.2	Class of Service	3-2
3.2.3	Code Interpretation	3-2
3.2.4	Screening	3-2
3.2.5	Routing	3-2
3.2.6	Charge Treatment Determination	3-2
3.2.7	Overload	3-3
3.3	Signaling	3-3
3.4	Transmission	3-3
3.5	Administration	3-3
3.5.1	Service Changes	3-3
3.5.2	Installation	3-3
3.5.3	Modification or Retrofit	3-3
3.5.4	Person/system Interface	3-3
3.5.5	Traffic Measurements	3-3
3.5.6	Maintenance Measurements	3-3
3.5.7	Network Management	3-3
3.5.8	Billing and Comptroller	3-4
3.5.9	Quantities	3-4
3.5.10	Data Items and Usage	3-4
3.6	Maintenance	3-4
3.6.1	Automated System Maintenance	3-4
3.6.2	Manual System Maintenance	3-4
3.6.3	Line Maintenance	3-4
3.6.4	Trunk Maintenance	3-4
3.6.5	Input/Output Messages	3-5
3.6.6	Customer Tests	3-5
3.7	Performance	3-5
3.8	Interactions	3-5
3.9	Limitations and Restrictions	3-5

3.10 Timing and Tolerances 3-5
4. Feature Flow Diagram 4-1
References References-1

List of Figures

Figure 1.	Feature Flow Diagram	4-1
-----------	--------------------------------	-----



Performance from Experience

LSSGR: Interface to Directory Assistance System (FSD 30-17-0000)

A Module of LSSGR, FR-64

Telcordia Technologies Generic Requirements
GR-532-CORE
Issue 1
June 2000
(Formerly TR-TSY-000532, Issue 2, July 1987)

Comments Requested (See Preface)

Contents

1.	Introduction	1-1
1.1	Definition	1-1
1.2	Background	1-1
1.3	High Level Feature Description	1-1
2.	User Perspective	2-1
3.	Feature Requirements	3-1
3.1	Feature Operations	3-1
3.1.1	Main Feature Operations	3-1
3.1.2	Other Feature Operations	3-1
3.1.3	Release Treatment	3-1
3.1.4	Interrupt Treatment	3-1
3.1.5	Error Treatment and Abnormal Events	3-1
3.2	Internal Call Processing Controls	3-2
3.2.1	Connections	3-2
3.2.2	Class of Service	3-2
3.2.3	Code Interpretation	3-2
3.2.4	Screening	3-2
3.2.5	Routing	3-2
3.2.6	Charge Treatment Determination	3-2
3.2.7	Overload	3-3
3.3	Signaling	3-3
3.3.1	Customer Loop	3-3
3.3.2	Customer Signaling	3-3
3.3.3	Intersystem DC Signaling	3-3
3.3.4	Intersystem AC Signaling	3-3
3.3.5	Operator Services Signaling	3-3
3.4	Transmission	3-3
3.5	Administration	3-3
3.5.1	Service Changes	3-3
3.5.2	Installation	3-4
3.5.3	Modification or Retrofit	3-4
3.5.4	Person/System Interface	3-4
3.5.5	Traffic Measurements	3-4
3.5.6	Maintenance Measurements	3-4
3.5.7	Network Management	3-4
3.5.8	Billing and Comptroller	3-4
3.5.9	Quantities	3-4
3.5.10	Data Items and Usage	3-4
3.6	Maintenance	3-5
3.7	Performance	3-5
3.8	Interactions	3-5
3.9	Limitations and Restrictions	3-5
3.10	Timing and Tolerances	3-5

4. Feature Flow Diagram 4-1
References References-1

List of Figures

Figure 1.	Feature Flow Diagram	4-1
-----------	--------------------------------	-----



Performance from Experience

LSSGR: Interface to Intercept System (FSD 30-21-0300)

A Module of LSSGR, FR-64

Telcordia Technologies Generic Requirements
GR-532-CORE
Issue 1
June 2000
(Formerly TR-TSY-000532, Issue 2, July 1987)

Comments Requested (See Preface)

Contents

1.	Introduction	1-1
1.1	Definition	1-1
1.2	Background	1-1
1.3	High Level Feature Description	1-1
2.	User Perspective	2-1
3.	Feature Requirements	3-1
3.1	Feature Operations	3-1
3.1.1	Main Feature Operations	3-1
3.1.2	Other Feature Operations	3-1
3.1.3	Release Treatment	3-1
3.1.4	Interrupt Treatment	3-1
3.1.5	Error Treatment and Abnormal Events	3-1
3.2	Internal Call Processing Controls	3-2
3.2.1	Connections	3-2
3.2.2	Class of Service	3-2
3.2.3	Code Interpretation	3-2
3.2.4	Screening	3-2
3.2.5	Routing	3-2
3.2.6	Charge Treatment Determination	3-2
3.2.7	Overload	3-3
3.3	Signaling	3-3
3.3.1	Customer Loop	3-3
3.3.2	Customer Signaling	3-3
3.3.3	Intersystem DC Signaling	3-3
3.3.4	Intersystem AC Signaling	3-3
3.3.5	Operator Service Signaling	3-4
3.4	Transmission	3-4
3.5	Administration	3-4
3.5.1	Service Changes	3-4
3.5.2	Installation	3-5
3.5.3	Modification Or Retrofit	3-5
3.5.4	Person/System Interface	3-5
3.5.5	Traffic Measurements	3-5
3.5.6	Maintenance Measurements	3-5
3.5.7	Network Management	3-5
3.5.8	Billing and Comptroller	3-5
3.5.9	Quantities	3-5
3.5.10	Data Items and Usage	3-6
3.6	Maintenance	3-6
3.6.1	Automated System Maintenance	3-6
3.6.2	Manual System Maintenance	3-6
3.6.3	Line Maintenance	3-6
3.6.4	Trunk Maintenance	3-6

3.6.5	Input/Output Messages	3-6
3.6.6	Customer Tests	3-6
3.7	Performance	3-6
3.8	Interactions	3-6
3.9	Limitations and Restrictions	3-7
3.10	Timing and Tolerances	3-7
4.	Feature Flow Diagram	4-1
References	References-1
Glossary	Glossary-1

List of Tables

Table A.	Interfaces to Intercept System	4-1
Table B.	Sequence of Operations for Outgoing Intercept Trunk	4-1
Table C.	Signals From Local Office to Intercept System (With Automatic Identification of Called Number)	4-2



Performance from Experience

LSSGR: Remote Switching Units (FSD 30-23-0000)

A Module of LSSGR, FR-64

Telcordia Technologies Generic Requirements
GR-532-CORE
Issue 1
June 2000
(Formerly TR-TSY-000532, Issue 2, July 1987)

Comments Requested (See Preface)

Contents

1.	Introduction	1-1
1.1	Definition	1-1
1.2	Background	1-2
1.3	High Level Feature Description	1-2
2.	User Perspective	2-1
3.	Feature Requirements	3-1
3.1	Feature Operations	3-1
3.1.1	Main Feature Operations	3-1
3.1.2	Other Feature Operations	3-1
3.1.3	Release Treatment	3-1
3.1.4	Interrupt Treatment	3-1
3.1.5	Stand-Alone and Partial Stand-Alone Call Processing	3-1
3.1.6	Error Treatment and Abnormal Events	3-2
3.2	Internal Call Processing Controls	3-2
3.2.1	Connections	3-2
3.2.2	Class of Service	3-2
3.2.3	Code Interpretation	3-3
3.2.4	Screening	3-3
3.2.5	Routing	3-3
3.2.6	Charge Treatment Determination	3-3
3.2.7	Overload	3-3
3.3	Signaling	3-4
3.3.1	Customer Loop	3-4
3.3.2	Customer Signaling	3-4
3.3.2.1	Customer to Office Supervision	3-4
3.3.2.2	Office to Customer Supervision	3-4
3.3.2.3	Customer to Office - Address Signaling	3-4
3.3.2.4	Office to Customer - Information Signaling	3-4
3.3.2.5	Tests Made During Call Processing	3-5
3.3.2.6	Provision for Coin Lines and Coin Signaling	3-5
3.3.3	Intersystem DC Signaling	3-5
3.3.4	Intersystem AC Signaling	3-5
3.3.5	Operator Services Signaling	3-6
3.3.6	Host-to-Remote Link	3-6
3.4	Transmission	3-6
3.4.1	Position in the Network	3-6
3.4.2	Application of Requirements and Objectives	3-7
3.4.3	Analog vs. Digital	3-8
3.4.4	Distance Limitations	3-8
3.5	Administration	3-8
3.5.1	Service Changes	3-8
3.5.2	Installation	3-8
3.5.3	Modification or Retrofit	3-9

3.5.4	Person/System Interface	3-9
3.5.5	Traffic Measurements	3-9
3.5.5.1	RSU Peg Counts (PCs)	3-10
3.5.5.2	Engineering Measurements	3-10
3.5.5.3	Service Measurements	3-10
3.5.5.4	Stand-Alone and Partial Stand-Alone Measurements	3-11
3.5.5.5	Division of Revenue (DOR)	3-11
3.5.6	Maintenance Measurements	3-12
3.5.6.1	Base Measurements	3-12
3.5.6.2	Maintenance Service Measurements	3-13
3.5.6.3	Performance Measurements	3-13
3.5.7	Network Management	3-13
3.5.8	Billing and Comptroller	3-14
3.5.9	Quantities	3-14
3.5.10	Data Items and Usage	3-15
3.6	Maintenance	3-15
3.6.1	Automated System Maintenance	3-15
3.6.2	Manual System Maintenance	3-15
3.6.3	Line Maintenance	3-16
3.6.4	Trunk Maintenance	3-16
3.6.5	Input/Output Messages	3-17
3.6.6	Customer Tests	3-17
3.6.7	Stand-Alone and Partial Stand-Alone Maintenance	3-17
3.7	Performance	3-18
3.7.1	Service Quality	3-18
3.7.2	Reliability	3-18
3.7.3	Stand-Alone and Partial Stand-Alone Operation	3-19
3.8	Interactions	3-20
3.9	Limitations and Restrictions	3-20
3.10	Timing and Tolerances	3-20
4.	Feature Flow Diagram	4-1
	References	References-1
	Glossary	Glossary-1
	Definitions	Glossary-2
	Call Processing Features Index	Glossary-3

List of Figures

Figure 1.	RSU Configuration	4-1
Figure 2.	RSU with Direct Trunking	4-2
Figure 3.	RSU Connection Types	4-3