

# Exchange Access Interconnection FSD 20-24-0000

## Contents

Preface.....	Preface-1
1. Introduction.....	1-1
1.1 Requirements Terminology .....	1-1
1.2 Requirement Labeling Conventions .....	1-1
1.2.1 Numbering of Requirement and Related Objects .....	1-2
1.2.2 Requirement, Conditional Requirement, and Objective Object Identification .....	1-2
1.3 High Level Description.....	1-2
1.4 Definitions .....	1-4
1.5 Background .....	1-5
1.5.1 Origin of Feature Group D.....	1-6
1.5.2 Requirements for Interconnection .....	1-7
1.5.3 Network Topology.....	1-8
1.5.4 Signaling and Dialing Enhancements.....	1-10
1.6 Introduction to Revision 1 .....	1-10
2. User Perspective .....	2-1
2.1 Primary Interexchange Carrier (PIC) Identification .....	2-1
2.1.1 Primary Interexchange Carrier-InterLATA (PIC1) Identification .....	2-2
2.1.2 Primary Interexchange Carrier-IntraLATA Toll (PIC2) Identification .....	2-2
2.2 Domestic Dialing.....	2-3
2.3 Service Access Codes/“Toll-Free” NPA Codes.....	2-3
2.4 Operator System Calls.....	2-4
2.5 International Dialing.....	2-4
2.5.1 Calls Within World Zone 1 .....	2-4
2.5.2 Calls Outside of World Zone 1.....	2-4
2.6 Abbreviated Dialing Options .....	2-5
2.6.1 AD1 - Cut-Through Option with AC-provided AD .....	2-5
2.6.2 AD2 - Speed Calling Dialing CAC or Invoking PIC .....	2-6
2.6.3 AD3 - CAC Included in Speed Dialing Code .....	2-6
3. Feature Requirements.....	3-1
3.1 Feature Operations.....	3-1
3.1.1 Main Feature Operations .....	3-1
3.1.1.1 Presubscription and CAC Dialing.....	3-1
3.1.1.2 EAEO Signaling without Direct AC Trunks .....	3-5
3.1.1.2.1EAEO Functions - Stage One Outpulsing .....	3-5
3.1.1.2.2AT Functions - Stage One Outpulsing.....	3-7

	3.1.1.2.3	EAEO Functions-Stage Two Outpulsing .....	3-8
	3.1.1.2.4	AT Functions - Stage Two Outpulsing .....	3-12
	3.1.1.2.5	Return of Answer Supervision .....	3-13
	3.1.1.3	EAEO and Combined EAEO/ATs Using Direct AC Trunks .....	3-13
	3.1.1.4	Transition Plan Background and Status .....	3-15
	3.1.1.5	Cut-Through Option (101XXXX or 10XXX + #) AD1 .....	3-16
	3.1.1.6	Summary of Outpulsing Sequences .....	3-16
	3.1.1.7	Traditional Signaling .....	3-17
	3.1.1.8	INC Call Originating Treatment .....	3-18
	3.1.1.8.1	Expansion of International Telephone Numbers to a maximum of 15 Digits at Time "T" .....	3-19
	3.1.1.8.1	International Equal Access Signaling .....	3-21
	3.1.1.8.2	International Calls over Direct Trunks .....	3-21
	3.1.1.8.3	International Calls via the AT .....	3-22
	3.1.1.8.4	Exceptions .....	3-29
	3.1.1.9	Terminating Treatment for AC Calls .....	3-29
	3.1.1.10	Terminating treatment for INC Calls .....	3-30
3.1.2		Other Feature Operations .....	3-30
	3.1.2.1	Interconnection of Competitive Access Providers (CAPs) and Tandem Switching Providers (TSPs) for originating and terminating FGD calls .....	3-30
	3.1.2.1.1	Originating Traffic To a CAP/TSP .....	3-31
	3.1.2.1.2	Terminating Traffic From a CAP/TSP .....	3-31
	3.1.2.2	LEC Access Tandems Functioning As Transit Switches .....	3-32
3.1.3		Release Treatment .....	3-35
3.1.4		Interrupt Treatment .....	3-35
3.1.5		Error Treatment and Abnormal Events .....	3-35
3.2		Internal Call Processing Controls .....	3-37
	3.2.1	Connections .....	3-37
	3.2.2	Class of Service .....	3-37
	3.2.3	Code Interpretation .....	3-38
	3.2.3.1	Originating .....	3-38
	3.2.3.2	Code Interpretation - INC Calls .....	3-42
	3.2.3.3	Code Interpretation - Terminating (IC or INC) .....	3-44
	3.2.4	Screening .....	3-44
	3.2.5	Routing .....	3-46
	3.2.5.1	Originating .....	3-46
	3.2.5.1.1	Intermediate Tandem Switches .....	3-50
	3.2.5.2	Terminating .....	3-50
	3.2.5.3	Transition of Extended Area Service Plans .....	3-51
	3.2.5.4	Corridor Calls .....	3-52
	3.2.6	Charge Treatment Determination .....	3-53
	3.2.7	Overload .....	3-54
3.3		Signaling .....	3-54
	3.3.1	End User Customer Loop .....	3-54

3.3.2	End User Customer Signaling .....	3-54
3.3.3	Intersystem DC Signaling .....	3-55
3.3.3.1	Originating LATA.....	3-55
3.3.3.2	Terminating LATA.....	3-56
3.3.4	Intersystem AC Signaling.....	3-57
3.3.5	Operator Services Signaling .....	3-57
3.4	Transmission .....	3-60
3.5	Administration.....	3-61
3.5.1	Service Changes .....	3-61
3.5.1.1	Telephone Company (System) .....	3-61
3.5.1.2	End User Customer .....	3-63
3.5.2	Installation.....	3-63
3.5.3	Equal Access (EA) Modification or Retrofit .....	3-63
3.5.4	Person/System Interface.....	3-64
3.5.5	Traffic Measurements .....	3-64
3.5.5.1	Engineering and Service Measurements .....	3-64
3.5.5.2	Measurements for Cost Allocation.....	3-65
3.5.6	Maintenance Measurements.....	3-65
3.5.6.1	EAE0 Function.....	3-66
3.5.6.2	AT Function .....	3-67
3.5.7	Network Management.....	3-67
3.5.7.1	Background.....	3-68
3.5.7.2	Automatic Controls .....	3-68
3.5.7.3	Manual Controls .....	3-70
3.5.7.3.1	Code Control, Ignoring AC Prefix .....	3-71
3.5.7.3.2	Code Control on CAC Only .....	3-71
3.5.7.3.3	Code Control on CAC and Destination Digits .....	3-71
3.5.7.3.4	Access Code Controls.....	3-71
3.5.7.4	Five-Minute Data .....	3-71
3.5.7.4.1	Per AC Data for Joint Trunk Groups .....	3-72
3.5.7.4.2	Per AC Transmitter time-out Data .....	3-72
3.5.7.5	Thirty-Second Discrete Status Information .....	3-73
3.5.7.6	NTMOS Interface.....	3-73
3.5.7.7	Impact on Other NTM Capabilities .....	3-73
3.5.8	Billing and Comptroller.....	3-73
3.6	Maintenance .....	3-73
3.6.1	Automated System Maintenance .....	3-73
3.6.2	Manual System Maintenance.....	3-74
3.6.3	Line Maintenance.....	3-74
3.6.4	Trunk Maintenance.....	3-74
3.6.5	Input/Output Messages .....	3-74
3.6.6	Customer Tests .....	3-77
3.7	Performance .....	3-77
3.7.1	EAE0/AT Requirements .....	3-77
3.7.2	Announcement Assignment Requirements .....	3-79
3.8	Interactions.....	3-81

3.9	Limitations and Restrictions .....	3-82
3.9.1	Unusual Feature Operation .....	3-82
3.9.2	Restriction Capability.....	3-82
3.10	Timing and Tolerances.....	3-82
4.	Feature Flow Diagram .....	4-1
5.	Feature Interactions.....	5-1
5.1	AC Interconnection Feature Interactions.....	5-1
5.2	Interaction Requirements .....	5-2
6.	Centrex.....	6-1
6.1	Introduction.....	6-1
6.2	Centrex Presubscription .....	6-1
6.2.1	Group and Line Primary Interexchange Carriers (GPIC and LPIC) .....	6-1
6.2.2	Carrier Designation Option (CDO).....	6-2
6.3	Centrex Call Origination .....	6-3
6.3.1	Centrex Dialing .....	6-3
6.3.2	Centrex Speed Calling.....	6-5
6.3.2.1	User Operation.....	6-5
6.3.2.2	Call Routing.....	6-5
6.3.2.2.1	InterLATA Calls .....	6-5
6.3.2.2.2	IntraLATA Toll Calls .....	6-7
6.4	Call Forwarding Variable .....	6-7
6.4.1	Customer Activation.....	6-8
6.4.2	Speed Calling Used to Activate CFV .....	6-8
6.4.3	Activation by Recent Change .....	6-9
6.4.4	Customer Deactivation .....	6-9
6.4.5	Deactivation Using Recent Change .....	6-9
6.4.6	Forwarding of Calls.....	6-10
6.5	Call Forwarding Over Private Facilities.....	6-10
6.5.1	User Activation and Routing of Forwarded Calls.....	6-10
6.5.2	Activation by Recent Change .....	6-11
6.5.3	Deactivation of CFPPF.....	6-11
6.6	Three-way Calling (TWC) .....	6-12
6.7	Centrex OUTWATS.....	6-13
6.7.1	Primary Carrier for OUTWATS .....	6-15
6.7.2	Operator-Assisted OUTWATS.....	6-16
6.7.3	OUTWATS Automatic Number Identification.....	6-16
6.8	OUTWATS Alternate DDD.....	6-17
6.8.1	OUTWATS Dialed Origination - Alternate DDD .....	6-18
6.8.2	OUTWATS Operator-Assisted - Alternate DDD .....	6-18
6.9	Outgoing Trunk Queueing .....	6-19
6.10	FX Service, Tie Trunk Service, And Tandem Tie Trunk Service Features .....	6-20
6.10.1	FX Service Feature .....	6-21
6.10.2	Tie Trunk Service Feature .....	6-21

6.10.3 Tandem Tie Trunk (Nonsenderized) Feature .....	6-22
6.10.3.1 Foreign Exchange (Nonsenderized) Service .....	6-22
6.10.3.2 Tie Trunk (Nonsenderized) Service .....	6-22
6.11 Flexible Route Selection .....	6-22
6.11.1 FRS Call Origination .....	6-23
6.12 Automatic Route Selection and Automatic Alternate Routing .....	6-24
6.12.1 Automatic Alternate Routing Overflow to DDD .....	6-24
6.12.2 Automatic Route Selection .....	6-24
6.12.3 Routing of Calls .....	6-25
References .....	References-1
Acronyms .....	Acronyms-1



## List of Figures

Figure 1-1.	Internetwork Interexchange Access Interconnection.....	1-9
Figure 3-1.	LEC Optional Recording Points .....	3-33
Figure 3-2.	Trunk Group Classifications - FGD.....	3-34
Figure 3-3.	Basic Originating Options .....	3-48
Figure 3-4.	Basic Terminating Routing Options.....	3-51
Figure 3-5.	FGD Transmission Parameters .....	3-60
Figure 4-1.	Feature Flow Diagram -- InterLATA Call Routed via an AT (1 of 6)	4-1
Figure 4-2.	Feature Flow Diagram -- InterLATA Call Routed via an AT (2 of 6)	4-2
Figure 4-3.	Feature Flow Diagram -- InterLATA Call Routed via an AT (3 of 6)	4-3
Figure 4-4.	Feature Flow Diagram -- InterLATA Call Routed via an AT (4 of 6)	4-4
Figure 4-5.	Feature Flow Diagram -- InterLATA Call Routed via an AT (5 of 6)	4-5
Figure 4-6.	Feature Flow Diagram -- InterLATA Call Routed via an AT (6 of 6)	4-6



## List of Tables

Table 2-1.	International Dialing Sequences.....	2-5
Table 3-1.	ITP 0- Traffic Routing Options.....	3-2
Table 3-2.	ANI Information Digits (II) .....	3-11
Table 3-3.	IC EAP Direct-connect Outpulsing .....	3-16
Table 3-4.	Switching System Support for 15-Digit International Dialing .....	3-20
Table 3-5.	INC EAP Signaling.....	3-26
Table 3-6.	Domestic Dialing .....	3-42
Table 3-7.	Operator Service Signaling for AC Calls .....	3-59
Table 3-8.	Minimal Recent Change Requirements for FGD .....	3-62
Table 3-9.	Default Options Available to User.....	3-69
Table 3-10.	Tones and Announcements - Incomplete Call Conditions.....	3-81
Table 5-1.	AC Interconnection Feature Interactions .....	5-1
Table 6-1.	Centrex Presubscription .....	6-2
Table 6-2.	InterLATA Routing with Centrex Speed Calling .....	6-6
Table 6-3.	IntraLATA Toll Routing With Centrex Speed Calling.....	6-6
Table 6-4.	ANI Information for OUTWATS Dialed Calls .....	6-17
Table 6-5.	ANI Information for OUTWATS Operator-Assisted Calls .....	6-17
Table 6-6.	Centrex Features Not Addressed.....	6-27