

Contents

Preface	xi
1 Introduction	
1.1 Document Overview	1-1
1.2 Purpose	1-1
1.3 Scope	1-1
1.4 Document Organization	1-2
1.5 Requirements Terminology	1-3
2 Channel Options – Technical Considerations	
2.1 Facility and Interface Options	2-1
2.2 Signaling Options	2-1
2.3 Transmission Level Options	2-1
2.4 Transmission Performance Options	2-1
2.5 Signal-Level Considerations	2-2
3 Channel Applications and Descriptions	
3.1 Voice Line	3-1
3.2 Voice Trunk	3-1
3.3 Analog Data	3-1
3.4 Basic Voice-Grade Facility	3-1
3.5 Voice-Grade Custom	3-2
4 Transmission Tests	
4.1 General	4-1
4.2 Transmission Test Requirements	4-1
4.3 Transmission Performance Limits	4-1
4.3.1 Maintenance Limit (ML)	4-1
4.3.2 Immediate Action Limit (IAL)	4-1
4.4 Categories of Transmission Tests	4-2
4.4.1 Preservice Tests	4-2
4.4.2 Trouble Tests	4-2
4.5 Transmission Tests	4-2
4.5.1 Loss	4-2
4.5.2 C-Message Noise	4-2
4.5.3 C-Notched Noise/Signal-to-C-Notched-Noise Ratio	4-3
4.5.4 Three-Tone Slope	4-3
4.5.5 Attenuation Distortion	4-3
4.5.6 Echo Control	4-3
4.5.7 Envelope Delay Distortion	4-4

4.5.8 Impulse Noise	4-4
4.5.9 Signal-to-Intermodulation-Distortion Ratio	4-4
4.5.10 Phase Jitter	4-4
4.5.11 Frequency Shift	4-4

5 Channel Descriptions and Specifications

5.1 Voice Line	5-1
5.1.1 Comparable Conventional CLCI™ Codes	5-1
5.1.2 Network Channel Code	5-1
5.1.3 Available Signaling Options	5-1
5.1.4 Available Configuration Options	5-1
5.1.5 Applicable Transmission Parameter Specifications	5-4
5.1.6 Network Channel Code Options	5-5
5.1.7 Compatible TLP Ranges at the EU-POT	5-5
5.2 Voice Trunk	5-8
5.2.1 Comparable Conventional CLCI Codes	5-8
5.2.2 Network Channel Code	5-8
5.2.3 Available Signaling Options	5-9
5.2.4 Available Configuration Options	5-9
5.2.5 Applicable Transmission Parameter Specifications	5-11
5.2.6 Network Channel Code Options	5-11
5.2.7 Compatible TLP Ranges at the EU-POT	5-12
5.3 Analog Data	5-15
5.3.1 Comparable Conventional CLCI Codes	5-15
5.3.2 Network Channel Code	5-15
5.3.3 Available Signaling Options	5-15
5.3.4 Available Configuration Options	5-15
5.3.5 Applicable Transmission Parameter Specifications	5-17
5.3.6 Network Channel Code Options	5-18
5.3.7 Compatible TLP Ranges at EU-POT	5-19
5.4 Basic Voice-Grade Facility	5-23
5.4.1 Comparable Conventional CLCI Codes	5-24
5.4.2 Network Channel Code	5-24
5.4.3 Available Signaling Options	5-24
5.4.4 Available Configuration Options	5-24
5.4.5 Applicable Transmission Parameter Specifications	5-24
5.4.6 Network Channel Code Options	5-24
5.5 Voice-Grade Custom	5-25
5.5.1 Comparable Conventional CLCI Codes	5-25
5.5.2 Network Channel Code	5-25
5.5.3 Network Channel Code Options	5-25

6 Transmission Parameters and Limits

6.1 General	6-1
6.2 C-Conditioning – Improved Performance Limits	6-11
6.3 D-Conditioning – Improved Performance Limits	6-16

Appendix A: Network Channel Interface Codes

Appendix B: Facility Identification Codes (FIC)

Appendix C: References

List of Figures

Figure 2-1	Transmission Level Point Concept	2-2
Figure 5-1	2-Point Voice Line Overview	5-6
Figure 5-2	Multipoint Voice Line – CO Bridging	5-7
Figure 5-3	Multipoint Voice Line – Bridge Lifter	5-7
Figure 5-4	Multipoint Voice Line – Transfer Arrangement	5-8
Figure 5-5	2-Point Voice Trunk Overview	5-14
Figure 5-6	Multipoint Voice Trunk – CO Transfer Arrangement	5-14
Figure 5-7	IL-Point Analog Data Overview	5-20
Figure 5-8	Multipoint Analog Data – Central Office Bridging	5-20
Figure 5-9	Multipoint Analog Data – Split Frequency Bridging	5-21
Figure 5-10	Multipoint Analog Data – Transfer Arrangement	5-22
Figure 5-11	Multipoint Analog Data – DATAPHONE Select-A-Station	5-23
Figure 5-12	Multipoint Analog Data – DDS Subrate Off-Net Extension	5-23

List of Tables

Table 6-1	Loss Deviation	6-1
Table 6-2	C-Message Noise	6-1
Table 6-3	C-Notched Noise and Signal-to-C-Notched-Noise Ratio	6-3
Table 6-4	Three-Tone Slope – Two-Point Channels	6-4
Table 6-5	Three-Tone Slope – Multipoint Channels	6-5
Table 6-6	Attenuation Distortion – Two-Point Channels	6-6
Table 6-7	Attenuation Distortion – Multipoint Channels	6-7
Table 6-8	Echo Return Loss (ERL) and Singing Return Loss (SRL)	6-8
Table 6-9	Envelope Delay Distortion – Two-Point Channels	6-8
Table 6-10	Envelope Delay Distortion – Multipoint Channels	6-9
Table 6-11	Impulse Noise	6-10
Table 6-12	Signal-to-Intermodulation-Distortion Ratio	6-10
Table 6-13	Phase Jitter – Two-Point and Multipoint Channels	6-11
Table 6-14	Frequency Shift – Two-Point and Multipoint Channels	6-11
Table 6-15	C-Conditioning – Attenuation Distortion – Two-Point Channels	6-12
Table 6-16	C-Conditioning – Attenuation Distortion – Multipoint Channels	6-13
Table 6-17	C-Conditioning – Envelope Delay Distortion – Two-Point Channels	6-14
Table 6-18	C-Conditioning – Envelope Delay Distortion – Multipoint Channels	6-15
Table 6-19	D-Conditioning – C-Notched Noise	6-16
Table 6-20	D-Conditioning – Intermodulation Distortion	6-17
Table B-1	Facility Interface Codes for Off-Premise Stations	B-1
Table B-2	Facility Interface Codes for Tie Trunks	B-1