

Contents

Notice Of Disclaimer	iii
List of Figures	vii
1 Introduction	
1.1 Terminology	1-1
1.2 Background	1-2
1.3 High-Level Feature Description	1-3
1.3.1 Subfeature Construction	1-4
2 User Perspective	
3 Feature Requirements	
3.1 Feature Operations	3-1
3.1.1 Main Feature Operations	3-1
3.1.1.1 Activation	3-1
3.1.1.2 Deactivation	3-1
3.1.1.3 Forwarding a Call	3-1
3.1.1.4 Conditions on Forwarding	3-12
3.1.2 Feature Operation Interworking	3-23
3.1.3 Error Treatment And Abnormal Events	3-24
3.1.3.1 Sequential Forwarding Limit Reached	3-24
3.2 Internal Call Processing Controls	3-25
3.2.1 Screening	3-25
3.2.2 Routing	3-25
3.2.3 Charge Treatment Determination	3-25
3.2.4 SS7 Interface Signaling	3-26
3.2.5 Interworking With Other Signaling Systems	3-26
3.3 Administration	3-26
3.3.1 Service Changes/Subscription Parameters	3-26
3.3.1.1 Parameters Per SPCS	3-26
3.3.2 Traffic Measurements	3-26
3.3.3 Maintenance Measurements	3-27
3.3.4 Billing and Comptroller	3-27
3.4 Interactions	3-27
3.5 Limitations and Restrictions	3-28
3.6 Timing and Tolerances	3-28

4 Acronyms

Appendix A: SS7 ISDNUP Messages

Appendix B: SS7 ISDNUP Parameters

B.1 Backward Call Indicators	B-1
B.2 Called Party Number Parameter	B-1
B.3 Calling Party Number Parameter	B-1
B.4 Calling Party's Category	B-1
B.5 Carrier Selection Parameter	B-2
B.6 Cause Indicators Parameter	B-2
B.7 Charge Number Parameter	B-2
B.8 Event Information	B-2
B.9 Forward Call Indicators	B-2
B.10 Message Type Parameter	B-2
B.11 Nature of Connection Indicators Parameter	B-2
B.12 Original Called Number Parameter	B-2
B.13 Originating Line Information Parameter	B-4
B.14 Redirecting Number Parameter	B-4
B.15 Redirection Information Parameter	B-5
B.16 Service Code Parameter	B-6
B.17 Transit Network Selection Parameter	B-6
B.18 User Service Information (Bearer Capability)	B-6

Appendix C: Flow diagrams

Appendix D: References

Note	D-3
To Contact Telcordia Customer Service or to Order Documents	D-3
To Order Documents From Within Telcordia (Employees Only)	D-3
To Request Telcordia Testing Services	D-3

List of Figures

Figure 3-1	Mapping of CF subfeature to SS7 coding of Original Redirecting and Redirecting Reasons	3-3
Figure 3-2	Mapping of SS7 Original Redirecting and Redirecting Reasons to Q-931 Reason for Redirection	3-11
Figure A-1	Address Complete Message	A-1
Figure A-2	Answer Message	A-2
Figure A-3	Call Progress Message	A-2
Figure A-4	Initial Address Message	A-2
Figure A-5	Release Message	A-3
Figure A-6	Release Complete Message	A-3
Figure B-1	Original Called Number Party	B-3
Figure B-2	Redirection Information Parameter	B-5
Figure C-1	Activation at Base SPCS	C-2
Figure C-2	Forwarding at Base SPCS	C-3
Figure C-3	Forwarding at Base SPCS (Cont.)	C-4
Figure C-4	Forwarding at Base SPCS (Cont.)	C-5
Figure C-5	Forwarding at Base SPCS (Cont.)	C-6
Figure C-6	Base Address Has CFV or CFIB, ISDN Originating and Remote Addresses	C-7
Figure C-7	Base Address Has CFDA, ISDN Originating and Remote Addresses	C-7
Figure C-8	Base Address Has CFDA, Continue Existing Treatment Parameter Set to "Yes", ISDN Originating Address, Call Can Not Be Terminated at Remote Address	C-8