

Table of Contents

1 Introduction

1.1 Purpose of This Document	1-2
1.2 Reasons for Reissue	1-2
1.3 Organization of This Document	1-3

2 Relationship of this Special Report to Other Telcordia Documents

3 Definitions

4 Guidelines for a Requesting Organization

4.1 Identify the Intent of the Analysis	4-1
4.2 Define a Failure in the System	4-2
4.3 Define the Reliability Objectives	4-3
4.4 Provide the Necessary Parameters	4-4
4.4.1 Component Failure Parameters	4-4
4.4.2 Repair and Maintenance Parameters	4-5
4.4.2.1 Examples of Two Very Different Repair Strategies	4-6
4.4.3 System Management Parameters	4-6
4.5 Verify the Results	4-7

5 Guidelines for System Reliability Prediction

5.1 Steps in System Reliability Modeling and Analysis	5-1
5.2 Elements of a System Reliability Model	5-3
5.2.1 Failure Rate Predictions	5-3
5.2.2 Fault Detection	5-5
5.2.3 Frequency of Fault Detection	5-5
5.2.4 Fault Isolation and Recovery	5-6
5.2.5 Fault Coverage	5-6
5.2.6 Maintenance Mechanisms	5-6
5.2.7 Repair Processes	5-7
5.2.8 Scheduled Maintenance Events	5-7

6 Graphical Methods for Representing the System Architecture

6.1 Functional Block Diagrams	6-1
6.2 Reliability Block Diagrams	6-3
6.3 State Transition Diagrams	6-4
6.4 Example of Redundant Load Sharing Power Supplies	6-6
6.5 Comparison of Reliability Block and State Transition Diagrams	6-7

7 Basic Concepts

7.1 The Exponential Distribution	7-1
7.2 Renewal Theory Results	7-2

8 Analyzing Reliability Block Diagrams

8.1 The Combinatorial Method	8-1
8.2 Difficulties and Assumptions of the Combinatorial Method	8-3

9 State Space Methods

9.1 Creating State Transition Diagrams	9-1
9.1.1 Model the System Configuration	9-2
9.1.2 Modeling Instantaneous Events	9-5
9.1.3 Modeling Repair	9-6
9.2 Solution of the Markov Model	9-8
9.3 Nonexponential Times to Events	9-11
9.3.1 General Nonexponential State Transition Diagram Fragment	9-11
9.3.2 Equivalent Markov Fragment	9-13
9.4 Examples of Markov Modeling	9-16
9.4.1 Application of Markov Modeling to a Fiber Optic Transmission System	9-16
9.4.2 Application of Markov Modeling to a Digital Switch	9-19
9.4.3 Standby Fault Detection	9-21
9.4.4 Coverage	9-22
9.4.5 Nonexponential Repair	9-23
9.4.6 Application of Markov Model to Active – Standby Processor Model	9-27
9.5 Difficulties and Assumptions of Markov Models	9-28

10 Comparison of Combinatorial and State Space Methods

10.1 Both Methods Applicable	10-2
10.2 Neither Method Appropriate	10-3

11 Measures of System Reliability

11.1 Unavailability and Availability	11-1
11.2 Limiting Frequencies	11-2
11.3 Other Measures of Reliability	11-4
11.3.1 Mean Time To Repair (MTTR)	11-4
11.3.2 Mean Time Between Failures (MTBF)	11-4
11.3.3 Unavailability per Customer	11-5
11.3.4 Cost per Unit time	11-5
11.4 Other Common Measures of RAM	11-5

12 Failure Modes and Effects Analysis

12.1 System Reliability Requirements in GR-512-CORE	12-5
12.1.1 Total System Downtime	12-6
12.1.2 Partial System Downtime	12-6
12.1.3 Individual Line Downtime	12-6
12.1.4 Individual Trunk Downtime	12-6
12.1.5 Probability of a Cutoff Call	12-7
12.1.6 Probability of Ineffective Machine Attempts	12-9
12.2 Other Reliability Measures	12-12
12.2.1 Line Failure Rate	12-12
12.2.2 Trunk Failure Rate	12-12

Appendix A: References

A.1 Telcordia Document Sets—Family of Requirements (FR) and Family of Documents (FD) A-2

A.2 Websites To Obtain Additional Reference Material A-3

A.3 Telcordia Reference Notes A-4

 A.3.1 Contact Telcordia A-4

 A.3.2 Order Documents Online From the Telcordia Information SuperStore A-4

 A.3.3 Web Sites for Generic Requirements Information A-5

 A.3.4 Licensing Agreements for Telcordia Documents A-5

Appendix B: Glossary

B.1 Definition of Terms B-1

B.2 List of Acronyms B-4