

NMA System Generic Transport Network Element Interface Support

Table of Contents

1.	Purpose	1-1
1.1	Introduction	1-1
1.2	Intended Audience	1-1
1.3	Relationship of this Document to Other Telcordia Documents	1-2
1.3.1	NMA/TL1 Interface Documents	1-2
1.4	Reason for SR-1665, Issue 8	1-2
2.	OSMINE Impacting Features of the NMA System	2-1
2.1	TL1 Interface Support	2-1
2.1.1	GR-833-CORE, Issue 6 Support	2-1
2.1.2	Continuity of Message Support	2-1
2.2	NMA Release 4.2	2-1
2.2.1	OTGR TL/1 Second Modifier Support	2-1
2.2.2	15-Minute Interval PM	2-1
2.3	NMA Release 5.0, June 1995	2-2
2.3.1	OSI/CMISE Interface for SONET	2-2
2.4	NMA Release 5.1, December 1995	2-2
2.4.1	SONET Support for Network Analysis of OSI/CMISE	2-2
2.5	NMA Release 6.1, December 1996	2-2
2.5.1	Alarm Collection Using TL1 Over TCP/IP	2-2
2.6	NMA Release 7.0, June 1997	2-2
2.6.1	NMA Support of OC192 Feature	2-2
2.7	NMA Release 7.1, December 1997	2-2
2.7.1	GR-2833-CORE	2-2
2.7.2	OSI/CMISE Over TCP/IP	2-3
2.8	NMA Release 8.0, June 1998	2-3
2.8.1	TL1 over OSI Stacks	2-3
2.8.2	NMA Support of the Year 2000 (Y2K)	2-3
2.8.3	Flexible LAN Interface	2-3
2.8.4	TRANSMUX for SONET ADMs	2-3
2.8.5	SONET Single and Dual Homed Arcs	2-4
2.9	NMA Release 8.1, December 1998	2-4
2.9.1	Enhanced Synchronous Network Support for NMA/EG	2-4
2.9.2	SONET Networks Containing DCSs with Optical Terminations	2-4
2.9.3	SONET Networks Containing Limited Drop Capacity ADMs	2-4
2.9.4	Virtual Ring Configuration SONET Networks	2-4
2.10	NMA Release 9.0, June 1999	2-5

2.10.1	Addition or Removal of a DCS Node from an Existing SONET Network	2-5
2.10.2	Hybrid ADM/DCS Equipment	2-5
2.10.3	SNMP Toolkit	2-5
2.11	<i>NMA Release 9.1, December 1999</i>	2-5
2.11.1	Dense Wavelength Division Multiplexing (DWDM) Network Elements	2-5
2.12	<i>NMA Release 10.0, June 2000</i>	2-6
2.12.1	NMA Support of Optical Interface to DCS	2-6
2.13	<i>NMA Release 10.1, December 2000</i>	2-6
2.13.1	Support of E-Telemetry Access	2-6
2.13.2	ADM to DCS Re-inventory Feature	2-6
2.13.3	Carrier Line System Feature	2-6
2.14	<i>NMA Release 11.0, June 2001</i>	2-6
2.14.1	Multi-Service Port Feature	2-6
2.14.2	NMA SDH Support Through GNII Feature	2-7
2.15	<i>NMA Release 11.1, December 2001</i>	2-7
2.15.1	Multi-Gateway Feature	2-7
2.15.2	SONET OC768 Feature	2-8
2.15.3	Enhanced Equipment Hierarchy Administration Feature (Autogen)	2-8
2.16	<i>NMA Release 12.0, June 2002</i>	2-8
2.16.1	Voice Trunking over Asynchronous Transfer Mode (VToA)	2-8
2.16.2	Limited VT Matrix for BLSR (Bi-directional Line Switched Ring)	2-8
2.17	<i>NMA Release 12.1, December 2002</i>	2-8
2.17.1	Support of DWDM Shared Protection	2-8
2.17.2	Template Variable Substitution	2-8
2.18	<i>NMA Release 13.0, June 2003</i>	2-9
2.18.1	Support of SONET Virtual Concatenation (VCAT) and Hitless Rearrangements in Support of Link Capacity Adjustment Scheme (LCAS)	2-9
2.18.2	Automatic Un-Generation of Equipment Hierarchy Templates	2-9
2.19	<i>NMA Release 13.1, December 2003</i>	2-9
2.19.1	Hierarchy Linking Improvements	2-9
2.19.2	NMA Support of Multiple Hybrid Devices at the Same CLLI Feature	2-10
2.20	<i>NMA Release 14.0, June 2004</i>	2-10
2.20.1	Support of Two-Path Circuits with Independent Routing for Optical Networks	2-10
2.20.2	SONET Virtual Concatenation Enhancements -- Split routing	2-10
2.20.3	Support of Client Signal Direct Connection to DWDM Network	2-11
2.20.4	Support of Function Codes for Autogen	2-11
2.21	<i>NMA Release 14.1, December 2004</i>	2-11
2.21.1	NMA Support of Two-Path Independent Circuits on BLSR	2-11
2.21.2	NMA Support of Dynamic Inventory Management	2-11
2.21.3	NMA Support of SONET SLOT Bandwidth Management	2-12
2.22	<i>NMA Release 14.1.50, February 2005</i>	2-12
2.22.1	NMA Support of FTTx/PON Feature	2-12
2.23	<i>NMA Release 14.1.1, March 2005</i>	2-12
2.23.1	Support of Non-Preemptive Unprotected Traffic (NUT) for BLSR and Unprotected UPSR2-12	
2.24	<i>NMA Release 15.0, June 2005</i>	2-12

2.24.1	Support of SNMPv1, SNMPv2c and SNMPv3 on OCS	2-13
2.25	<i>NMA Release 15.0.1, September 2005</i>	2-13
2.25.1	Support of a Non-Assignable Gen Trigger from a Provisioning System	2-13
2.25.2	NMA Support of SDH Flow-through from the TIRKS System	2-14
2.26	<i>SNMP Interface Support</i>	2-14
2.26.1	Overview of the SNMP Management Protocol	2-14
2.27	<i>CMISE Interface Support</i>	2-14
2.27.1	Overview of the CMISE Management Protocol	2-14
2.28	<i>Other Supported ASCII Interfaces</i>	2-14
2.28.1	Development of Rules and Scripts	2-14
3.	Overview of the NMA System R15.1 Network Element Interface.....	3-1
3.1	<i>A Quick View</i>	3-1
3.2	<i>Kinds of Information Transferred</i>	3-1
3.3	<i>The NMA System Network Database</i>	3-1
3.4	<i>Communications Interfaces</i>	3-2
3.4.1	X.25.....	3-2
3.4.2	TCP/IP	3-2
3.4.3	OSI	3-2
3.4.4	Messages from Embedded Network Elements and Switches	3-2
3.5	<i>Vendor Responsibility</i>	3-3
4.	TL1 Language	4-1
4.1	<i>Syntax, Semantics and Message Character Set</i>	4-1
4.2	<i>TL1 Command Header Content</i>	4-1
4.2.1	Access Identifiers	4-2
4.2.1.1	Equipment Identification.....	4-2
4.2.1.2	Access Identifier Structure.....	4-2
4.3	<i>Target Identifier (TID)</i>	4-4
4.3.1	TID Assignment Guide for TIRKS Inventoried NEs	4-4
4.4	<i>ATAG considerations</i>	4-5
5.	NMA System R15.1 Support of Telcordia TL1 Technical References.....	5-1
5.1	<i>A Quick View</i>	5-1
5.2	<i>Supported TL1 Input Commands</i>	5-1
5.3	<i>Other Commands and Responses</i>	5-2
5.4	<i>Supported TL1 Autonomous Messages</i>	5-2
5.5	<i>NMA System TL1 Restrictions</i>	5-3
5.5.1	Modifiers, Parameters, and Defaults Supported by the NMA System	5-3
5.5.2	Parameter Grouping and Ranging	5-4
5.5.3	Name-defined Parameters	5-4

5.5.4	Case Sensitivity	5-4
5.5.5	TL1 Parameter Fields Required by the NMA System	5-5
5.5.6	Punctuation	5-5
5.5.6.1	Trailing Commas and Colons	5-5
5.5.6.2	Punctuation within Text Fields	5-5
5.5.7	Value of TMPER for REPT^PM and RTRV-PM	5-6
5.5.8	Completion Codes	5-6
5.5.9	CR and LF in Response and Automatic Messages	5-6
6.	TL1 Command Input	6-1
6.1	<i>A Quick View</i>	6-1
6.2	<i>Manual Screen Input</i>	6-1
6.2.1	Standard TL1 Input	6-1
6.2.2	Non-Generic Input	6-1
6.3	<i>Automatic Generation by the NMA System</i>	6-1
7.	NMA Process Description	7-1
7.1	<i>Rules and Scripts</i>	7-1
7.1.1	User-Programmable Rules and Scripts	7-1
7.1.2	Standard TL1 Rules and Scripts	7-1
7.2	<i>Alarm Analysis Process</i>	7-2
7.2.1	Creation of Trouble Tickets	7-2
7.2.2	Alarms from Protected/Unprotected Equipment	7-2
7.2.3	Use of Notification Code and Service Effect Flag	7-3
7.2.4	Alarm Clears	7-3
7.2.5	Access Identifiers with Multiple Alarms on Same CONDTYPE	7-4
7.3	<i>Performance Monitoring Analysis Process</i>	7-4
7.3.1	Threshold Crossing Alerts	7-4
7.3.2	PM Polling	7-5
7.3.2.1	Ongoing PM Polling	7-5
7.3.2.1.1	Scheduled Autonomous Reporting	7-5
7.3.2.1.2	Repeating Poll Requests	7-6
7.4	<i>Link Initialization and Maintenance</i>	7-6
7.4.1	NE Login	7-6
7.4.1.1	Automatic Login	7-6
7.4.1.2	Case Sensitivity for Automatic Login	7-6
7.4.1.3	Login Procedures	7-7
7.4.1.4	Group login	7-8
7.4.1.5	Element Management System (EMS) configuration	7-8
7.4.1.5.1	Login Procedure for EMS and NE	7-8
7.4.1.5.1.1	Login to EMS	7-8
7.4.1.5.1.2	Login to NE after EMS login	7-9
7.4.1.5.2	NE Heartbeat	7-9
7.4.2	Link Heartbeat	7-9
7.4.3	Alarm Resynchronization	7-9
7.4.4	TL1 Session Time-out	7-10
7.5	<i>Trouble Detection, Clearing, and Reporting</i>	7-10

8.	NMA Process Reaction to TL1 Messages	8-1
8.1	A Quick View	8-1
8.2	TL1 Command Response Handling for Normal and Error Conditions.....	8-1
8.3	Significance of TL1 Message Parameters	8-2
8.3.1	General.....	8-2
8.3.2	Error Codes.....	8-2
8.3.3	Acknowledgment Codes	8-2
9.	Communication Links.....	9-1
9.1	Supported Communication Links to NE.....	9-1
9.2	Physical Requirements	9-1
9.3	X.25 Link Requirements.....	9-1
9.3.1	Number of Virtual Circuits.....	9-1
9.3.2	PVC and SVC Use.....	9-2
9.3.3	Configuration Parameters.....	9-2
9.4	TCP/IP Link Requirements.....	9-2
9.4.1	IP Requirements.....	9-2
9.4.2	TCP Requirements	9-3
9.4.2.1	“Direct” TCP	9-3
9.4.2.2	TL1 Message and TCP Data Unit.....	9-3
9.4.2.3	TCP Port > 1024	9-3
9.4.2.4	IMPORTANT NOTE about TELNET	9-3
9.4.2.5	NOTE about “Raw Encoding” Format.....	9-3
9.4.2.6	TCP Keep-Alive	9-4
9.4.2.7	Connection Recovery	9-4
9.5	OSI Link Requirements for TL1	9-4
9.5.1	X.25 profile.....	9-4
9.5.2	LAN profile	9-5
9.6	OSI Link Requirements for CMISE.....	9-5
9.6.1	CLNS profile.....	9-5
9.6.2	CONS profile.....	9-5
9.6.3	RFC1006 profile	9-5
9.7	SNMP over UDP/IP Link Requirements.....	9-6
9.8	Gateway Network Elements with Sub-networks	9-6
9.8.1	Subtending NEs	9-6
9.8.2	Multiple Channels.....	9-6
9.8.3	Multiple Gateway NEs on Different Sub-Networks	9-7
9.8.4	Dual Gateway NEs on the Same Sub-Network.....	9-7
9.9	Automatic Establishment of the Link.....	9-7
9.10	Link Failure Recovery.....	9-8
9.10.1	Physical and Data Link Layers.....	9-8
9.10.2	Asynchronous Link Failure Recovery	9-8
9.10.3	X.25 SVC Link Failure Recovery	9-9
9.10.4	X.25 D-Bit Support.....	9-9

10.	Security.....	10-1
10.1	Login to NEs Over the TL1 Interface	10-1
10.2	Access to NEs Through Modems.....	10-1
10.3	NMA System User Modification of NE Configuration	10-1
11.	NMA System SNMP Interface.....	11-1
11.1	What is SNMP?.....	11-1
11.2	SNMP MIB Requirements.....	11-1
11.3	Element Communicator Support for SNMP.....	11-2
11.4	Operations Communications System Support for SNMP	11-2
11.5	SNMPv1 Support	11-3
11.5.1	Autonomous Messages (TRAPS).....	11-3
11.5.2	SNMPv1 Commands	11-4
11.5.3	SNMPv1 Data Type Definitions	11-4
11.6	SNMPv2c Support	11-5
11.6.1	SNMPv2c Commands.....	11-5
11.6.2	SNMPv2c Data Type Definitions	11-5
11.7	SNMPv3 Support	11-6
11.7.1	SNMPv3Data Type Definitions	11-7
11.8	NULL Values in SNMP Data Encoding.....	11-8
11.9	SECURITY.....	11-8
11.10	SNMP Manager to NE Communication	11-8
11.11	Element Communicator System Message Formatting Capability	11-9
11.11.1	Incoming SNMPv1 Message Support.....	11-9
11.11.2	Incoming SNMPv2c Message Support.....	11-10
11.11.3	Outgoing SNMPv1 Messages Support.....	11-10
11.11.4	Outgoing SNMPv2c Messages Support.....	11-11
11.12	Objects Required with Alarm TRAPs or NOTIFICATIONS.....	11-11
11.12.1	Target Identifier (TID value).....	11-12
11.12.2	Component Identifier (SID/AID).....	11-12
11.12.3	Component Type.....	11-12
11.12.4	Trap Sequence Number.....	11-12
11.12.5	Perceived Severity (Notification Code).....	11-13
11.12.6	ServiceEffectCode (Service Effect).....	11-13
11.12.7	Probable Cause (Condition Type).....	11-13
11.13	Alarm Resynchronization.....	11-14
11.13.1	NE Automatically Sends all Active Alarms (SNMPv1 & SNMPv2c).....	11-14
11.13.2	Last Trap Sequence Number Scheme (SNMPv1 & SNMPv2c)	11-15
11.13.3	User Input Command Request: SET <attribute> (SNMPv1 & SNMPv2c)	11-15
11.13.4	User Input Command Request: GET-BULK (SNMPv2c only).....	11-15
12.	NMA Element Communicator CMISE Interface.....	12-1

12.1	<i>What is CMISE?</i>	12-1
12.2	<i>Element Communicator Support for CMISE/CMIP</i>	12-2
12.3	<i>Supported CMISE Services</i>	12-2
12.4	<i>Common Vendor Interface Requirements</i>	12-2
12.4.1	<i>NMA to Vendor Initialization Processing</i>	12-3
12.5	<i>CMISE Command Interface</i>	12-4
12.5.1	<i>Overview</i>	12-4
12.5.2	<i>List of Supplied Generic Commands</i>	12-5
12.5.3	<i>Command Errors</i>	12-6
12.5.4	<i>CMISE ASN.1 Data Type Definitions</i>	12-6
12.5.5	<i>Autonomous Messages (M-REPORT EVENT)</i>	12-8
12.5.6	<i>CMISE AID Type Description</i>	12-8
12.6	<i>SECURITY</i>	12-9
13.	Technology Considerations for NMA Surveillance	13-1
13.1	<i>DWDM Introduction</i>	13-1
13.2	<i>DWDM NE Behavior Attributes Critical or Important for NMA Support</i>	13-1
13.3	<i>DWDM NE TL-1 and Design Attributes that Can Impact NMA Support</i>	13-2
13.4	<i>Applicable Telcordia DWDM Requirement Documents</i>	13-2
13.4.1	<i>GR-2979-CORE</i>	13-2
13.4.2	<i>GR-474-CORE</i>	13-2
13.4.3	<i>GR-2918-CORE</i>	13-3
13.5	<i>Other Telcordia Reference Documents</i>	13-3
13.5.1	<i>SR-2671</i>	13-3
13.5.2	<i>SR-2672</i>	13-4
14.	Generic Feature Development Service - GFDS Overview	14-1
14.1	<i>GFDS Solution Catalog Webpage</i>	14-1
15.	Support of the NMA Autogen Functionality	15-1
15.1	<i>Autogen Feature Overview</i>	15-1
15.1.1	<i>Feature Improvements for Client Deployment of Autogen</i>	15-1
15.2	<i>Network Element Impacts to NMA Autogen capability</i>	15-2
16.	Service Validation	16-5
16.1	<i>Feature Overview</i>	16-5
16.2	<i>Requirements on RTRV-ALM-rr and RTRV-COND-rr</i>	16-5
16.3	<i>Additional Commands for Service Validation</i>	16-6
17.	Appendix A: TL1 Input Command Tables	17-1

18. Appendix B: TL1 Autonomous Message Tables 18-1

19. Appendix C: Signal Level Table 19-1

20. Appendix D: NMA SNMPv1 TRAP MIB TEMPLATE 20-1

21. Appendix E: NMA System's TL1 Autonomous Message Structure 21-1

22. Appendix F: Generic Feature Development Service List 22-1

 22.1 Currently Available GFDSs that Impact the NMA System 22-1

23. References 23-1

24. Glossary 24-1

NMA System Generic Transport Network Element Interface Support

List of Tables

TABLE 4-1 AID VALUES WITH VARIOUS TL1 MESSAGES SECOND MODIFIERS.....	4-3
TABLE 7-1 SERVICE EFFECT VALUES.....	7-3
TABLE 11-1 SNMPv1 SUPPORTED DATA TYPES	11-4
TABLE 11-2 SNMPv2c SUPPORTED DATA TYPES.....	11-5
TABLE 11-3 SNMPv2c SUPPORTED DATA TYPES.....	11-7
TABLE 11-4 SNMP VERSION 1 GENERIC TRAP TYPES	11-9
TABLE 12-1 CMISE GENERIC COMMANDS SUPPORTED BY THE NMA SYSTEM	12-5
TABLE 12-2 CMISE SUPPORTED ASN.1 DATA TYPES.....	12-6
TABLE 17-1 TL1 COMMANDS ESSENTIAL (E) TO THE NMA SYSTEM.....	17-2
TABLE 17-2 ADDITIONAL TL1 COMMANDS IMPORTANT (I) TO NMA SYSTEM USERS	17-2
TABLE 17-3 ADDITIONAL TL1 COMMANDS OCCASIONALLY NEEDED (OU) BY NMA SYSTEM USERS	17-3
TABLE 18-1 AUTONOMOUS TL1 MESSAGES ESSENTIAL (E) TO THE NMA SYSTEM	18-2
TABLE 18-2 ADDITIONAL TL1 AUTONOMOUS MESSAGES IMPORTANT (I) TO THE NMA SYSTEM.....	18-2
TABLE 18-3 ADDITIONAL TL1 AUTONOMOUS MESSAGES OCCASIONALLY USED (OU) BY THE NMA SYSTEM ...	18-2
TABLE 19-1 NMA SYSTEM R15.1 SUPPORTED SIGNAL LEVELS FOR THE NE INTERFACE	19-1

NMA System Generic Transport Network Element Interface Support

List of Figures

FIGURE 3-1 NMA SYSTEM NETWORK DATABASE..... 3-2
FIGURE 12-1 COMPARISON OF THE CMISE AID FORMAT TO THE TL1 AID FORMAT 12-8