
OCS OS-NE Interface Support for the OSI/CMISE Protocol Stack

CONTENTS

| | |
|---|------------|
| 1. Introduction..... | 1-1 |
| 1.2 OS - NE Interface..... | 1-1 |
| 1.3 Relationship to Bellcore Generic Requirement Documents | 1-2 |
| 1.4 Relationship to Standards Documents | 1-3 |
| 2. Physical Layer..... | 2-1 |
| 3. Data Link Layer | 3-1 |
| 3.1 Supported LAPB Functions | 3-1 |
| 3.2 LAPB Parameters | 3-1 |
| 4. Network Layer | 4-1 |
| 4.1 X.25 Packet Layer Protocol | 4-1 |
| 4.1.1 Required X.25 PLP Procedures and Packet Types | 4-1 |
| 4.1.2 Protocol Identification | 4-2 |
| 4.1.3 X.25 Optional Facilities and Parameters | 4-2 |
| 4.2 Connectionless-mode Network Service (CLNS)..... | 4-4 |
| 4.3 Connectionless-mode Network Protocol (CLNP)..... | 4-4 |
| 4.3.1 Addressing for CLNP Entities..... | 4-4 |
| 5. Transport Layer..... | 5-1 |
| 5.1 Connection-mode Transport Service..... | 5-1 |
| 5.2 Connection-mode Transport Protocol for Connectionless Network Service | 5-1 |
| 5.2.3 Rules for Negotiation | 5-2 |
| 5.2.4 Transport Protocol Identification | 5-2 |
| 6. Session Layer | 6-1 |
| 6.1 Connection-mode Session Service | 6-1 |
| 6.2 Connection-mode Session Protocol | 6-1 |
| 7. Presentation Layer..... | 7-1 |
| 7.3 Connection-mode Presentation Service | 7-1 |
| 7.2 Connection-mode Presentation Protocol..... | 7-1 |

| | |
|--|---------------------|
| 8. Application Layer..... | 8-1 |
| 8.1 Association Control Service Element (ACSE) | 8-1 |
| 8.1.1 ACSE Service Definition | 8-1 |
| 8.1.2 ACSE Protocol Specification..... | 8-1 |
| 8.2 Remote Operations Service Element (ROSE)..... | 8-2 |
| 8.3 Common Management Information Service Element (CMISE)..... | 8-2 |
| 8.3.1 Common Management Information Service (CMIS) | 8-2 |
| 8.3.2 Common Management Information Protocol (CMIP)..... | 8-3 |
| References | References-1 |

LIST OF TABLES

| | |
|--|-----|
| Table 1-1. Protocol Profile Cross-Reference Listing..... | 1-2 |
| Table 3-1. LAPB protocol Parameters | 3-1 |
| Table 4-1. Layout of the NSAP Fields | 4-5 |
| Table 5-1. Attributes of the Transport Layer for use with CLNS | 5-1 |