

# Contents

## 1 Introduction

1.1 Summary of Changes . . . . .	1-1
1.1.1 Reasons for Issue 5 . . . . .	1-1
1.1.2 Reasons for Issue 4 . . . . .	1-1
1.1.3 Reasons for Issue 3, Revision 1 . . . . .	1-2
1.1.4 Reasons for Issue 3 . . . . .	1-2
1.2 Release Compatibility . . . . .	1-2

## 2 Architectural Overview

## 3 TCP/IP Transport Protocol Specifications

3.1 TCP/IP Connection . . . . .	3-1
3.2 Multiple Virtual Circuits . . . . .	3-1
3.3 Message Structure . . . . .	3-2
3.3.1 Data . . . . .	3-5
3.3.2 KeepAlive . . . . .	3-5
3.3.3 OperationRequest . . . . .	3-6
3.3.3.1 Inhibit Operation . . . . .	3-7
3.3.3.2 Uninhibit Operation . . . . .	3-8
3.3.3.3 Status Operation . . . . .	3-8
3.3.4 OperationResponse . . . . .	3-9
3.4 Internetworking Requirements . . . . .	3-11

## 4 Messages

4.1 Overview of Messages . . . . .	4-1
4.2 Normal Procedures . . . . .	4-2
4.3 Abnormal Procedures . . . . .	4-3
4.3.1 Protocol Errors . . . . .	4-3
4.3.2 Failures . . . . .	4-3
4.3.3 Caller Abandon . . . . .	4-4
4.3.4 Application Errors . . . . .	4-5

## 5 Message Specifications

5.1 Motivation and Basis for Specification . . . . .	5-1
5.2 TCAP Header Specification . . . . .	5-1
5.2.1 Originating and Responding Transaction IDs . . . . .	5-3
5.3 General Component Specifications . . . . .	5-3
5.3.1 Invoke and Correlation IDs . . . . .	5-6
5.4 Error Codes for Return Error Response Messages . . . . .	5-6
5.5 Specific ISCP/IP Messages . . . . .	5-8
5.5.1 ProvideInstructions - TR-TSY-000402 . . . . .	5-8
5.5.2 SendToResource . . . . .	5-13

5.5.3	SendToResourceResult	5-13
5.5.4	CallInfoToResource	5-14
5.5.5	CallInfoFromResource	5-15
5.5.6	ExtendedInfoToResource	5-15
5.5.7	ExtendedInfoFromResource	5-16
5.5.8	SwitchInfoToResource	5-16
5.5.9	SwitchInfoFromResource	5-17
5.5.10	ResourceClear	5-17
5.5.11	CancelResourceEvent	5-18

## 6 Parameter Specifications

6.1	ResourceType	6-1
6.2	StrParameterBlock	6-1
6.2.1	AnnouncementBlock	6-2
6.2.2	AnnouncementDigitBlock	6-5
6.2.3	DigitVerificationBlock	6-8
6.2.4	TextSpeechBlock	6-9
6.2.5	TextSpeechDigitBlock	6-10
6.2.6	RecordUserBlock	6-10
6.2.7	DeleteUserBlock	6-12
6.3	IpStayOnLine	6-12
6.4	LanguageIndicator	6-12
6.5	RoutingNumber	6-13
6.6	OperationStatus	6-14
6.7	IPReturnBlock	6-14
6.7.1	Play Announcement Result	6-15
6.7.2	AnnouncementDigitResult	6-15
6.7.3	Text-to-Speech Result	6-15
6.7.4	TextSpeechDigitResult	6-16
6.7.5	DigitVerificationResult	6-16
6.7.6	RecordUserResult	6-17
6.7.7	Delete User Result	6-17
6.8	ClearCause	6-18
6.9	SwitchOperation	6-19
6.10	SwitchInfoBlock	6-20
6.10.1	CallTransferBlock	6-20
6.10.2	TerminatingNumber	6-20
6.10.3	JoinCallsBlock	6-21
6.11	SIFRStatus	6-21
6.12	ExtendedIPOperation	6-22
6.13	ExtendedOperationStatus	6-22
6.14	Set Default Route Number	6-23
6.15	Call Transfer With Information	6-23
6.16	PlayApplication With Information	6-23

**Appendix A: Sample Call Flow—IP-Initiated Call**

**Appendix B: Sample Call Flow—ISCP-Initiated Call**

**Appendix C: Sample Call Flow—ISCP-Initiated Non-Caller Interaction**

**Appendix D: Sample Message Encoding**

**Appendix E: Sample Encoding of Non-Data Messages**

**Appendix F: References**

**Appendix G: Acronyms**



## List of Figures

Figure 2-1	ISCP to IP Interface Architecture . . . . .	2-2
Figure 3-1	Redundant Connections Between IP and ISCP . . . . .	3-2
Figure A-1	Sample Call Flow for IP-Initiated Calls . . . . .	A-2
Figure B-1	Sample Call Flow for ISCP-Initiated Call . . . . .	B-2
Figure B-2	Sample Call Flow for Failure of ISCP-Initiated Call . . . . .	B-3
Figure C-1	Sample Call Flow for ISCP-Initiated Interaction . . . . .	C-2
Figure C-2	Sample Call Flow for Failure of ISCP-Initiated Interaction . . . . .	C-3



## List of Tables

Table 1-1	ISCP Release / SR-3511 Issue Compatibility . . . . .	1-2
Table 3-1	Example of Extended Header Format (EHF) and Message . . . . .	3-3
Table 3-3	Valid MessageType Encoding . . . . .	3-3
Table 3-2	Example of 5.0 Extended Header Format (EHF5) and Message . . . . .	3-3
Table 3-4	Data <i>Message</i> . . . . .	3-5
Table 3-5	KeepAlive Message . . . . .	3-6
Table 3-6	OperationRequest Message . . . . .	3-7
Table 3-7	OperationRequest Message for inhibit Operation . . . . .	3-8
Table 3-8	OperationRequest Message for uninhibit Operation . . . . .	3-8
Table 3-9	OperationRequest Message for status Operation . . . . .	3-9
Table 3-10	OperationResponse Message Format . . . . .	3-9
Table 3-11	OperationResponse Status Values . . . . .	3-10
Table 3-12	OperationResponse Message Format for status Operation . . . . .	3-10
Table 3-13	OperationResponse State Values . . . . .	3-10
Table 5-1	TCAP Header Specification . . . . .	5-2
Table 5-2	TCAP Package Types . . . . .	5-2
Table 5-3	TCAP Component Specification . . . . .	5-4
Table 5-4	TCAP Component Types . . . . .	5-5
Table 5-5	Operation Code Specification . . . . .	5-5
Table 5-6	TCAP Encoding of the Return Error Response Message . . . . .	5-6
Table 5-7	ProvideInstructions Header Encoding . . . . .	5-10
Table 5-8	ProvideInstructions Parameter Encoding . . . . .	5-10
Table 6-1	ResourceType Value Encodings . . . . .	6-1
Table 6-2	First Info Digit Interpretation . . . . .	6-4
Table 6-3	KeyCodes Parameter Encoding . . . . .	6-5
Table 6-4	DTMFKeyMap Parameter Interpretation . . . . .	6-7
Table 6-5	DTMFTimeouts Parameter Interpretation . . . . .	6-7
Table 6-6	LanguageIndicator Value Encodings . . . . .	6-13
Table 6-7	OperationStatus Parameter Interpretation . . . . .	6-14
Table 6-8	ClearCause Parameter Interpretation . . . . .	6-19
Table 6-9	SwitchOperation Parameter Interpretation . . . . .	6-19
Table 6-10	SIFRStatus Parameter Interpretation . . . . .	6-21
Table 6-11	ExtendedIPOperation Parameter Interpretation . . . . .	6-22
Table 6-12	ExtendedOperationStatus Parameter Interpretation . . . . .	6-22
Table 6-13	Sample PlayApplication Tag Administration Table . . . . .	6-25
Table D-1	Sample Encoding of a CallInfoToResource Message . . . . .	D-1
Table E-1	Sample KeepAlive from ISCP to IP . . . . .	E-1
Table E-2	Sample KeepAlive from IP to ISCP . . . . .	E-1
Table E-3	Sample Inhibit Operation Request from ISCP to IP . . . . .	E-1
Table E-4	Sample Inhibit Operation Response from IP to ISCP . . . . .	E-2
Table E-5	Sample UnInhibit Operation Request from ISCP to IP . . . . .	E-2
Table E-6	Sample UnInhibit Operation Response from IP to ISCP . . . . .	E-2
Table E-7	Sample Status Operation Request from the ISCP to the IP . . . . .	E-3

Table E-8	Sample Status Operation Response from the IP to the ISCP (Successful) . . . . .	E-3
Table E-9	Sample Status Operation Response from the IP to the ISCP (Failure) . . . . .	E-3