
Compendium of Requirements for the User Interface to Telephone Network Equipment

Contents

1. Introduction	1-1
1.1 Purpose and Scope	1-1
1.2 Qualifications	1-1
1.3 Target Audience	1-2
1.4 Suppliers	1-2
1.5 Bellcore Client Companies (BCCs)	1-2
1.6 Organization of the Document	1-2
1.7 Requirements Terminology	1-3
1.8 Requirement Labeling Conventions	1-4
1.8.1 Numbering of Requirement and Related Objects	1-4
1.8.2 Requirement, Conditional Requirement, and Objective Object Identification	1-4
1.8.3 Definition of Industry Practice	1-5
2. General Requirements About Usability	2-1
2.1 Designation - Consistency	2-1
3. Hardware	3-1
3.1 General Hardware Usability Requirements	3-1
3.2 General Physical Dimensions	3-1
3.3 General Hardware Physical Features	3-1
3.4 Defensive Design Features	3-4
3.5 Maintenance Positions	3-5
3.5.1 Physical Duension	3-5
3.5.2 Location	3-5
3.5.3 Functionality - General	3-6
3.5.4 Functionality - Administrative Processor System	3-6
3.5.5 Functionality - OC	3-6
3.5.6 Control/Status Interface	3-7
3.5.7 Switching System Maintenance Messages Interface	3-7
3.6 Labeling	3-8
3.6.1 General	3-8
3.6.2 Safety Labels	3-13
3.6.3 Circuit Pack Labeling	3-14
3.6.4 Adhesive Labeling	3-15
3.6.5 Stamping	3-16

3.6.6 Lettering Size	3-17
3.6.7 Durability	3-17
3.6.8 Numbering of Positions	3-18
3.7 Memory Systems	3-18
3.8 Circuit Packs	3-19
3.9 Power	3-21
3.10 Safety	3-22
3.11 Controls, Switches, and Breakers	3-22
3.12 Switching System Physical Control/ Status Interface Criteria	3-25
3.13 Voice Communications	3-27
3.14 Extended Maintenance Capabilities (Beltline)	3-28
3.15 Maintenance USI/ Device Criteria	3-28
4. Alarms and Trouble Notification Messages	4-1
4.1 Alarm Documentation	4-1
4.2 Trouble Detection	4-1
4.3 Trouble Notification	4-1
4.3.1 Output Messages	4-7
4.3.2 Automatic Messages	4-8
4.4 System Response When Reporting Alarms	4-9
4.5 Alarm and Warning Message Display on a USI Device	4-9
4.6 Hardware Alarm and Indicator Lights	4-12
4.7 "CO Audible/Visual Alarm Cut-Off"	4-12
4.8 Signaling Link Alarms and Trouble Notification Messages	4-13
4.9 Specific Alarm Types and Messages	4-14
4.9.1 Hourly Status Message	4-14
4.9.2 Autonomous Action	4-15
4.9.3 Telemetry Trouble Notifications	4-15
4.9.4 Other	4-16
4.10 Alarm Lights - Physical Features and Dimensions	4-18
4.11 Audible Alarms	4-19
5. software	5-1
5.1 General Characteristics	5-1
5.2 Remote Functions	5-1
5.3 Response Characteristics	5-1
5.4 Intelligibility	5-3
5.5 Formatting	5-5
5.6 Output Messages	5-5
5.6.1 General Considerations	5-5
5.6.2 Error Messages	5-6
5.6.3 Status Messages	5-7
5.6.4 Messages on OOS Entities	5-9
5.7 Logs	5-9
5.7.1 ISDN Data Link and Network Link Monitoring	5-9

5.8	Data Input.....	5-10
5.9	Navigation.....	5-11
5.10	Software Designations.....	5-11
5.11	Modes.....	5-12
5.12	ISDN.....	5-12
5.13	Provisioning.....	5-12
5.14	Trouble Detection Tests.....	5-13
5.15	Surveillance.....	5-13
5.15.1	CCS Signaling Link Performance.....	5-13
5.15.2	Measurements and Data Generation.....	5-14
5.16	Trunk and Line Work Station.....	5-15
5.16.1	Trunk Testing.....	5-15
5.16.1.1	Required Administration Functions.....	5-15
5.16.1.2	Test Actions.....	5-16
5.16.1.3	Line Testing.....	5-18
5.17	Help Facility.....	5-21
5.18	Utilities.....	5-35
5.18.1	Control Panel Utility.....	5-35
5.18.2	Notepad Utility.....	5-36
5.18.3	Table/Report Editor Utility.....	5-36
5.18.4	Task History Utility.....	5-36
5.18.5	Search Utility.....	5-36
5.18.6	File Management Utility.....	5-36
5.18.7	Scheduler Utility.....	5-36
5.18.8	Printer Utility.....	5-37
5.18.9	Cascading Utility.....	5-37
5.19	On-line Documentation.....	5-37
5.20	Electronic Mail.....	5-37
5.21	Time and Date.....	5-38
5.22	Interface Artifacts.....	5-38
5.22.1	Windows.....	5-38
5.22.2	Icons.....	5-41
5.22.3	Menus.....	5-42
5.22.4	Dialog Boxes.....	5-44
5.22.5	Names.....	5-45
5.22.6	Textual Messages.....	5-45
5.22.7	Buttons.....	5-46
5.22.8	Scroll Bars.....	5-47
5.22.9	Scales.....	5-47
5.22.10	Steppers.....	5-48
5.22.11	Text-Entry Fields.....	5-48
5.22.12	List Boxes.....	5-49
5.22.13	Combination Boxes.....	5-49
5.22.14	Symbols.....	5-50

5.22.15 Schemas.....	5-52
5.22.16 Tables	5-53
5.22.17 Colors	5-54
5.22.18 Formatting and Layout.....	5-56
5.23 Input Devices.....	5-57
5.23.1 Keyboard.....	5-57
5.23.2 Function Keys	5-57
5.23.3 Accelerators.....	5-57
5.23.4 Pointing Devices	5-58
5.24 General Dialog Structure.....	5-59
5.25 Menu Dialog.....	5-60
5.26 Command Language Dialog.....	5-62
5.27 Form-Filling Dialog	5-67
5.28 Direct Manipulation Dialog	5-72
5.29 Application of Menu-Drive Dialogs	5-73
5.29.1 General	5-73
5.29.2 Task Menu.....	5-74
5.29.3 Action Menu.....	5-74
5.29.4 Object Menu.....	5-76
5.29.5 Object Submenus	5-82
5.29.6 Dialog Boxes.....	5-85
5.29.7 List Boxes.....	5-103
6. Office Environment.....	6-1
7. Documentation	7-1
7.1 General	7-1
7.1.1 Scope	7-1
7.1.2 Availability and Timing	7-1
7.1.3 Format	7-2
7.1.4 Updates and Product Change Notices	7-3
7.1.5 Guide.....	7-4
7.1.6 Consistency	7-6
7.1.7 Product Description.....	7-6
7.1.8 Hardware and Software Descriptive Documentation.....	7-8
7.1.9 Network Element (NE) Interface Documentation.....	7-12
7.1.10 Training.....	7-14
7.2 Planning and Engineering Documentation.....	7-14
7.2.1 Product Specifications.....	7-14
7.2.2 Planning Documentation.....	7-16
7.2.3 Engineering Documentation.....	7-19
7.3 Inventory and Ordering Documentation	7-22
7.3.1 Common Language Documentation	7-22
7.3.2 Ordering Guide.....	7-23
7.4 Installation Group Documentation	7-23

7.5	Provisioning Group Documentation.....	7-25
7.5.1	Provisioning Documentation.....	7-25
7.5.2	Record Keeping Documentation.....	7-27
7.5.3	Assignment Documentation.....	7-29
7.6	Maintenance Group Documentation.....	7-29
7.6.1	System Maintenance Documentation.....	7-29
7.6.2	System Test Information.....	7-34
7.7	Database Administration Documentation.....	7-34
7.8	Traffic Administration Documentation.....	7-35
7.8.1	Network Traffic Management (NTM) Documentation.....	7-35
7.8.2	Network Element System Administration Documentation.....	7-36
7.9	Billing Group Documentation.....	7-36
7.10	Reliability and Quality Assurance Documentation.....	7-38
7.10.1	Supplier Quality Control of Documentation.....	7-38
7.10.2	Product Reliability and Quality Requirements.....	7-38
8.	Repairs.....	8-1
8.1	General.....	8-1
8.2	Procedures.....	8-1
8.3	Trouble Isolation.....	8-3
8.4	Fuse Trouble Isolation.....	8-4
8.5	Error Analysis.....	8-5
8.6	OOS State Criteria.....	8-5
8.7	Assurance of OOS before Repair.....	8-5
8.8	Power Removal before Repair.....	8-6
8.9	Physical Repair.....	8-6
8.10	Restoration of Equipment to Active or Standby State.....	8-7
8.11	Mean Time to Repair.....	8-8
8.12	Network Transport Repair.....	8-8
Appendix A: Documents From Which Human Factors Requirements Were Extracted.....		A-1
References.....		References-1
Glossary.....		Glossary-1

List of Tables

Table 4-1.	Visible CO Alarm Color Assignments	4-19
Table 5-1.	Errored Seconds Threshold	5-12
Table 5-2.	Symbols for a Sample of Equipment Classes	5-51
Table 5-3.	Colors	5-55
Table 5-4.	Function Keys	5-57
Table 5-5.	Accelerator Keys	5-58
Table 8-1.	Mean Time to Repair	8-8
Table A-1.	Bellcore Documents From Which Requirements Were Extracted	A-1

List of Figures

Figure 5-1.	Layout and Alphanumeric Scheme of Menu Hierarchy	5-22
Figure 5-2.	Alphabetical Listing of Menu Hierarchy	5-29