

---

## Frame Relay Over ATM Interworking Test Plan

### Contents

[Telcordia SR-3989 - Documentation Information](#)

1. Introduction.....	1-1
1.1 Document Organization .....	1-3
2. Test Suite Overview.....	2-1
2.1 Test Cases.....	2-1
3. Test Descriptions.....	3-1
3.1 Test Configuration .....	3-1
3.2 Timing Architecture .....	3-1
3.3 Test Cases.....	3-2
3.3.1 Frame Relay Service Specific Convergence Sublayer Tests .....	3-2
3.3.1.1 Test Number: 1.1 - FR_SSCS_PDU Structure and Coding.....	3-2
3.3.1.2 Test Number: 1.2 - C/R Field Transparency .....	3-3
3.3.1.3 Test Number: 1.3 - EA Field Coding.....	3-4
3.3.1.4 Test Number: 1.4 - FECN Field .....	3-4
3.3.1.5 Test Number: 1.5 - BECN Field .....	3-5
3.3.1.6 Test Number: 1.6 - Discard Eligibility and CLP Mapping - Mode 1 .....	3-6
3.3.1.7 Test Number: 1.7 - Discard Eligibility and CLP Mapping - Mode 2 .....	3-7
3.3.1.8 Test Number: 1.8 - Connection Assignment Process .....	3-8
3.3.1.9 Test Number: 1.9 - Connection Removal Process.....	3-9
3.3.1.10 Test Number: 1.10 - Connection Activation and Deactivation Processes .....	3-10
3.3.1.11 Test Number: 1.11 - FR_SSCS_SDU delivery order .....	3-11
3.3.1.12 Test Number: 1.12 - AAL5 PDU delivery order .....	3-12
3.3.1.13 Test Number: 1.13 - Invalid and Inactive DLCIs .....	3-12
3.3.1.14 Test Number: 1.14 - FR_SSCS_PDU Payload Length ....	3-13
3.3.2 Service Interworking Parameter Mapping Tests.....	3-14
3.3.2.1 Test Number: 2.1 - Frame Relay Information Field Mapping .....	3-14
3.3.2.2 Test Number: 2.2 - Mode 1 Loss Priority Mapping - FR to ATM .....	3-15
3.3.2.3 Test Number: 2.3 - Mode 1 Loss Priority Mapping - ATM to FR .....	3-15
3.3.2.4 Test Number: 2.4 - Mode 2 Loss Priority Mapping - FR to ATM .....	3-16
3.3.2.5 Test Number: 2.5 - Mode 2 Loss Priority Mapping -	

---

	ATM to FR .....	3-17
3.3.2.6	Test Number: 2.6 - Loss Priority Mapping Configurability.....	3-18
3.3.2.7	Test Number: 2.7 - Forward Congestion Indication Mapping - FR to ATM.....	3-18
3.3.2.8	Test Number: 2.8 - Forward Congestion Indication Mapping - ATM to FR.....	3-19
3.3.2.9	Test Number: 2.9 - Backward Congestion Indication Mapping .....	3-20
3.3.2.10	Test Number: 2.10 - C/R Field Mapping.....	3-20
3.3.2.11	Test Number: 2.11 - DLCI to VPI/VCI One-to-One Mapping .....	3-21
3.3.3	AAL5 Common Part Protocol Tests .....	3-22
3.3.3.1	Test Number: 3.1 - AAL5 PDU Length Check .....	3-22
3.3.3.2	Test Number: 3.2 - Insertion of padding octets in AAL5 PDU .....	3-23
3.3.3.3	Test Number: 3.3 - CPCS User-to-User field.....	3-24
3.3.3.4	Test Number: 3.4 - CPCS CPI field.....	3-25
3.3.3.5	Test Number: 3.5 - CPCS Length field .....	3-25
3.3.3.6	Test Number: 3.6 - CPCS CRC field.....	3-26
3.3.3.7	Test Number: 3.7- Segmentation of the CPCS PDU.....	3-27
3.3.3.8	Test Number: 3.8 - PT Field encoding .....	3-28
3.3.3.9	Test Number: 3.9 - PT Field decoding .....	3-28
3.3.3.10	Test Number: 3.10 - Max_SDU_Deliver_Length AAL5 Parameter .....	3-29
3.3.3.11	Test Number: 3.11 - CPCS PDU User Abort Check.....	3-30
3.3.3.12	Test Number: 3.12 - Additional CPCS PDU Length Check.....	3-30
3.3.3.13	Test Number: 3.13 - Reassembly Timer Time-out.....	3-31
3.3.3.14	Test Number: 3.14 - CPAAL5 Performance Measurements.....	3-32
3.3.4	Traffic Management Parameter Mapping Tests.....	3-33
3.3.4.1	Test Number: 4.1 - One-to-One, Method 1, PCR Parameter Mapping.....	3-34
3.3.4.2	Test Number: 4.2 - One-to-One, Method 1, CLP=0 SCR and MBS Parameter Mappings .....	3-35
3.3.4.3	Test Number: 4.3 - One-to-One, Method 1, CLP=1 SCR and MBS Parameter Mappings .....	3-36
3.3.4.4	Test Number: 4.4 - One-to-One, Method 2, Option 1, PCR Parameter Mapping .....	3-36
3.3.4.5	Test Number: 4.5 - One-to-One, Method 2, Option 1, CLP=0 SCR and MBS Parameter Mappings.....	3-37
3.3.4.6	Test Number: 4.6 - One-to-One, Method 2, Option 2, PCR Parameter Mapping .....	3-38

---

---

3.3.4.7	Test Number: 4.7 - One-to-One, Method 2, Option 2, CLP=0 SCR and MBS Parameter Mappings.....	3-38
3.3.5	PVC Management for Network Interworking .....	3-39
3.3.5.1	Test Number: 5.1 - Q.933 Annex A Procedures at the FR UNI .....	3-39
3.3.5.2	Test Number: 5.2 - Q.933 Annex A Bidirectional Procedures at the ATM Interface of the IWF. ....	3-41
3.3.5.3	Test Number: 5.3 - Q.933 Annex A Asynchronous STATUS Message Support at the ATM Interface of the IWF. ....	3-43
3.3.5.4	Test Number: 5.4 - PVC Segment Outage Detection .....	3-44
3.3.5.5	Test Number: 5.5 - Status Signaling Directional Independence .....	3-46
3.3.5.6	Test Number: 5.6 - PVC Status Reflected Through F5 OAM Flows .....	3-48
3.3.6	PVC Management for Network Interworking .....	3-49
3.3.6.1	Test Number: 6.1 - Q.933 Annex A Procedures at the FR UNI .....	3-49
3.3.6.2	Test Number: 6.2 - AIS F5 OAM Cell Generation Due to FR Service Affecting Condition. ....	3-51
3.3.6.3	Test Number: 6.3 - Stopping AIS F5 OAM Cell Generation When an FR Service Affecting Condition Is Cleared. ....	3-52
3.3.6.4	Test Number: 6.4 - New PVC Indication at the FR Interface .....	3-53
3.3.6.5	Test Number: 6.5 - Deleted PVC Indication at the FR Interface .....	3-53
3.3.6.6	Test Number: 6.6 - AIS F5 OAM Cell Generation Due to Inactive FR PVC.....	3-54
3.3.6.7	Test Number: 6.7 - ATM PVC to FR PVC Status Mapping .....	3-55
3.3.6.8	Test Number: 6.8 - New ATM PVC Reporting at FR Interface. ....	3-56
3.3.6.9	Test Number: 6.9 - Deleted ATM PVC Reporting at FR Interface. ....	3-57
3.3.6.10	Test Number: 6.10 - Additional ATM Service Affecting Conditions.....	3-58
3.3.7	Upper Layer User Protocol Encapsulation.....	3-60
3.3.7.1	Test Number: 7.1- PVC Configuration Choice for Transparent Mode of Operation.....	3-60
3.3.7.2	Test Number: 7.2 - Transparent Mode of Operation .....	3-61
3.3.7.3	Test Number: 7.3 - PVC Configuration Choice for Translation Mode of Operation .....	3-62
3.3.7.4	Test Number: 7.4 - Bridged PDU Translation.....	3-62

---

---

3.3.7.5	Test Number: 7.5 - Errored RFC 1490 Bridged PDU Handling .....	3-64
3.3.7.6	Test Number: 7.6 - Errored RFC 1483 Bridged PDU Handling .....	3-65
3.3.7.7	Test Number: 7.7 - Routed PDU Translation .....	3-65
3.3.7.8	Test Number: 7.8 - Errored RFC 1490 Routed PDU Handling .....	3-67
3.3.7.9	Test Number: 7.9 - Errored RFC 1483 Routed PDU Handling .....	3-68
3.3.7.10	Test Number: 7.7 - Connection-Oriented PDU Translation .....	3-69
3.3.7.11	Test Number: 7.11 - Errored RFC 1490 Connection-Oriented PDU Handling .....	3-70
3.3.7.12	Test Number: 7.12 - Errored RFC 1483 Connection-Oriented PDU Handling .....	3-70
3.3.7.13	Test Number: 7.13 - Fragmented Packet Reassembly .....	3-71
3.3.7.14	Test Number: 7.14 - Detection of Errors in Fragmented Packet Streams .....	3-72
3.3.7.15	Test Number: 7.15 - Fragmentation due to Packet Larger than Max Frame Size .....	3-73
3.3.7.16	Test Number: 7.16 - FR ARP to ATM ARP PDU Mapping .....	3-74
4.	Test Configurations .....	4-1
4.1	Test Configuration Figures .....	4-1
	References .....	References-1

## List of Figures

Figure 4-1.	FR-SSCS PDU Structure and Coding Test Setup .....	4-1
Figure 4-2.	SUT configuration test setup .....	4-2
Figure 4-3.	Traffic Parameter Mapping Test Setup .....	4-2
Figure 4-4.	FR-SSCS Q.933 Annex A Test Setup .....	4-2
Figure 4-5.	Protocol Encapsulation Test Setup .....	4-3



## List of Tables

Table 1-1.	Frame Relay Over ATM Interworking Functions .....	1-1
Table 2-1.	Test Case Listing. ....	2-2
Table 3-1.	Timing Option Selection Criteria .....	3-1