

---

# Guidelines on Common Channel Signaling (CCS) Signaling System No. 7 (SS7) Link Monitoring System (LMS) Automatic Message Accounting (AMA) Data Generation for Specific Network/Services

## Contents

1. Introduction .....	1-1
1.1 CCS7 Link Monitoring System Overview .....	1-1
1.2 CCS7 Protocol Overview .....	1-3
1.2.1 The Message Transfer Part (MTP).....	1-4
1.2.2 The Signaling Connection Control Part (SCCP).....	1-4
1.2.3 The Transaction Capabilities Application Part (TCAP) .....	1-4
1.2.4 The Integrated Services Digital Network-User Part (ISDNUP) .....	1-5
1.3 CCS7 Usage Measurements Overview .....	1-5
1.3.1 LEC provides SS7 ISDNUP and TCAP message transport and routing (Pass-Through) services .....	1-5
1.3.2 LEC provides non-circuit-related (TCAP-based) services .....	1-6
1.3.3 LEC provides circuit-related (ISDNUP-based) services .....	1-7
2. Network/Services AMA Data Generation Guidelines .....	2-1
2.1 SS7 ISDNUP and TCAP Message Transport and Routing (Transit Traffic) Service Description .....	2-1
2.1.1 LEC Signaling for ICN ISDNUP Call Control - IntraLATA and InterLATA .....	2-2
2.1.2 LEC Signaling for ICN TCAP Queries (to and from Non-LEC Database).....	2-3
2.1.3 Automatic Message Accounting (AMA) Data Generation.....	2-4
2.1.4 Proposed Bellcore AMA Format (BAF) Structures.....	2-6
2.1.5 Proposed Bellcore AMA Format (BAF) Tables .....	2-9
2.1.5.1 New Tables .....	2-9
2.1.5.2 Use of Existing AMA Format (BAF) Tables .....	2-10
2.1.6 Use of Existing AMA Format (BAF) Modules .....	2-11
2.2 SS7 ISDNUP and TCAP Message Transport and Routing (Local Number Portability) Service Description .....	2-15
2.2.1 Location of Querying Switch within Network Arrangement.....	2-18
2.2.2 Accounting for Donor Network Queries.....	2-20
2.2.3 Automatic Message Accounting (AMA) Data Generation.....	2-20
2.2.4 Proposed Bellcore AMA Format (BAF) Structures.....	2-22
2.2.5 Proposed Bellcore AMA Format (BAF) Tables .....	2-25

---

2.2.5.1	New Tables .....	2-25
2.2.5.2	Use of Existing Tables.....	2-27
2.2.6	Proposed Bellcore AMA Format (BAF) Modules.....	2-28
2.3	SS7 ISDNUP-Based Circuit-Related (Local Service Provider Identification) Service Description .....	2-31
2.3.1	Format of LSPI.....	2-34
2.3.2	Call Scenarios .....	2-35
2.3.3	Automatic Message Accounting (AMA) Data Generation.....	2-37
2.3.4	Proposed Bellcore AMA Format (BAF) Structures.....	2-39
2.3.5	Proposed Bellcore AMA Format (BAF) Tables .....	2-42
2.3.5.1	New Tables .....	2-42
2.3.5.2	Use of Existing Tables.....	2-46
2.3.6	Proposed Bellcore AMA Format (BAF) Modules.....	2-46
2.4	SS7 TCAP Non-Circuit-Related (InterLATA CLASS Automatic Callback and Automatic Recall) Service Description.....	2-49
2.4.1	AC and AR TCAP Messages .....	2-51
2.4.2	Call Scenarios .....	2-53
2.4.3	Automatic Message Accounting (AMA) Data Generation.....	2-59
2.4.4	Proposed Bellcore AMA Format (BAF) Structures.....	2-60
2.4.5	Proposed Bellcore AMA Format (BAF) Tables .....	2-63
2.4.6	Proposed Bellcore AMA Format (BAF) Modules.....	2-63
2.4.6.1	New Modules.....	2-63
2.4.6.2	Use of Existing Modules .....	2-64
2.5	SS7 ISDNUP-Based Circuit-Related (Interface between LEC and CLEC, IntraLATA Toll Competition) Service Description.....	2-65
2.5.1	Information Available .....	2-66
2.5.2	Call Scenarios .....	2-67
2.5.3	Automatic Message Accounting (AMA) Data Generation.....	2-70
2.5.4	Proposed Bellcore AMA Format (BAF) Structure .....	2-73
2.5.5	Proposed Bellcore AMA Format (BAF) Tables .....	2-75
2.5.5.1	Use of Existing Tables.....	2-75
2.5.6	Proposed Bellcore AMA Format (BAF) Modules.....	2-76
2.5.6.1	New Modules.....	2-76
2.6	SS7 ISDNUP-Based Circuit-Related (Interface between LEC and ILEC IntraLATA Interconnection) Service Description .....	2-79
2.6.1	Information Available .....	2-80
2.6.2	Call Scenarios .....	2-81
2.6.3	Automatic Message Accounting (AMA) Data Generation.....	2-83
2.6.4	Proposed Bellcore AMA Format (BAF) Structure .....	2-86
2.6.5	Proposed Bellcore AMA Format (BAF) Tables .....	2-88
2.6.5.1	Use of Existing Tables.....	2-88
2.6.6	Proposed Bellcore AMA Format (BAF) Modules.....	2-89
2.6.6.1	New Modules.....	2-89
3.	Discussion on Future Services .....	3-1

---

---

3.1	CCS Network Usage Measurements Aggregation Records (Total Octets) ....	3-1
3.1.1	Wireless Service Providers .....	3-1
3.1.1.1	Paging Service Providers .....	3-1
3.1.1.2	Personal Communications Service (PCS) Providers .....	3-2
3.1.2	Signaling Interconnection Services (SIS) .....	3-2
3.2	CCS Network Usage Measurements Call Detail Records (Minutes of Use)..	3-2
3.2.1	Tandem Service Providers .....	3-2
3.2.2	Advanced Intelligent Network (AIN) Services.....	3-2
3.3	CCS Network Usage Measurements Transaction Detail Records (Service Information) .....	3-3
3.3.1	Database Services .....	3-3
Appendix A:	CCS7 Protocol Analysis .....	A-1
A.1	CCS7 Network Overview .....	A-1
A.1.1	The Message Transfer Part (MTP).....	A-2
A.1.1.1	MTP Link Level .....	A-2
A.1.1.2	MTP Network Level .....	A-3
A.1.2	The Signaling Connection Control Part (SCCP).....	A-6
A.1.3	The Transaction Capabilities Application Part (TCAP) .....	A-8
A.1.4	The Integrated Services Digital Network-User Part (ISDNUP) .....	A-12
A.1.4.1	Initial Address Message.....	A-13
A.1.4.2	Address Complete Message.....	A-14
A.1.4.3	Answer Message .....	A-14
A.1.4.4	Release Message .....	A-15
A.1.4.5	Release Complete Message .....	A-15
Appendix B:	CCS7 Data Elements Trapping and Mapping to BAF.....	B-1
B.1	CCS7 data elements for usage measurements.....	B-1
B.2	CCS7 data elements mapping to BAF .....	B-1
B.3	CCS7 Data Elements Trapping .....	B-6
Glossary	.....	Glossary-1
References	.....	References-1

---

---

## List of Figures

Figure 1-1.	CCS7 Link Monitoring System (LMS) Arrangements.....	1-2
Figure 1-2.	CCS7 Link Monitoring System - Functional Model .....	1-3
Figure 1-3.	SS7 Protocol Architecture .....	1-4
Figure 1-4.	LEC Provides Pure SS7 Message Transport and Routing Services .....	1-6
Figure 1-5.	LEC Provides Non-Circuit Related (TCAP-based) Services .....	1-7
Figure 1-6.	LEC Provides Circuit Related (ISDNUP-based) Services .....	1-8
Figure 2-1.	LEC Signaling for ICN ISDNUP Call Control - IntraLATA .....	2-2
Figure 2-2.	LEC Signaling for ICN ISDNUP Call Control - InterLATA .....	2-3
Figure 2-3.	LEC Signaling for TCAP Queries (to and from Nom-LEC Database) ....	2-4
Figure 2-4.	Architecture and Systems for Service Provider Portability .....	2-15
Figure 2-5.	Originating Switch LNP Processing Direct to Recipient Switch .....	2-18
Figure 2-6.	Originating Switch LNP Processing Indirect to Recipient Switch.....	2-19
Figure 2-7.	N-1 Network Query (Network Preceding the Terminating Network)....	2-20
Figure 2-8.	Potential LSPI Information Available at an End Office.....	2-32
Figure 2-9.	End User-A Calls End User-B.....	2-36
Figure 2-10.	Originating Account Owner LSPI in a Resale Environment.....	2-37
Figure 2-11.	A-Link Interconnection Architecture .....	2-53
Figure 2-12.	B/D-Link Interconnection Architecture.....	2-54
Figure 2-13.	Terminating Scanning to Monitor Called Party's Line .....	2-56
Figure 2-14.	Originating Scanning to Monitor Called Party's Line.....	2-58
Figure 2-15.	Interfaces Between LEC and CLEC CCS7 Interconnection .....	2-66
Figure 2-16.	LEC and CLEC A- Link Interconnection Architecture.....	2-68
Figure 2-17.	LEC and CLEC B/D-Link Interconnection Architecture .....	2-69
Figure 2-18.	Interfaces Between LEC and ILEC CCS7 Interconnection.....	2-79
Figure 2-19.	LEC and ILEC A- Link Interconnection Architecture .....	2-81
Figure 2-20.	LEC and ILEC B/D-Link Interconnection Architecture .....	2-82
Figure A-1.	Signaling System No. 7 Layered Reference Model .....	A-1
Figure A-2.	MTP Link Level - Message Signal Unit.....	A-2
Figure A-3.	MTP Network Level.....	A-4
Figure A-4.	SCCP Unit Data Message.....	A-6
Figure A-5.	TCAP Message Format .....	A-8
Figure A-6.	ISDNUP Message Format .....	A-12
Figure B-1.	Call Set-up Usage Measurements (By NPA-NXX) .....	B-2
Figure B-2.	Call Set-up Usage Measurements (By Point Code).....	B-3
Figure B-3.	SCCP Unitdata Usage Measurements .....	B-4
Figure B-4.	SCCP Unitdata Usage Measurements with Global Title Translation.....	B-5

---

## List of Tables

Table 2-1.	Data Elements (Basic) .....	2-5
Table 2-2.	Data Elements (ISDNUP Parameters) .....	2-5
Table 2-3.	Data Elements (SCCP Parameters) .....	2-6
Table 2-4.	Data Elements (TCAP Parameters) .....	2-6
Table 2-5.	Data Elements (Basic) .....	2-21
Table 2-6.	Data Elements (ISDNUP Parameters) .....	2-22
Table 2-7.	Data Elements (SCCP Parameters) .....	2-22
Table 2-8.	Data Elements (TCAP Parameters) .....	2-22
Table 2-9.	Data Elements (Basic) .....	2-38
Table 2-10.	Data Elements (ISDNUP Parameters) .....	2-39
Table 2-11.	AC/AR Names Per Funding Company .....	2-49
Table 2-12.	AC/AR Services Data Elements (Basic) .....	2-59
Table 2-13.	AC/AR Services Data Elements (SCCP Parameters) .....	2-60
Table 2-14.	IntraLATA Competition Service Data Elements (Basic) .....	2-70
Table 2-15.	IntraLATA Toll Competition Services Data Elements (ISDN-UP Parameters) from Message Type .....	2-72
Table 2-16.	IntraLATA Interconnection Services Data Elements (Basic) .....	2-83
Table 2-17.	IntraLATA Interconnection Services Data Elements (ISDN-UP Parameters) from Message Type .....	2-85
Table A-1.	Signaling Point Code .....	A-5
Table A-2.	Called/Calling Party Address .....	A-7
Table A-3.	Transaction Portion .....	A-9
Table A-4.	Components .....	A-10
Table A-5.	Digits Parameter .....	A-11
Table A-6.	ISDNUP Message Format .....	A-13
Table A-7.	Address Complete Message Format .....	A-14
Table A-8.	Answer Message Format .....	A-14
Table A-9.	Release Message Format .....	A-15
Table A-10.	Release Complete Message Format .....	A-15
Table B-1.	Primary MSU Categories .....	B-6