

## Contents

## Telcordia SR-4721-Documentation Information

1. Introduction.....	1-1
1.1 Purpose .....	1-1
1.2 Definitions .....	1-2
1.3 Background and Overview .....	1-3
1.4 Related Documents .....	1-4
1.5 Scope .....	1-4
1.6 Summary of Changes.....	1-5
2. Abstract CPE.....	2-1
2.1 Server Display Control (SDC) Components.....	2-1
2.1.1 Display .....	2-1
2.1.1.1 Information Display Page.....	2-2
2.1.1.2 Communication Display Page.....	2-5
2.1.1.3 Formatting Virtual Display Page Lines.....	2-6
2.1.1.4 Displaying Character Attributes.....	2-6
2.1.1.5 Displaying Lines.....	2-7
2.1.1.6 Global Title.....	2-8
2.1.1.7 Active Line.....	2-8
2.1.2 Feature Keys .....	2-9
2.1.2.1 SDC Soft Key Definer Table.....	2-9
2.1.2.2 Line Up and Down Keys .....	2-10
2.1.2.3 Soft Key Tuples.....	2-11
2.1.2.4 Default Soft Key Tuple.....	2-15
2.1.2.5 Automatic Select .....	2-16
2.1.2.6 Return Strings.....	2-16
2.1.2.7 Return String Control Codes.....	2-18
2.1.3 Call and Session Information.....	2-24
2.1.3.1 Call Reference Buffers.....	2-24
2.1.3.2 Current Line Number Buffer.....	2-28
2.1.3.3 Input Buffer.....	2-28
2.1.3.4 Input Format Table .....	2-29
2.1.3.5 Information Flags.....	2-29
2.1.3.6 CPE ID and CPE Configuration.....	2-31
2.1.4 Off-Hook CPE Modes.....	2-32
2.2 Feature Download Management (FDM) Components.....	2-34
2.2.1 FDM Page .....	2-35
2.2.1.1 FDM Display.....	2-35
2.2.2 FDM Security and Maintenance .....	2-36
2.2.2.1 Off-Hook Feature Downloads.....	2-37
2.2.2.2 Automatic Feature Downloads.....	2-38
2.2.2.3 Feature Download Buffer.....	2-40

	2.2.2.4	ADSI++ Notice Displays.....	2-40
	2.2.2.5	ADSI++ CPE Flag to Indicate If Confirmation of Script Update Download Is Needed .....	2-41
2.3		CPE Resident Script Components .....	2-42
	2.3.1	Display .....	2-42
		2.3.1.1 Status Display Page .....	2-42
		2.3.1.2 Predefined Display Table .....	2-42
		2.3.1.3 Formatting the Predefined Display Lines.....	2-44
		2.3.1.4 Displaying Predefined Display Line Character Attributes.....	2-44
		2.3.1.5 Displaying Predefined Display Lines .....	2-44
	2.3.2	Feature Keys .....	2-45
		2.3.2.1 Script Soft Key Definer Table .....	2-45
		2.3.2.2 Script Soft Key Return Strings.....	2-45
	2.3.3	Script Information .....	2-61
		2.3.3.1 Call Reference Buffers.....	2-61
		2.3.3.2 Input Buffer .....	2-61
		2.3.3.3 Information Flags Used by Scripts.....	2-61
		2.3.3.4 Script Flags.....	2-61
		2.3.3.5 Script State .....	2-62
		2.3.3.6 Event Queue.....	2-62
		2.3.3.7 Script Decrement Counter .....	2-62
	2.3.4	Script Triggering Events .....	2-62
	2.3.5	Script Operation Codes .....	2-71
	2.3.6	Script Interpreter .....	2-112
		2.3.6.1 Starting and Ending a Script .....	2-117
		2.3.6.2 Default Script .....	2-118
		2.3.6.3 Expanded Default Script .....	2-118
		2.3.6.4 Script Example .....	2-118
	2.3.7	Script Arbitration .....	2-120
		2.3.7.1 Priority Order for Executing Script Selection .....	2-124
		2.3.7.2 Script Status Value Definitions.....	2-125
		2.3.7.3 Self-Launch (SL) Scripts.....	2-125
		2.3.7.4 Idle State Run Queue .....	2-127
		2.3.7.5 Script Activation Based on MWN Match .....	2-128
		2.3.7.6 Script Activation Based on CID Match.....	2-129
		2.3.7.7 Script Activation Based on Time Match.....	2-131
		2.3.7.8 Interaction With SDC Session.....	2-133
		2.3.7.9 Script Context Switching Rules.....	2-133
		2.3.7.10 New CPE Capabilities.....	2-135
	2.3.8	ADSI++ Forms Management and Message Text Editing Capabilities.....	2-136
		2.3.8.1 On-line and Off-line Forms Management and Text Editing.....	2-136
		2.3.8.2 Forms/Message Edit Table (FET) .....	2-137
		2.3.8.3 FET Structure .....	2-141
		2.3.8.4 FET Sizing and Memory Allocation .....	2-143

2.3.8.5	FET Controls.....	2-144
2.3.8.6	Current FET Line Buffer.....	2-147
2.3.8.7	ADSI++ CPE FET Forms/Message Navigation Capabilities.....	2-148
2.3.8.8	FET Navigation Controls.....	2-150
2.3.9	Unified Message Reception (UMR) Functionality .....	2-151
2.3.9.1	MWN Buffer .....	2-153
2.4	Idle State Settings .....	2-154
3.	Server - CPE Communications.....	3-1
3.1	Signal Detection and Generation - Physical Layer .....	3-1
3.1.1	FSK Data Transmission Interface .....	3-1
3.1.2	Timer Drift .....	3-1
3.1.3	CPE Signal Detection and Generation .....	3-2
3.1.3.1	Signal Detection.....	3-2
3.1.3.2	Signal Generation .....	3-5
3.2	Second Layer - Data Link Layer .....	3-6
3.2.1	Server-CPE Handshaking Signals.....	3-7
3.2.2	Data Link Error Detection.....	3-9
3.2.3	ADSI Data Link Message Frame Format .....	3-12
3.3	Third Layer - Message Layer.....	3-12
3.3.1	Non-ADSI Messages.....	3-13
3.3.1.1	ADSI On-Hook Alerting (AOHA) .....	3-13
3.3.1.2	Unified Messaging Parameter .....	3-14
3.3.1.3	Message Waiting Notification Buffer Variables Parameter .....	3-15
3.4	CPE Error Treatment .....	3-16
3.4.1	Data Structures .....	3-16
3.4.2	Data Transmission Interruption .....	3-16
3.4.3	Incorrect Message Sequencing.....	3-17
3.4.4	Errors in CPE Detection of Network Signaling .....	3-17
3.4.5	CPE Inability to Generate Network Signaling .....	3-18
3.4.6	CPE Inability to Reach the Server .....	3-18
3.5	Two-Way Frequency Shift Keying (FSK) Capability .....	3-18
3.6	Guidelines for the Two-Way FSK Capability .....	3-19
3.6.1	Data Transmission Protocol .....	3-20
3.6.2	About the Layer 1 Protocol.....	3-20
3.6.3	About the Layer 2 Protocol.....	3-20
3.6.4	About the Layer 3 Protocol and ADSI Parameters .....	3-24
3.6.4.1	Transport of Data from the Server to the CPE/Peripheral .....	3-25
3.6.4.2	Transport of Data from the CPE/Peripheral to the Server.....	3-25
4.	ADSI++ Data Message Parameters.....	4-1
4.1	Server Display Control Message Parameters .....	4-1
4.2	Feature Download Message Parameters .....	4-2

5.	Requirements and Considerations for Physical CPE.....	5-1
5.1	Display.....	5-4
5.1.1	Display Size .....	5-4
5.1.2	Displaying Virtual and Status Display Pages .....	5-5
5.1.2.1	Wrapping Indicator .....	5-5
5.1.2.2	Formatting Virtual and Status Display Pages .....	5-6
5.1.3	Displaying Characters .....	5-11
5.1.3.1	Character Attributes .....	5-11
5.1.3.2	Character Sets.....	5-11
5.1.4	Cursor.....	5-11
5.1.5	Active Line Indication .....	5-12
5.1.6	Automatic Select Indication.....	5-12
5.1.7	Display Interaction Between SDC and Script Applications .....	5-13
5.2	Soft Keys .....	5-15
5.3	Local Scrolling.....	5-15
5.3.1	Active Logical Section Buffer .....	5-15
5.3.2	Active Soft Key Definer Buffer .....	5-15
5.3.3	Local Global Title Copy .....	5-16
5.3.4	Scrolling Up and Down.....	5-16
5.4	Alphanumeric Input.....	5-17
5.5	Manual Operation .....	5-18
5.6	Extension Phones .....	5-18
5.6.1	Multiple Extension Interworking Capability .....	5-19
5.7	Support for Peripherals.....	5-19
5.8	Adjunct Implementation .....	5-19
5.8.1	Pocket Data Organizer Implementation .....	5-20
5.9	Local CPE Functionality .....	5-20
5.9.1	Displaying Caller ID and Caller ID on Call Waiting (CIDCW).....	5-21
5.9.2	Return String Dialed Number Display.....	5-21
5.9.3	Local Display of User Input.....	5-21
5.9.4	Guidelines for Downloading the Initial Service Script.....	5-22
5.9.5	On-Hook Activation of Scripts Through the FDM Page .....	5-22
5.9.6	Local Call Log .....	5-22
5.9.7	Local Automatic Dialing Function .....	5-22
5.9.8	ADSI and Internet/World Wide Web Consumer Devices .....	5-23
5.9.9	CPE Local Functionality .....	5-24
5.10	Interaction Between an SDC Session and Caller ID on Call Waiting (CIDCW).....	5-25
5.11	Number of Script Slots .....	5-25
5.12	Assigning CPE ID.....	5-25
5.13	System Clock.....	5-26
5.14	ADSI Memory Requirements .....	5-26
5.14.1	Virtual Display Pages.....	5-26
5.14.2	Idle State Run Queue .....	5-27
5.14.3	SDC Soft Key Definer Table .....	5-27
5.14.4	Call Reference Buffers.....	5-28
5.14.5	Input Buffer.....	5-28

5.14.6	Input Format Table.....	5-28
5.14.7	Default Soft Key Tuple .....	5-28
5.14.8	Current Line Number Buffer.....	5-28
5.14.9	Service Script and Associated Tables .....	5-28
5.14.9.1	Script Flags.....	5-28
5.14.9.2	CPE Script Soft Key Definer Table .....	5-29
5.14.9.3	Predefined Display Table .....	5-29
5.14.9.4	Service Script.....	5-29
5.14.9.5	Additional ADSI++ CPE Components .....	5-29
5.14.10	Summary of Memory Requirement .....	5-30
5.15	Data Preservation .....	5-31
5.16	Industry Standards and FCC Regulations.....	5-31
5.17	Additional Considerations for Two-Line ADSI CPE.....	5-31
Appendix A: Components of the Abstract CPE .....		A-1
Appendix B: Samples of Service Scripts.....		B-1
Appendix C: Comparison Table .....		C-1
C.1	Population of \$CI and \$CF Information in the Comparison Table.....	C-5
C.1.1	Format for the information in the Comparison Field (\$CF) .....	C-6
C.1.2	Format for the information in the Comparison Input (\$CI).....	C-7
References .....		References-1
Glossary .....		Glossary-1



## List of Figures

Figure 2-1.	Primary and Secondary Columns of Information Display Page.....	2-2
Figure 2-2.	Information Display Page Components.....	2-2
Figure 2-3.	Logical Sections of the Information Display Page .....	2-3
Figure 2-4.	Communication Display Page Components .....	2-6
Figure 2-5.	Soft Key Tuples.....	2-13
Figure 2-6.	Implementation of Section Up/Down Definers .....	2-14
Figure 2-7.	Line Soft Key Tuples and the Default Soft Key Tuple .....	2-15
Figure 2-8.	Soft Keys and their Return Strings.....	2-17
Figure 2-9.	CPE Mode Flow Chart.....	2-33
Figure 2-10.	FDM Display Example.....	2-36
Figure 2-11.	Example Feature Download Acceptance Prompt.....	2-37
Figure 2-12.	AOHA and Automatic Feature Download Initiation Timing.....	2-38
Figure 2-13.	Predefined Display Page Components .....	2-43
Figure 2-14.	Parsing “Branch on Event” Op-code 1 .....	2-76
Figure 2-15.	Script Interpreter Flow Chart 1 (Script Activation) .....	2-113
Figure 2-16.	Script Interpreter Flow Chart 2 (Reading Op-Codes Loop).....	2-114
Figure 2-17.	Script Interpreter Flow Chart 3 (Branch and Jump Op-Codes) ...	2-115
Figure 2-18.	Script Interpreter Flow Chart 4 (Remaining Op-Codes) .....	2-116
Figure 2-19.	Example Script: Stable Two-Party Call State .....	2-119
Figure 2-20.	Example Script: Caller ID on Call Waiting State .....	2-119
Figure 3-1.	Server-CPE Handshaking Timing.....	3-9
Figure 3-2.	ADSI Cyclic Redundancy Check (CRC) Flowchart .....	3-11
Figure 3-3.	ADSI Data Message Format (ADMF).....	3-12
Figure 3-4.	CPE ID Parameter of the MDMF “Call Setup” Message for AOHA	3-14
Figure 5-1.	Possible ADSI CPE Physical Display Layouts .....	5-2
Figure 5-2.	Other Possible ADSI CPE Physical Display Layouts .....	5-3
Figure 5-3.	20-Character Display with Global and Section Prompts Displayed.	5-4
Figure 5-4.	40-Character Displays with Global and Section Prompts Displayed.....	5-4
Figure 5-5.	20-Column, 4-line Display with 3 Lines Occupied by Soft Key Labels .....	5-5
Figure 5-6.	Displaying Lines with Centered Formatting .....	5-7
Figure 5-7.	Displaying Lines with Left-Justified Formatting .....	5-8
Figure 5-8.	Displaying Lines with Right-Justified Formatting.....	5-9
Figure 5-9.	Displaying Lines with Indented Formatting.....	5-10
Figure 5-10.	Automatic Select Function Implementation with Vertical Soft Keys .....	5-12
Figure 5-11.	Automatic Select Function Implementation with Horizontal Soft Keys .....	5-13
Figure 5-12.	Interaction Between Local Scrolling and Input Format.....	5-17
Figure 5-13.	CAS Tone/Data-Burst Interruption Timing Diagram .....	5-25
Figure A-1.	Abstract CPE Components (Sheet 1 of 5).....	A-2
Figure A-1.	Abstract CPE Components (Sheet 2 of 5).....	A-3
Figure A-1.	Abstract CPE Components (Sheet 3 of 5).....	A-4

Figure A-1. Abstract CPE Components (Sheet 4 of 5)..... A-5  
Figure A-1. Abstract CPE Components (Sheet 5 of 5)..... A-6



## List of Tables

Table 1-1. CPE Types and Supported Features .....	1-2
Table 2-1. Example Information Display Page (with null lines) for a Voice Mail Service .....	2-4
Table 2-2. Undefined Line in the Information Display Page .....	2-8
Table 2-3. Soft Key Definer Table - Using Service Defined Return Strings.....	2-10
Table 2-4. Soft Key Definer Table - Using the Default Return Strings.....	2-10
Table 2-5. Return String Control Codes.....	2-18
Table 2-6. FDM Page Entry.....	2-35
Table 2-7. Return String Control Codes Available for CPE-Resident Scripts ....	2-46
Table 2-8. Event Code Table .....	2-63
Table 2-9. Script Interpreter Operation Codes and Parameters .....	2-72
Table 2-10. Parameters Associated with Script Instructions .....	2-107
Table 2-11. Script Soft Key Table for the Sample Service Script.....	2-120
Table 2-12. Predefined Display Table for the Sample Service Script .....	2-120
Table 3-1. Audible Tones: Frequency Components and Alerting Cadences .....	3-3
Table 3-2. Audible Tones: Power Levels.....	3-3
Table 3-3. Alerting Cadences.....	3-4
Table 3-4. DTMF Frequencies .....	3-5
Table 3-5. DTMF Tone Power Limits .....	3-5
Table 3-6. Server-CPE Handshaking Timing .....	3-8
Table 3-7. Message Types for ADSI Messages .....	3-12
Table 3-8. Two-Way FSK Message Types .....	3-22
Table 4-1. Server Display Control Parameters.....	4-1
Table 4-2. Feature Download Parameters.....	4-2
Table 5-1. Summary of Memory Requirements.....	5-30